# **TABLE OF CONTENTS**

Index by Description	
Characteristics	
12-Step Finishing Process	
Policies	
Door Styles	
Premium Color Palette	.27
Unfinished	.28
Finish Techniques	.28
Finish Availability	.29-35
Construction Features	.36
Modification/Upgrade Compatibility Chart	.37
Construction Upgrades	
Drawer Front Options	
Drawer and Door Options	
Custom Modifications	
Door Modification/Specialty Doors	
Glass Inserts	
Cabinet Dimensions	
Design Checklist	
NKBA Guidelines	
Storage Solutions Reference Chart	
Wall Cabinets	
Hearths	
Base Cabinets	
Universal Access Cabinets	
Tall Cabinets	
Office & Furniture Cabinets	
Vanity Cabinets	
Fillers	
Panels & Skins	
Wainscoting	
Custom Panels, Doors, & Drawer Fronts	
Custom Hinged Doors	
Moulding	
Valances	
Embellishments	
Contemporary Embellishments	
Shelves	
Lighting & Lighting Accessories	
Hardware - Decorative Knobs, Pulls, Faux Hinges	
Accessories	.370-376
Roll Tray Kits	
Guide Kits and Parts	.380
Stain, Paint, & Touch-up Tools	.381
Hinges	
Doors, Drawer Fronts, & Drawers	
Parts ´	
Stacked Moulding Kits	
Agreements	
Index by Code	
Warranty	

Description	Code	Page Number
Abbe Foot	ARFOOT	352
Acanthus Moulding		
Add Toekick		
All-plywood Construction		
Aluminum Frame Doors w/Frost Glass		
Angled Corner Sink Front Bottoms	ACSFB	180
Angled Corner Sink Fronts	ACSF	180
Angled Corner Sinks	ACS	179
Angled Fluted/Plain Fillers	BLVDFF	307
Appliance Cut-out, Single	ACS	48
Arch Flat Panel Wood Hood		
Arched Valance		
Art Corbel 9"		
Arts & Crafts Bracket		
Asymmetrical Base Easy Reach		
Asymmetrical Base Easy Reach w/Adjustable Shelves		
Asymmetrical Easy Reach Wall Corners		
Asymmetrical Solid-wood Super Lazy Susan		
Asymmetrical Super Lazy Susan w/Chrome Rail Asymmetrical Super Susans		
Authentic Ends		
Back Panel Moulding		
Back Skin, Interior		
Base Bin Tray Pull-out Cabinets	RRTP	207
Base Box Column Pull-outs (Plain, Overlay)		
Base Buffet Three Drawer		
Base Buffet Three Drawer w/Deep Drawer		
Base Built-in Microwave Cabinet w/Drawer		
Base Cabinets		
Base Cabinets Four Drawer		
Base Cabinets Four Drawer w/Wood Tiered Cutlery		
Divider Drawer		
Base Cabinets Full Width w/Roll Trays & Swing-outs		
Base Cabinets Three Drawer		
Base Cabinets Three Drawer Corner		
Base Cabinets Three Drawer w/Deep Drawer		
Base Cabinets Three Drawer w/Warming Drawer	3DR::MD	203
Base Cabinets Three Drawer w/Wood Tiered Cutlery	ODD WITCH	000
Divider Drawer		
Base Cabinets Two Drawer		
Base Cabinets Two Drawer w/Drop-in Range		
Base Cabinets Two Drawer w/Pegged Dish Organizer		
Base Cabinets Two Drawer w/Roll Tray		
Base Cabinets Two Drawer w/Roll Tray &	ZDDKI	200
Pegged Dish Organizer	2DB RTPDO	200
Base Cabinets w/Full Height Doors		
Base Cabinets w/Mixer Shelf		
Base Container Organizer Pantry Pull-out		
Base Corner Cabinets		
Base Corner Cabinets w/Pull-out	BCPO	186
Base Corner Full Width Cabinets	BCFW	186
Base Corner Full Width Cabinets w/Curved Pull-out		
Base Corner Full Width Cabinets w/Pull-out		
Base Corner Full Width, Full Height		
Base Corner Inside		
Base Corner Outside		
Base Corner Peninsula		
Base Corner Peninsula, Full Height Door		
Base Drawer Cabinets		
Base Drop-in Range Cabinet		
Base Easy Reach		
Base Easy Reach w/Adjustable Shelves		
Base End Cabinet Base End Shelves		
Base Full Height w/Tray Divider		
pase i oli Heighi w/ Hay pividei		1/2

Description	Code	Page Number
	DIC .	100
Base Lazy Susan Corner w/Center Hinge Door Base Message Center		
Base Microwave Cabinets		
Base Microwave Cabinets w/Deep Drawer		
Base Microwave Cabinets w/Drawer		
Base Mixer Kit		
Base Open Cabinets		
Base Ovens		
Base Pan Storage		
Base Panel w/Filler Attached & Authentic End		
Base Pantry Pull-outs		
Base Paper Towel Cabinet w/Wastebasket Base Paper Towel Cabinet w/Wastebasket Full Height		
Base Pots & Pans Pull-out		
Base Rotating Deep Bin		
Base Spice Drawer	מעאט	200
Base Transition Cabinets	מכט	107
Base Tray Divider Pantry Pull-out		
Base Utensil Pantry Pull-out		
Base Utensil Pantry Pull-out w/Knife Block		
Base Wastebasket		
Base Wastebasket Full Height		
Base Wastebasket Lids		
Base Wine Cubby		
Base w/Can and Wine Bottle Pull-outs		
Base w/Food Storage Container Organizer	B ECCU	1/0
Baseboard - Furniture		
Baseboard Moulding		
Baseboard - Sculpted		
Baseboard - Shaker		
Baseboard - Swooped		
Bases w/Roll Trays		
Bases w/Roll-out Tray Divider	BTDRO	171
Bases w/Tray Dividers	TD	171
Bases w/Wood Tiered Cutlery Divider Drawer	BWTCD	157
Trays	R RTWTCD	167
Batten		
Bauhaus Corbel		
Biometric Secured Drawer		
Bookcases Tall		
Bookcases Tall w/Doors	TBCD	264-265
Bookcases Wall Furniture		
Box Column Fillers (Wall, Base, Tall)	BCF	307-312
Braided Moulding		
Broom Clip		
Buffet Leg		
Bumper Pads		
Bungalow Leg		
Cabinet Box Only		
Cabinet Care Kit (PURE&SIMPLE™)		
Cabinet Case Only		
Cabinet False Panel		
Cabinet Frame Only		
Cabinet Front Only		
Cabinet Panel Edge Moulding		
Cabinet Panel Edge Square Moulding	CPES	341
Cabinet w/No Door, w/Drawer		
Cab Mart M		
CabMat™		
Canopy Arch Wood Hood		
Canopy Square Wood Hood		
Cap Moulding		
Celtic Insert		

Description	Code	Page Number	Description	Code	Page Number
Classic Arch Wood Hood	WHA	143	EasyTrax™	ET	51
Classic Revival Corbel	CORBELCR	355	Edgebanding	EDGEBAND	372
Classic Square Wood Hood	WHS	144	Egg & Dart Moulding	EGD	336
Classic Tall Crown Moulding	CLTCROWN	332	End Extended Back	EXBKL, EXBKR	47
Classic Wood Hood Chimney			End Panel/Base	BEP	316
Contemporary Light Rail	JINSERTLRC	343	End Panel/Base Lazy Susan	BLSBEP	317
Cooking Utensil Divider			End Panel/Tall		
Corner Door Cabinets			End Panel/Vanity Base		
Corner Fillers	CF	302	End Panel Skins/Base	BEPS	313
Cornice Tall Crown Moulding	COTCROWN	332	End Panel Skins/Tall		
Cosmo Corbel, 13" Large Deep			End Panel Skins/Wall		
Cosmo Foot		<b> </b>	English Bar Column		
Cosmo Leg		347	English Country Leg		
Countertop Edge Moulding (Contemporary & Traditional) .			English Island Column		
Country Sink Base w/CabMat <sup>TM</sup>			Estate Leg		
Country Sink Base w/Short Apron			Estate Leg, Small		
Country Sink Bases			Estate Leg Split, Small		
Cove Corbel			Extended Stile		
Cove Crown Moulding			Exterior Shelves		
Craftsman Foot			EZ-Org™ Modular Pull-out Racks		
Craftsman Open Bracket		<b> </b>	Face Frame and Door on End		
Cross Grain Veneer Back Skin 1/4" Panels			False Panel Clips		10
Custom Doors, No Hinge Routing			Tulso Fullor Clips	PFALSEPNLCLIP50	380
Custom Doors w/Hinge Routing			Filler Return		302
Custom Doors w/Hinge Routing, Slab Styles			Fillers		
Custom Drawer Fronts			Finished Back Skins		
Cut-for-glass Doors	,	<b> </b>	Finished Ends		
Cutlery Dividers			Flat Scribe Moulding		
Decorative Appliance Panels			Floating Shelves		
Decorative Door Panel Kits, Base End			Floating Shelves, Stainless Steel		
Decorative Door Panel Kits, Tall End			Flush Toekick		34
			FIUSII IOEKICK AICII	FTKAV.P	ΕΛ
Decorative Split Turning End	STIKINGENU	334	Florit Toolide Francisco		34
Decorative Split Turning Spool			Flush Toekick Furniture		ЕЛ
Deep Roll Tray			Flored /Decaded Fillion	FTKFV.P	
Dentil Moulding			Fluted/Beaded Fillers		
Desk Door Drawer Bases			French Country Leg		
Desk Double File Drawer Bases			Full Depth Interior Shelves		
Desk Easy Reach			Full Depth Shelf		
Desk File Drawer Bases			Full Height Rangetop Base		
Desk Three Drawer Bases			Full Overlay Crown		
Desk Wastebasket Full Height Bases			Furniture Base Light Rail		
Diagonal Base Cabinet w/Full Height Door	DAR"-12	189	Furniture Drawer Window Bench		
Diagonal Base Cabinet w/Full Height Door	212 010		Furniture Drawers		
& Super Lazy Susan			Furniture Finished Plywood Ends		
Diagonal Corner Moulding			Furniture Valance		
Diagonal Wall Cabinets			Gaelic Leg		
Diagonal Wall Cabinets w/Lazy Susan			Glass Shelf Kits		
Diagonal Wall Cabinets w/Lower Door			Hardware - Decorative Knobs, Pulls, Faux Hinges		
Diagonal Wall Cabinets w/Lower Door & Lazy Susan			Hearth Liner		
Diagonal Wall Peninsula Cabinets			Hearth Mantels		
Door Panel - Solid Reverse Raised	DPSRR	42	Hearth Piers	HP21	154
Drawer Front Flat 5-piece	DFF5PC	39	Hearth Shelf	HS	154
Drawer Front Flat 5-piece Narrow Rails	DFF5PCNR	39	Heat Shields, Angled	ANGLHEATSHIELD,	
Drawer Front Flat 5-piece Narrow Rails w/Slab Top	DFF5PCNRST	40		ANGLHSHIELDSS	372
Drawer Front Flat 5-piece w/Slab Top			Heat Shields, Straight	STRTHEATSHIELD,	
Drawer Front Raised 5-piece	DFR5PC	39		STRTHSHIELDSS	
Drawer Front Raised 5-piece w/Slab Top	DFR5PCSLBT	41	Hinge Angle Restriction Clip	HINGERESCLIP	382
Drawer Front Slab			Hinge Shim		
Drawer Front Slab Top			Hinges		
Drawer Guide Back Sockets			Increased Depth		
Drawer Guide Box Locks			Industrial Bracket, Loop		
Drawer Guide Kits			Industrial Bracket, Straight		
Drawer Guide Spacer Block			Insert Crown		
Ductwork Conversion Kit			Inside Corner Moulding		
Easy Reach Wall Corner Cabinets			Installed Roll Tray		
בעסץ תסעכוו זינווו כסווופו בעטווופוס	LIV	120	matunou non muy	M	J 1

Description	Code	Page Number
Inverted Frame	INVERM	49
Island Leg		
Island Leg Tapered		
K-Cup Insert		
Kensington Bun Foot	. JCRBUNFOOT	352
Large Corbel	. LGCORBEL	355
Large Outside Corner Moulding	. LOSC	343
Large Shaker Crown		
Large Square Foot		
Large Straight Angle Crown Moulding	. LSACROWN	333
Lazy Susan Pull-out	. LSP	196
Library Moulding		
Lid Organizers		
Light Baffle Moulding		
Light Installed Battery Strip		
Light Rail Cap	SOFFITA	342
Light Rail Cap - Shaker		
Light Rail Moulding		
Lighting & Lighting Accessories		
Lille Foot		
Linear Tapered Wood Hood	. JWHL	145
Linen Closet		
Linen Closet Hamper Liner	. LCHAMPERLNR	373
Linen Closet w/Removable Hamper		
Linen Tall		
Linen Tall w/Drawer		
Linen Tall w/Drawer and Removable Hamper		
Loose Toekick		
Madeline Foot		
Medicine Cabinets (Single & Tri-View)		
Medium Straight Angle Crown Moulding		
Metal Feet		
Metro Bar Column		
Metro Island Column	. METISLCOLUMN	349
Metropolitan Foot		
Mid-century Triangle Bracket		
Mirror Frame Moulding		338
Miscellaneous Parts	,	
	BUMPERPADS,	
	INSTALLSCR,	
	INSTALLSCREWS,	
	PDM, RETCLIPBAG, SHELFPEGS,	
	SHELFPEGSCTR	383
Mission Corbel 6"		
Mission Corbel 9"		
Mission Leg		
Mission Rosette		
Modern Corner Floating Shelf		
Modern Corner Shelf		
Modified Full Overlay		
Mullion Doors		
Mullion Doors, Prairie		
Mullion Doors, Shaker		
Ogee Edge Moulding		
Old World Corbel 5"		
Outside Corner 135° Moulding		
Oven Cabinets Double		
Oven Cabinets Double		
Oven Cabinets Double w/Drawer & Extended Opening.		
Oven Cabinets Single		
Oven Installation Kit		
Oven Microwave Cabinets		

Description	Code	Page Number
Oven Microwave Cabinets w/Drawer	OMCDD, WD	255-257
Oven Microwave Combo Cabinets	OCS	240-241
Oven Microwave Combo Cabinets w/Drawer		
Overlay Fillers		
Overlay Fillers for Modified Full Overlay		
Panels w/Filler Attached	BEPF, IEP, WEP	317-322
Pantry Top Units w/Shelves	PTIIC	234
Pantry Units	PY	236
Pantry Walk-Through	PWT	237
Pegged Dish Organizer	PDO, PDOPOSTS	373
Peninsula		
Plinth Block		
Plinth Block Filler 3"		
Pots & Pans Organizer Bases w/Drawer		
Pots & Pans Pull-out		
Power Pods		
PowerGlide™ Compact Drawer Outlet	DRWPWR	52, 374
Prepare Cabinet for Finished Bottom	PFINBTMB	47
Push to Open Wastebasket	PTOWB	52
Quarter Round Moulding		
Quattro Dimming Receiver		
Raised Panel Arch Valance		
Recessed Island Toekick		
Recessed Panel Arch Valance		
Recessed Toekick on Back or Side	RECTKBK, RECTKL, RECTKR.	56
Reduced Depth	RD	46
Removable Vanity Sink Base	RVWS	221
Roll Tray Kits	RT	377
Roll Tray Kits Deep		
Rope Moulding	RPM	336
Scooped Drawer	SCPDRW	42
Shaker Corbels		
Shaker Crown Moulding		
Shelf Pull-down		
Shelf Support Bracket		
Shiplap Straight Wood Hood w/Corbels		
Shiplap Tapered Wood Hood		
Shiplap Tapered Wood Hood w/Corbels	JWHSHIPTCB	146
Shiplap Wood Hood Chimney	JWHSHIPCH	146
Shoe Moulding — Convex Inside Corner		
Simple Tapered Wood Hood		
Simple Tapered Wood Hood w/Corbels		
Single Bead Edge Moulding	CRE	1 <del>4</del> 0 338
Single Bead Moulding		
Single Bead Pilaster		
Single Door Medicine Cabinet	MC	301
Single Outlet Cover		
Single Rocker Plate		
Sink Base Corner		
Sink Base SuperCabinet™ w/CabMat™		
Sink Base SuperCabinet™ w/ Cabinat™	SBSTS	177
Sink Base SuperCabinet <sup>TM</sup> w/Tilt-out Trays &		
CabMat™	SBSTSCM	.178
Sink Base w/CabMat™	SBCM	.173
Sink Base w∕Tilt-out Trays & CabMat™	SBSTCM	176
Sink Bases		
Sink Bases w/Drawers Below		
Sink Front Bottoms		
C / IOIII DONONIO		

Description	Code	Page Number	Description	Code	Page Number
Sliding Towel Rack			Triple Bead Pilaster Moulding		
Small Corbel			Tri-View Medicine Cabinets		
Small Cove Crown Moulding			Tulip Foot		
Small Crown Moulding			Turned Post Island Leg		
Small Light Rail Moulding			Under Counter Drawers		
Small Scribe Moulding	SCRIBE	338	Under Counter Drawers Trimmable		
Snack Bar Support 11 1/4"	SBS	356	Under Panel Moulding	UPM	339
Soffit Filler Moulding	SFM	335	Universal Access Base Cabinets	В	219
Soffit Trim Moulding	TSTM	.339	Universal Access Base Microwave w/Deep Drawer	BMWDDD	220
Solid-wood Crown Moulding	SWCRM	.334	Universal Access Desk Leg	VDLWD	221
Solid-wood Large Crown Moulding	SWLCRM	335	Universal Access Sink Base Cabinets		
Solid-wood Super Lazy Susan			Universal Access Sink Base Cabinets w/Tilt-out Trays	SBST	220
Solid-wood Tall Crown Moulding			Universal Access Super Lazy Susan		
Solid-wood Victorian Crown Moulding			Universal Access Three Drawer Base Cabinets		
Space Fillers		.303	Urn Leg		
Spice Rack Pull-down		374	Utility Cabinets		
Spice Racks			Utility Cabinets w/Roll Trays		
Spool Leg			Utility Organizer Cabinets		
Spool Leg Split, Small			Utility Organizer Cabiners		
Square Bar Leg			Valance Top Rail		
Square Corner Sinks			Valley Forge Moulding		
Square Flat Panel Wood Hood			Vanity Base Easy Reach		
Square Foot			Vanity Base Wastebasket		
			Vanity Bases		
Square Foot, Split					
Square Island Leg			Vanity Chrome Roll-out Rack		
Square Island Leg, Metal Sleeve			Vanity Desk Legs		
Square Leg w/Tapered Foot			Vanity Door Drawer Bases		
Stacked Diagonal Wall Cabinets			Vanity Drawer Bases		
Stacked Wall Cabinets			Vanity Four Drawer Bases		
Stacked Wall Corner Cabinets		120	Vanity Grooming Pull-out		
Stain & Paint		381	Vanity Hamper		
Starter Moulding			Vanity Hamper w/Drawer		
Starter Moulding, Shaker			Vanity Mirror		
Straight Angle Crown Moulding			Vanity Mirror w/Side Pull-outs	VMP	300
Straight Batten Wood Hood	WHSBATTEN	149	Vanity Pull-out		
Straight Valance	W	345	Vanity Sink Bases w/False Drawer Fronts	VSB	275-276
Super Lazy Susans w/Chrome Rail	SLSCR	193	Vanity Sink Bases w/U-shaped Pull-out Trays	VSBU	277
Super Susans	SLS	192	Vanity Sink Bases w/Wastebasket		
SuperCabinet™, 30″	BSC30PR, R, RP, RS, SR.	161	Vanity Sink Bases SuperCabinet™ w/Tilt-out Trays		
SuperCabinet™, 36″			Vanity Sink Bases SuperCabinet™ w/Tilt-out Trays &		
, , , , , , , , , , , , , , , , , , , ,	SRS	163	Wastebasket	VSSBSTWB	277
SuperCabinet™ Version 2, 30″			Vanity Sink Drawer Bases		284-289
SuperCabinet™ Version 2, 36″		102	Vanity Sink Drawer Bases w/Eight Drawers		
30parcusinor 7031011 2, 00	SRS	164	Vanity Sink Drawer Bases w/Eight Drawers &	100	270
Tall Built-in Microwave Cabinet			False Panel	VSD FP	293
Tall Crown Moulding			Vanity Sink Drawer Bases w/Six Drawers		
Tall Panel w/Filler Attached & Authentic End			Vanity Sink Drawer Bases w/Six Drawers & False Panel.		
Tall Pantry Pull-outs			Vanity Sink Three Drawer Bases		
Tapered Leg			Vanity Sink Wide Drawer Base w/False Panels		
Tapered Wood Hoods			Vanity Utility Cabinets		
Tilt-out Trays, Plastic			Vanity Wall Cabinets		
Tilt-out Trays, Stainless Steel Slim			Vanity Wall Cubby		
Toeboards			Vanity Wall Hung Cabinets		
Toekick Cap			Vanity Wall Mirror Cabinets		
Toekick Drawer			Vanity Wall Sink		
Toekick Vacuum			Vanity Wastebasket		
Toekick Tulip Foot			Void Toekick		
Touch Latch			Wainscoting		
Touch-up Tools			Wall Appliance Garage Door		
Traditional Light Rail	JINSERTLRT	342	Wall Appliance Garage Vertical-lift Door	WAGVLD	136
Tray Divider, Chrome	CTDK	375	Wall Base Double Door Cabinets		
Tray Divider Kit			Wall Base Single Door Cabinets		
Tray Divider Roll-out Kit			Wall Box Column Pull-outs (Plain, Overlay)		
Tray Dividers			Wall Built-in Microwave Cabinets		
Triad Corbel			Wall Corner Cabinets		
Triple Bead Edge Moulding			Wall Corner Inside		
p.o Soud Edge Moditing		50,		Title attitue Manuals du	

Description	Code	Page Number
Wall Double Door Cabinets	W	89-110
Wall Easy Access Storage Cabinets		
Wall End Cabinets		
Wall Message Center		
Wall Microwave Cabinets		
Wall Organizers		
Wall Quarter Round End Shelves		
Wall Refrigerator Cabinets		
Wall Refrigerator Pull-out	WPO	98, 102,
		104
Wall Refrigerator Vertical-lift		
Wall Shelf Pull-down		
Wall Single Door Cabinets		
Wall Spice Drawers	WSD	142
Wall Spice Pull-out		
Wall Spice Rack Cabinets		
Wall Susan Kits		
Wall Three Drawer Cabinets		
Wall Top Hinge Angle Restriction Clips		
Wall Top Hinge Cabinets	WTH	87-101
Wall Two Drawer Cabinet	W2D	111, 112
Wall Vertical-lift		
Wall Wine Cubbies		
Wall Wine Racks		140
White Laminate Interior		
Wide Scribe		
Window Casing — Traditional		
Wine Glass Holders		
Wine Storage Cabinet		141
Wood Hood Blowers	BLOWER	151
Wood Tiered K-Cup Drawer		
Wood Tops, Four Sided		272
Wood Tops, One Sided	1TWT	270
Wood Tops, Three Sided		
Wood V-grooved Beaded Skin 1/4" Panels	BPVG	315
Wood V-grooved w/Triple Beaded Front		
3/4" Panels (Base, Tall, Wall)	BEP, TEP, WEPVG	322

# CHARACTERISTICS OF WOOD TYPES

No matter which species you choose for your new kitchen or bath cabinetry, please keep in mind that no two pieces of wood are exactly the same. Stains are likely to exaggerate the difference between open and closed grains and other markings in wood. Grain variation and color change should be expected. As hardwood ages, it will darken when exposed to different types of light. Color differences or changes in wood can also be caused by exposure to harsh chemicals, extreme heat or moisture. Additionally, wood species exhibit other defining characteristics, such as mineral deposits/streaks, knots, sap runs, pin holes and wormholes. These markings make the wood unique and contribute to its enduring beauty.

**Alder** has a straight fine textured grain similar to Cherry and Maple. Although classified as a hardwood, it is moderately light in weight and considerably softer than other species. Therefore, care must be taken as it will dent and mar easily. Alder may exhibit grain and color variations, sapwood can be distinguishable from the heartwood, tight pin knots are sometimes present.

**Cherry** is characterized by its red undertones, but may vary in color from white to a deep, rich brown. Cherry is a close-grained wood with fairly uniform texture, revealing pin knots and curly graining. All wood will age with time and the finish will darken. This is especially true for Cherry. This is a sought-after quality in Cherry cabinetry, and those who select it expect this evolution.

**Maple** is a close-grained hardwood that is predominately white to creamy-white in color, with occasional reddish-brown tones. While Maple typically features uniform graining as compared to other wood species, characteristic markings may include fine brown lines, wavy or curly graining, bird pecks and mineral streaks. These traits are natural and serve to enhance Maple's natural beauty.

**Oak** is a strong, open-grained hardwood that ranges in color from white to pink and reddish tones. Streaks of green, yellow and even black may appear due to mineral deposits. Oak may also contain wormholes and wild, varying grain patterns. This distinct graining is considered a desirable auality.

# **CHARACTERISTICS OF RUSTIC WOOD TYPES**

**Rustic Alder** is characterized by its light brown and reddish undertones and may contain a variety of pin holes, open and closed knots of various sizes and colors, small cracks, bird pecks, mineral streaks, and grain variation. Some knots may have small holes through the panel. Larger holes will not be filled. In addition, the wood will contain color difference caused by variations in minerals found in the soil, creating visible mineral tracks.

**Rustic Hickory** is a strong, heavy hardwood known for distinctive graining patterns. Color will vary from nearly white to dark brown, with wild flowing grain patterns and dramatic color variations. Rustic Hickory can have a fine uniform grain to large knots appearing black and brown in color of various shapes and sizes, sapwood, mineral and some checking. Doors, drawer fronts, and selected trim items will feature rustic characteristics. Other areas of the product will utilize standard Hickory.

**Sound Closed Knot** (not moveable) – Expected up to approximately 3" in diameter

**Sound Knot with Cracks** – Expect sound knots with open cracks up to approximately 1" in length

**Open Knot** (through door) – Expected with open area up to approximately 3/4" in diameter

Note: 3/4" diameter is about the size of a penny. Holes created by open knots pass completely through the door and are desirable for this rustic look.

**Unsound Knot** (moveable core) — Not to be expected

**Knot Cluster** (cluster of tight sound knots) — To be expected (more prevalent in Rustic Alder)

**Worm Holes/Pin Holes** (can go through the door) – Can be expected up to approximately 1/4" in diameter

Worm Tracks – Can be expected in sizes up to approximately 1/8" wide by 8" long

# CHARACTERISTICS OF MDF

MDF (Medium Density Fiberboard) is an engineered wood product that is composed of wood fibers and resin that are then compressed to create a smooth uniform surface with a consistent core. Painted MDF eliminates the appearance of naturally occurring wood characteristics such as grain patterns, knots or mineral streaks, and is more resistant to warping, expanding and contracting due to environmental changes than solid hardwoods.

2

# **CHARACTERISTICS OF GLAZING/PAINT**

# Flooded Glazes

A professional layer of glaze can add another layer of beauty to your cabinets. First, our craftsmen apply a wood toner, which accentuates the arain's natural attributes. We then add the glaze, by hand, adding depth, dimension and an understated sheen that's guaranteed to endure.

- Glazing will range from a consistent, even appearance to varied coverage.
- You should expect the result to yield a subtle to dramatic look based on the complexity of a cabinet door's design, as glaze may collect in the corners and grooves.
- Printed materials and online, electronic presentations can only do so much. It's important to both see and touch actual finished samples to
  ensure your satisfaction.

# **Paint Finish**

Paint may develop hairline cracks in the finish, most notable around the joints. This is a result of natural expansion and contraction of the genuine hardwoods used in the manufacturing of this product. Hairline cracks are not considered a defect in the cabinetry or finish.

# CHARACTERISTICS OF SPECIALTY LAMINATE

**Specialty Laminate** features design leading, high definition wood grain or high gloss laminates on doors, drawer fronts, overlay fillers, and Premium trim items. The surfaces are laminate based materials with an integrated top coat that provides superior beauty, durability, and performance while meeting or exceeding all of the KCMA performance standards. The core panel material is made of MDF to ensure a consistent and stable product.

Additional coordinating trim items in the cabinet box color are also available. Grain characteristics will vary across laminated parts to mimic natural wood grain patterns. A heat shield is required to separate all laminate products from heat producing units to be in compliance with cabinet warranty.

# CHARACTERISTICS OF DECORATIVE LAMINATE

**Decorative Laminate** is the process of wrapping durable laminate materials around door frames and select trim and premium mouldings resulting in products with crisp styling features and a surface that provides abrasion resistance and meets/exceeds all of the KCMA performance standards. Decorative Laminate products are wrapped (versus form pressed onto a Medium Density Fiberboard (MDF) slab like thermofoil) and have a clear, integrated top coat for superior durability. The lineals and core panel material are made of MDF to ensure a consistent and stable product.

These doors offer the durability of a laminate and the beauty of paint and finished wood while bringing peace of mind to those who care about creating a better environment — both inside and outside of their homes.

Textured wood grain Decorative Laminate doors feature design leading, high definition wood grain laminates on doors, drawer fronts, overlay fillers, and Premium trim items. The surfaces are laminate based materials with an integrated top coat that provides superior beauty, durability, and performance while meeting or exceeding all of the KCMA performance standards. The core panel material is made of MDF to ensure a consistent and stable product. Additional coordinating trim items in the cabinet box color are also available.

A heat shield is required to separate all Decorative Laminate products from heat producing units to be in compliance with cabinet warranty.

In keeping with our practice of continuous product improvement and/or to maximize efficiencies, MasterBrand Cabinets may adjust specifications in design and materials as it deems necessary. Where differing materials are utilized, they will be of similar or better quality in keeping with MasterBrand Cabinets' commitment to quality.

# 12-STEP FINISHING PROCESS

- **1. Wood Selection** The selection of the finest woods is the essential first step of the 12-step finishing process.
- **2. Sanded to Perfection** Our sanding utilizes a fine grit paper, both with and against the wood grain. This process is completed on a vacuum table, allowing for a wood surface that is free of dust particles.
- **3. Achieving Natural Wood Tone** Toner is applied to selected finishes, enhancing the naturalistic wood appearance.
- **4. Stain Application** A hand-sprayed deep penetrating stain is evenly applied to all surfaces for even coverage on all profiles. On multi-step stains and glaze finishes, some non-facing surfaces (such as backs of doors, backs of panels, and matching veneer interiors) may not receive all steps noted. The resulting finish will be complementary and similar in color and have the same catalyzed top coat and cure, but may not result in the same color depth as facing surfaces.
- **5. Removal of Excess Stain** The wood is hand-wiped to remove excess stain, emphasizing the cabinet's natural wood grain.
- **6. Catalyzed Sealer** A tough, clear, catalyzed sealer is hand-sprayed on to protect the grain from moisture.
- **7. Drying Process** For added durability, the sealed wood is oven cured to lock in the beauty of wood.
- **8. Hand-Sanded** To achieve an ultra-smooth finish, we hand-sand the material one last time.
- **9. Dust Removal** The resulting loose dust particles are removed from the surface of the wood.
- **10. Catalyzed Top Coat** A premium quality catalyzed clear top coat is applied to protect the wood from environmental elements.
- **11. Final Top Coat Cure** The top coat is cured to guarantee the strongest, most beautiful finish.
- **12. Final Inspection** This last inspection is very thorough, ensuring quality and beauty. Our gift to you is that every cabinet is crafted with care.

# Humidification

https://www.masterbrand.com/humidification

# **Installation Instructions**

https://www.masterbrand.com/installation


# **Care and Cleaning**

https://www.masterbrand.com/care-and-cleaning


# **Door Style Reference Chart**

	Alder	Cherry	Maple	MDF	Oak	Rustic Alder	Rustic Hickory	Decorative Laminate	Specialty Laminate
Door 15	1	1	/	/	/	/	1		
Door 16		1	1						
Door 17		1	1		1		1		
Door 18	1	1	1	1	1	1	1		
Door 19		1	1	1					
Door 21		1	1		1				
Door 22		1	1						
Door 23		1	1						
Door 24		1	1		1				
Door 25									1
Door 26		1	1						
Door 28		1	1				1		
Door 29		1	1						
Door 31	✓					<b>✓</b>	1		
Door 32		1	1	1					
Door 33									1
Door 34		1	1						
Door 35	1	1	1						
Door 36									1
Door 37								1	
Door 38	1	1	1		1	1	1		
Door 39		1	1						
Door 41		1	1						
Door 42	1	1	1			1	1		
Door 43		1	1						
Door 44		1	1						
Door 45		1	1						
Door 46		1	1						
Door 47	✓	✓	1			✓			

# **FULL OVERLAY DOOR STYLES** Door 19 (page 12) Door 15 (page 10) Door 16 (page 10) Door 17 (page 11) Door 18 (page 11) Door 24 (page 14) Door 23 (page 13) Door 21 (page 12) Door 22 (page 13) Door 25 (page 14) Door 26 Door 28 Door 29 Door 31 Door 32 (page 15) (page 15) (page 16) (page 16) (page 17) Door 33 (page 17) Door 36 (page 19) Door 37 (page 19) Door 34 Door 35 (page 18) (page 18) Door 39 (page 20) Door 38 (page 20) Door 41 (page 21) Door 42 (page 21) Door 43 (page 22)



# **FULL OVERLAY SPECIFICATIONS**



\*34 1/2" high application shown. On 32" high Full Overlay three drawer applications (drawer bases and sink bases with drawers), the reveal above the bottom drawer front is 1/2".
\*\*1" reveal when MFO is chosen

One double door center stile cabinet has the same reveal as two single door cabinets.

# **DOOR STYLE SPECIFICATIONS**

## Cherry

When Cherry door styles are ordered, it is recommended to apply a finished end option or a veneer end panel for exposed ends due to the natural aging of Cherry.

## Maple

• When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Door 46 door style or when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

#### **MDF**

• MDF door styles will use Maple for trim and panels, refer to Maple in the Species Availability charts.

## **All Door Styles**


• All doors and drawer fronts are 3/4" thick unless otherwise noted.

## **Door and Drawer Front Side Profiles**

- Veneer and MDF components are shown with gray shading on side profiles. Solid-wood components do not have shading.
- On MDF door styles, all door and drawer front components will be in MDF.


#### Wood Grain

- Door 15 DFF5PCNR and Door 46 have a vertical grain direction on the drawer front center panel.
- See reference images for wood grain direction on all other door styles.




## Wood Grain — Wall Top Hinge (WTH), Wall Vertical-lift (WVL), and Wall Appliance Garage Vertical-lift Door (WAGVLD) Cabinets

- Wall Top Hinge (WTH) Cabinets, 18"-24" Wide
- Wall Appliance Garage Vertical-lift Door (WAGVLD) Cabinets, 15"-24" Wide



- Wall Top Hinge (WTH) Cabinets, 30"-37" Wide
- Wall Vertical-lift (WVL) Cabinets, 30"-36" Wide



#### **DOOR STYLES** Specialty Rustic **Rustic Decorative Alder** Cherry Maple\* MDF Oak Alder Hickory Laminate Laminaté Door 15 **Availability** Optional Drawer Front: Slab (DFSLB and DFSLBT) optional Optional Drawer Front: drawer optional drawer optional front profile door Flat 5-piece Narrow Rails door profile (DPSRR) 3/4" (DFF5PCNR and DFF5PCNRST)\*\*\* profile (top and front optional profile bottom) Wall Base **Door Options** drawer front (DFF5PCNR) (sides) (DFF5PCNR) 0.227" ALF CG DPSRR MD SHMD PRMD 0.937 profile (DFSLB) . . . . . . muntin profile


- Veneer\*\* Flat Panel
- Full Overlay
- 5-piece Drawer Front
- Drawer Front Options: DFSLB, DFSLBT, DFF5PCNR, and DFF5PCNRST

Drawer Front Options: DFF5PC and DFF5PCSLBT

- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.
- \*\*When ordered in MDF, all door and drawer front components will be in MDF. DPSRR not available on Door 15


expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

\*\*\*DFF5PCNR not available in Oak. DFF5PCNR drawer front center panel grain direction is vertical.




#### **DOOR STYLES** Rustic Rustic **Decorative Specialty Alder** Cherry Maple\* MDF Oak Alder Hickory Laminate Laminaté Door 17 **Availability** 21/4 Optional Drawer Front: Flat 5-piece (DFF5PC and DFF5PCSLBT) **Door Options** 0.385" optional ALF CG DPSRR MD SHMD PRMD optional drawer muntin profile optional door drawer door profile profile Wall Base profile front profile (sides and 10"+) front profile (top and

- Veneer Flat Panel
- Full Overlay
- Profiled Slab Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.



- Full Overlay
- Slab Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood
- \*\*When ordered in MDF, all door and drawer front components will be in MDF.

#### **DOOR STYLES Specialty** Rustic Rustic **Decorative** Alder Cherry Maple **MDF** Oak Alder Hickory Laminate Laminaté Door 19 **Availability Door Options** ALF CG DPSRR MD SHMD PRMD 3/4" 3/4" drawer door profile Wall Base Slab Doors and Drawer Fronts Vertical Grain Pattern Veneer Face and Back • Full Overlay • Veneer Edging on all Edges • When ordered in MDF, all door and drawer front components will be in MDF. Furniture Board Core Rustic Rustic Decorative **Specialty Alder MDF** Oak Cherry Maple\* Alder Hickory Laminate Laminate Door 21 **Availability** 21/8" Optional Drawer Front: Flat 5-piece (DFF5PC and DFF5PCSLBT)



- Veneer Raised Panel
- Full Overlay
- Profiled Slab Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF). MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.


drawer

front

profile 10"+

#### **DOOR STYLES** Specialty Rustic Rustic **Decorative Alder** Cherry Maple\* **MDF** Oak Alder Hickory Laminate Laminaté Door 22 **Availability** 21/4 3" Optional Drawer Front: Flat 5-piece (DFF5PC and DFF5PCSLBT) **Door Options** 0.385" optional ALF CG DPSRR MD SHMD PRMD optional door profile (DPSRR) optional drawer front muntin profile front door drawer profile Wall Base front profile (top and bottom) (sides and 10"+)

- Veneer Flat Panel
- Full Overlay
- Slab Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.



- Veneer Flat Panel Mitered Door
- Full Overlay

Base

• 5-piece Drawer Front Mitered to Match Door

Wall

• See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.

muntin profile

\*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

optional


door profile (DPSRR)

door

profile

#### **DOOR STYLES** Rustic **Rustic Decorative Specialty** Alder Cherry Maple\* MDF Oak Alder Hickory Laminate Laminaté Door 24 **Availability** Optional Drawer Front: Flat 5-piece (DFF5PC and DFF5PCSLBT) 0.385" **Door Options** optional drawer ALF CG DPSRR MD SHMD PRMD 3/4" muntin profile drawer Wall Base front Veneer Flat Panel • See page 81 for 5-piece drawer front dimensions when specifying decorative hardware. • Full Overlay

- Profiled Slab Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.




- Two Edgebanding Options


- availability of premium trim items). Backs of doors, drawer fronts, and Premium panels will be white laminate. All other cabinet components and embellishments will be Painted White.
- A heat shield is required to separate Door 25 doors, drawer fronts, overlay fillers, and all laminate products from heat producing units to be in compliance with cabinet warranty.
- For complementing Contemporary Embellishments, see page 359.

# **DOOR STYLES**

# Door 26 Availability - Availability

0.385"






- Miter Doors
- Solid Reverse Raised Panel Door
- Full Overlay
- 5-piece Drawer Front Mitered to Match Door
- Faux Inset Design. Recommended for use with Faux Hinges (see page 370).
- 1/4" space filler or extended stile modification is necessary when applying faux hinge (strap or barrel) on varying depth
  cabinet or next to an appliance to allow for full door swing clearance.
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.


0.660"

muntin profile

\*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

Door 28		Alder	Cherry	Maple*	MDF	Oak	Rustic Alder	Rustic Hickory	Decorative Laminate	Specialty Laminate
	Availability	ı	1	1	_	_	ı	✓	_	_
					-					






- Solid Raised Panel Mitered Door
- Full Overlay
- 5-piece Drawer Front Mitered to Match Door
- Drawer Front Options: DFSLB and DFSLBT
- Distressing Available

- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

#### **DOOR STYLES** Rustic Rustic **Specialty Decorative** Alder Cherry Maple\* MDF Oak Alder Hickory Laminate Laminaté Door 29 **Availability** 21/2" 21/2 Optional Drawer Front:


Base




Flat 5-piece (DFF5PC and DFF5PCSLBT)

**Door Options** ALF CG DPSRR MD SHMD PRMD






- Veneer Raised Panel
- Full Overlay
- Profiled Slab Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF). MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.




#### **DOOR STYLES Specialty** Rustic Rustic **Decorative Alder** Cherry Maple\* MDF Oak Alder Hickory Laminate Laminaté Door 32 **Availability** Optional Drawer Front: Slab (DFSLB and DFSLBT) **Door Options** 0.385" drawer ALF CG DPSRR MD SHMD PRMD 1.120 optional drawer muntin profile profile door front optional (top and profile Wall Base nrofile profile (sides and front


- Veneer\*\* Flat Panel
- Full Overlay
- 5-piece Drawer Front
- Drawer Front Options: DFSLB and DFSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.
- \*\*When ordered in MDF, all door and drawer front components will be in MDF. DPSRR not available on Door 32 MDF.



- Laminate Slab Door and Drawer Front with Matching Edgebanding
- Laminate AH and Laminate AL feature a textured surface.
- Horizontal Grain Pattern for Contemporary Styling
- Full Overlay
- Doors, drawer fronts, overlay fillers, and selected premium trim items will be in the selected laminate. All other cabinet components and trim items will be in the selected cabinet box color.
- Doors and overlay fillers greater than 48" high will be two pieces. Doors will be doweled together with zinc connector pins
  and black plastic spacers. Replacement doors will be drilled and doweled but require field assembly.
- A heat shield is required to separate Door 33 doors, drawer fronts, overlay fillers, and all textured laminate products from heat producing units to be in compliance with cabinet warranty.
- For complementing Contemporary Embellishments, see page 359.
- Stain Z box color will have visible vertical grain matching end panels.
- <sup>†</sup>Standard construction features non-matching laminate ends. Requires a veneer end upgrade (PE or APC) with FB, FPEB, Authentic End upgrade, or a field applied skin or door kit to achieve a matching cabinet end panel.

#### **DOOR STYLES** Rustic **Rustic Decorative Specialty** Alder Cherry Maple\* MDF Oak Alder Hickory Laminate Laminaté Door 34 **Availability**





- Veneer Flat Panel
- Full Overlay
- Profiled Slab Drawer Front

\*When a Paint or Paint with Glaze finish is specified, the door center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

Door 35


Alder Cherry Maple\* MDF Oak Rustic Alder Hickory Laminate Laminate


Availability 

Avai


0.385"


muntin profile






Optional Drawer Front: Flat 5-piece (DFF5PC and DFF5PCSLBT)






- Miter Doors
- Solid Raised Panel on Door and Large 5-piece Drawer Fronts
- Full Overlay
- Solid Routed Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- 5-piece 6 1/4" and 6 3/4" high drawer fronts have a flat center panel, 10" and taller drawer fronts have a raised center panel.
- Distressing Available
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

#### **DOOR STYLES** Rustic **Specialty** Rustic **Decorative** Alder Cherry Maple **MDF** Oak Alder Hickory Laminate Laminaté Door 36 **Availability**



**Door Options** ALF CG DPSRR MD SHMD PRMD

	31163	Cubille	I DOX	COIOI C	pilolis					
		Paint A	Paint C	Paint F	Paint AD	Stain K	Stain M	Stain P	Stain T	Stain Y
Lami	inate Al					•			•	•
Lami	inate AJ					•	•			
Lami	inate AK		•							
Lami	inate AM	•			•					
Lami	inate AN	•		•	•			•	•	



- Slab Door and Drawer Front with Matching Edgebanding
- Laminate AI, Laminate AJ, and Laminate AM feature a textured surface. Laminate AK and Laminate AN are non-textured.
- Vertical Grain Pattern
- Full Overlay

- Doors, drawer fronts, overlay fillers, and selected premium trim items will be in the selected laminate. All other cabinet components and trim items will be in the selected cabinet box color.
- A heat shield is required to separate Door 36 doors, drawer fronts, overlay fillers, and all laminate products from heat producing units to be in compliance with cabinet warranty.
- For complementing Contemporary Embellishments, see page 359.
- Wood Tone Stain box colors will have visible vertical grain matching end panels.


Door 37		Alder	Cherry	Maple	MDF	Oak	Rustic Alder	Rustic Hickory	Decorative Laminate	Specialty Laminate
	Availability	_	_	_	_	_	_	_	✓	_
Base W	/all	Finish  Lamina  Lamina	Paint C S	Box Color Opt tain K Stain M S				3"	drawer front profile (top an bottom)	drawer

- Full Overlay
- 5-piece Drawer Front

- components and embellishments will be in selected cabinet box color and species.
- A heat shield is required to separate Door 37 doors, drawer fronts, overlay fillers, and all laminate products from heat producing units to be in compliance with cabinet warranty.
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- Wood Tone Stain box colors will have visible vertical grain matching end panels.

#### **DOOR STYLES** Rustic **Specialty Rustic Decorative** Alder Cherry Maple\* MDF Oak Alder Hickory Laminate Laminaté Door 38 **Availability** 3" 3" Optional Drawer Front: Flat 5-piece (DFF5PC and DFF5PCSLBT) **Door Options** 0.227" optional ALF CG DPSRR MD SHMD PRMD 0.937 3/4" optional optional muntin profile door drawer profile profile Wall Base front front (top and profile

- Solid Reverse Raised Panel Door
- Full Overlay
- Slab Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.



- Drawer Front Options: DFSLB and DFSLBT
- Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

front

profile

drawer

optional

front

optional

profile (DPSRR)

door

profile

## **DOOR STYLES** Rustic Rustic **Decorative Specialty Alder** Cherry Maple\* **MDF** Oak Alder Hickory Laminate Laminaté Door 41 **Availability** Optional Drawer Front: Slab (DFSLB and DFSLBT) **Door Options** ALF CG DPSRR MD SHMD PRMD


- Veneer Flat Panel Mitered Door
- Full Overlay

Base

• 5-piece Drawer Front Mitered to Match Door

Wall

- Drawer Front Options: DFSLB and DFSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.




- Veneer Flat Panel
- Full Overlay
- Profiled Slab Drawer Front
- Drawer Front Options: DFF5PC and DFF5PCSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

#### **DOOR STYLES** Rustic Rustic **Specialty Decorative** Alder Cherry Maple\* **MDF** Oak Alder Hickory Laminate Laminaté Door 43 **Availability** Optional Drawer Front: Raised 5-piece (DFR5PC and DFR5PCSLBT) optional 0.385" **Door Options** drawer front ALF CG DPSRR MD SHMD PRMD optional door profile profile drawer front 3/4" muntin profile (top and bottom) drawer Wall Base profile (sides and 10"+)


- Solid Raised Panel
- Full Overlay
- Slab Drawer Front
- Drawer Front Options: DFR5PC and DFR5PCSLBT
- Distressing Available

- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.



#### **DOOR STYLES** Rustic Rustic **Decorative Specialty Alder** Cherry Maple\* **MDF** Oak Alder Hickory Laminate Laminaté Door 45 **Availability** 21/2 21/2 21/2" Optional Drawer Front: lA Slab (DFSLB and DFSLBT) **Door Options** 0.385" ALF CG DPSRR MD SHMD PRMD optional drawer door profile (DPSRR) profile muntin profile profile profile 10"+ optional Wall Base

- Miter Doors
- Veneer Flat Panel
- Full Overlay
- 5-piece Drawer Front Mitered to Match Door
- Drawer Front Options: DFSLB and DFSLBT
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
- \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.



- Drawer Front Options: DFF5PC and DFF5PCSLBT
- Beaded center panel on 5-piece drawer fronts will not align with doors when used on cabinets with double doors and a full width drawer.
- See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.

## **DOOR STYLES** Specialty Laminate Rustic Rustic Decorative Cherry Alder $\mathbf{Maple}^*$ MDF Oak Door 47 Alder Hickory Laminate **Availability** 21/4" 0.334" **Door Options** optional door profile (DPSRR) ALF CG DPSRR MD SHMD PRMD 0.750" 3/4" muntin profile drawer Base Wall • Veneer Flat Panel \*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium • Full Overlay

- Profiled Slab Drawer Front

Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction. Doors, drawer fronts, and additional facings may consist of other hardwood components.

	PREMIUM COLOR PALETTE														
	OPTION NAME	DESCRIPTION/LIMITATIONS	MATCHING LAMINATE ENDS*	DISTRESSING AVAILABILITY	HEIRLOOMING AVAILABILITY	MATTE SHEEN AVAILABILITY									
S	Stain V	A deep brown finish with gray undertones and beautiful depth.	✓	✓	N/A	1									
Stains	Stain Z	A semi translucent stone gray finish that allows the natural tones and characteristics of the wood to show through.	Maple ✔ Cherry N/A	✓	1	1									
səzı	Glaze AC	A two tone finish. Dark glaze over a warmer toner that emulates a soft, Old World look and enhances the door profiles.	1	1	N/A	1									
oded Glo	Glaze Combo 124	A two tone finish. A medium toned finish that is highlighted with a dark glaze.	<b>✓</b>	1	N/A	1									
Stains with Flooded Glazes	Glaze Combo 125	A two tone finish. A light toned finish that is highlighted with a dark espresso glaze. The glaze is meant to be seen primarily in the profiled areas and has minimal affect to the overall color.	1	1	N/A	1									
Stai	Glaze Combo 126	A warm finish with a rich dark patina to create a true reproduction of a period style antique.	<b>√</b>	<b>√</b>	N/A	1									
	Paint A	Bright, pure white	1	N/A	N/A	N/A									
	Paint B	Creamy off white	1	N/A	N/A	N/A									
	Paint C	Cool white with gray undertones	1	N/A	N/A	N/A									
	Paint F	Medium gray	1	1	N/A	N/A									
Paints*	Paint J	Cool dark gray	1	✓	1	N/A									
Pai	Paint L	Dark navy with gray/green undertones	✓	✓	1	N/A									
	Paint O	Classic navy	1	✓	1	N/A									
	Paint Q	True black	N/A	✓	1	N/A									
	Paint AD	White with a taupe undertone	✓	N/A	N/A	N/A									
	Paint AE	Deep green	N/A	<b>√</b>	1	N/A									

<sup>▲</sup>In Standard construction, cabinets will have matching laminate ends. Where not available, ends will be Natural Maple laminate and a finished end treatment would be needed for an exposed end.
\*On wood products, normal movement is typical due to change in climatic conditions. This will cause hairline cracks at stile, rail and panel joints. This hairline cracking is a normal characteristic of painted finishes and will not be considered a reason for product replacement. Finish agreement required, see page 394.

28

UNFINISHED													
OPTION NAME	DESCRIPTION/LIMITATIONS	DISTRESSING AVAILABILITY	HEIRLOOMING AVAILABILITY										
Unfinished	Must upgrade to PE or APC. When cabinets are finished by an outside source, finish is not covered under warranty. Interiors of cabinets will be Natural Maple laminate. For finishable interiors, MIP must be specified. Cabinets have a species-matching veneer for finishable plywood ends.	1	N/A										

	FINISH TECHNIQUES
OPTION NAME	DESCRIPTION
Distressing	Provides a rustic look through the carefully crafted application of distressing characteristics such as dents, wormholes, chisel marks, and other signs of wear on solid-wood doors, drawer fronts, face frames, and selected trim items (veneer parts will not be distressed). The distressing technique creates a finish with unique and appealing imperfections, similar to those of time-worn antiques. Distressing characteristics are more visible with glaze finishes (face frames and trim items without detailed profiles will not feature glaze hang-up on distressed areas). When applied to a design in 20/20, all items in the order will receive the distressing upcharge. Not available to order with Paint A, Paint AD, Paint B, and Paint C. Not available on MDF.
Heirlooming	Available on select finishes. The finish will be sanded through the base coat to expose the surface of the wood. This type of sand through on the edges and profiles creates a naturally worn appearance. If a finish is chosen with a glaze, the glaze will be applied after the sanding has been done. This will enhance those areas of exposed wood to take on the darker characteristic of the applied glaze. Not available on Door 19, Door 21, Door 29, and Door 44.
	Select trim pieces will feature Heirlooming characteristics. See Trim section for availability.

	SHEEN OPTION
OPTION NAME	DESCRIPTION
Matte Sheen	Available on Stains and Stains with Flooded Glazes.
	Replaces standard top coat with a low sheen, non-pigmented top coat on doors, drawer fronts, face frames, trim items, and veneer finished cabinet components in selected finish.  Does not affect laminate or clear finished components.

FINISH AVAILABILITY															TY													
																MA	PLE											$\neg$
		Matching Laminate Ends^	Heirlooming* 🐔	Matte Sheen	Door 15	Door 16	Door 17	Door 18	Door 19	Door 21	Door 22	Door 23	Door 24	Door 26	Door 28	Door 29	Door 32	Door 34	Door 35	Door 38	Door 39	Door 41	Door 42	Door 43	Door 44	Door 45	Door 46	Door 47
	Stain D	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain E	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain G	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain I	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain K	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain M	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain N	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
us .	Stain P	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stains	Stain T	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain U	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain V	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain W	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain Y	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain Z	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain AA	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Unfinished				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
l Ses	Glaze AC	1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
E Sei	Glaze Combo 124	1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
ains	Glaze Combo 125	1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
Stains with Flooded Glazes	Glaze Combo 126	1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
	Paint A	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Paint B	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Paint C	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Paint F	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
S	Paint J	1	1		1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Paints	Paint L	1	1		1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
~	Paint O	1	1		1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Paint Q		1		1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Paint AD	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Paint AE		1		1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Distressing Technique															<b>✓</b> †				<b>√</b> †					<b>√</b> †				

<sup>\*</sup>Heirlooming not available on Door 19, Door 21, Door 29, and Door 44.

An Standard construction, cabinets will have matching laminate ends. Where not available, ends will be Natural Maple laminate and a finished end treatment would be needed for an exposed end.
†Distressing not available on Paint A, Paint AD, Paint B, or Paint C.

Signed finish agreement required, see pages 393-396.

							F	IN	ISH	ΙA	VA	IL/A	BI	LIT	Y													
																MA	PLE											П
		Matching Laminate Ends^	Heirlooming* 🐔	Matte Sheen	Door 15	Door 16	Door 17	Door 18	Door 19	Door 21	Door 22	Door 23	Door 24	Door 26	Door 28	Door 29	Door 32	Door 34	Door 35	Door 38	Door 39	Door 41	Door 42	Door 43	Door 44	Door 45	Door 46	Door 47
	Glaze Combo 111	1			1	1	✓	1		1	✓	1	✓	1	1	1	✓	1	1	1	1	1	1	1		1	✓	1
	Glaze Combo 112	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		✓	✓	1
-	Glaze Combo 113	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		✓	✓	1
Paints with Flooded Glazes	Glaze Combo 114	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		✓	✓	1
호	Glaze Combo 115	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		✓	✓	1
e	Glaze Combo 116	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	✓	1
훈	Glaze Combo 117	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		/	1	1
S Wij	Glaze Combo 118	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		>	✓	1
H.	Glaze Combo 119	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	/	1
"	Glaze Combo 121	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	/	1
	Glaze Combo 122	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	/	1
	Glaze Combo 123	1			1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		/	/	1
Distressing Technique	Distressing														<b>✓</b> †				<b>✓</b> †					<b>✓</b> †				

<sup>\*</sup>Heirlooming not available on Door 19, Door 21, Door 29, and Door 44.

Aln Standard construction, cabinets will have matching laminate ends. Where not available, ends will be Natural Maple laminate and a finished end treatment would be needed for an exposed end.

\*Distressing not available on Paint A, Paint AD, Paint B, or Paint C.

\*Signed finish agreement required, see pages 393-396.

			FIN	NISH AVAILABILITY		
				M	DF	
		Matching Laminate Ends^	Door 15	Door 18	Door 19	Door 32
	Paint A	1	✓	✓	✓	✓
	Paint B	1	✓	✓	✓	✓
	Paint C	1	✓	✓	✓	✓
	Paint F	1	✓	✓	✓	✓
S	Paint J	1	✓	✓	✓	✓
Paints	Paint L	1	✓	✓	✓	<b>✓</b>
-	Paint O	1	✓	✓	✓	✓
	Paint Q		✓	✓	✓	✓
	Paint AD	1	✓	✓	✓	✓
	Paint AE		<b>√</b>	✓	√	✓

In Standard construction, cabinets will have matching laminate ends. Where not available, ends will be Natural Maple laminate and a finished end treatment would be needed for an exposed end. Signed finish agreement required, see pages 393-396.

								FI	NIS	SH	AV	AIL	AB	ILI	TY													
																CHE	RRY											$\exists$
		Matching Laminate Ends^	Heirlooming* 🐔	Matte Sheen	Door 15	Door 16	Door 17	Door 18	Door 19	Door 21	Door 22	Door 23	Door 24	Door 26	Door 28	Door 29	Door 32	Door 34	Door 35	Door 38	Door 39	Door 41	Door 42	Door 43	Door 44	Door 45	Door 46	Door 47
	Stain D	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain E	/		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain G	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain I	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain K	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain M	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain N	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
S	Stain P	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stains	Stain T	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0,	Stain U	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain V	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain W	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain X	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain Y	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain Z		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain AA	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Unfinished				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
h zes	Glaze AC	<b>✓</b>		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
ĕ. Ga	Glaze Combo 124	1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
Stains with Flooded Glazes	Glaze Combo 125	1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
S E	Glaze Combo 126	1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
Distressing Technique	Distressing														1				1					1				

Cherry laminate components are intentionally slightly darker than cabinet facings at the time of manufacturing to compensate for the expected darkening of doors, drawer fronts, etc., as they are exposed to natural sunlight.

<sup>\*</sup>Heirlooming not available on Door 19, Door 21, Door 29, and Door 44.

In Standard construction, cabinets will have matching laminate ends. Where not available, ends will be Natural Maple laminate and a finished end treatment would be needed for an exposed end.

Signed finish agreement required, see pages 393-396.

						FIN	IISH	AVAII	LABIL	ITY							
								ALDER					R	USTIC A	LDER 🗷	D D	
		Matching Laminate Ends^	Heirlooming 🕾	Matte Sheen	Door 15	Door 18	Door 31	Door 35	Door 38	Door 42	Door 47	Door 15	Door 18	Door 31	Door 38	Door 42	Door 47
	Stain D	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain E	1		1	<b>√</b>	1	1	1	1	/	1	<b>\</b>	1	1	1	1	1
	Stain G	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain I	1		1	1	1	1	1	1	✓	1	1	1	1	1	1	1
	Stain K	1		1	1	1	1	1	1	✓	1	1	1	1	1	1	1
	Stain M	1		1	1	1	1	1	1	✓	1	1	1	1	1	1	1
S	Stain N	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stains	Stain P	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	Stain T	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain U	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain V	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain W	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain Y	1		1	1	1	1	1	1	✓	1	1	1	1	1	1	1
	Stain AA	1		1	1	1	1	1	1	✓	1	1	1	1	1	1	1
	Unfinished				1	1	1	1	1	1	1	1	✓	1	1	1	1
h zes	Glaze AC	1		1	<b>√</b>	1	1	1	1	✓	1	1	1	1	1	1	1
Stains with Flooded Glazes	Glaze Combo 124	1		1	1	1	1	1	1	✓	1	1	1	1	1	1	1
dec dec	Glaze Combo 125	1		1	1	1	1	1	1	✓	1	1	1	1	1	1	1
	Glaze Combo 126	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Distressing Technique	Distressing						1	1						1			

An Standard construction, cabinets will have matching laminate ends. Where not available, ends will be Natural Maple laminate and a finished end treatment would be needed for an exposed end.

Signed finish agreement required, see pages 393-396.

					F	INISH	H AVA	AILAE	BILIT	<b>Y</b>							
							RUSTIC	НІСКО	RY 셾					0/	AK .		
		Matching Laminate Ends^	Heirlooming* 🕰	Matte Sheen	Door 15	Door 17	Door 18	Door 28	Door 31	Door 38	Door 42	Door 15	Door 17	Door 18	Door 21	Door 24	Door 38
	Stain D	1		1	1	1	1	✓	✓	1	1	1	1	✓	1	1	1
	Stain E	1		1	1	1	1	1	1	1	1	1	1	1	1	1	✓
	Stain G	1		1	1	1	1	1	1	1	1	1	1	✓	1	1	✓
	Stain I	1		1	1	1	1	1	1	1	1	1	1	✓	1	1	✓
	Stain K	1		1	1	1	1	1	1	1	1	1	1	✓	1	1	✓
	Stain M	1		1								1	1	1	1	1	✓
	Stain N	1		1	1	1	1	1	1	1	1	1	1	1	1	1	✓
Stains	Stain P	1		1	1	1	✓	1	1	1	1	1	1	1	1	1	✓
Sto	Stain T	1		1	1	1	✓	1	1	1	1	1	1	1	1	1	✓
	Stain U	1		1	/	\	1	/	>	1	/	<b>\</b>	1	<b>\</b>	>	/	1
	Stain V	1		1	/	<b>\</b>	1	/	>	1	/	<b>\</b>	1	<b>\</b>	>	/	1
	Stain W	1		1	/	<b>\</b>	1	/	>	1	/	<b>\</b>	1	<b>\</b>	>	/	1
	Stain X	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain Y	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Stain AA	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Unfinished				1	/	1	1	<b>\</b>	1	1	<b>√</b>	1	/	<b>\</b>	1	✓
ih zes	Glaze AC	1		1	1	1	1	1	1	1	✓						
Si wit	Glaze Combo 124	1		1								1	1	1	1	1	1
Stains with Flooded Glazes	Glaze Combo 125	1		1								1	1	✓	1	✓	✓
Paints	Paint Q 🗷		1									<b>√</b>	1	<b>√</b>	<b>\</b>	1	✓
Distressing Technique	Distressing							1	1								

<sup>\*</sup>Available on Oak only, not available on Door 21.

An Standard construction, cabinets will have matching laminate ends. Where not available, ends will be Natural Maple laminate and a finished end treatment would be needed for an exposed end.

Signed finish agreement required, see pages 393-396.

		FINISH A	AVAILABILITY		
		DECORATIVE LAMINATE		SPECIALTY LAMINATE	
	DOOR COLOR AVAILABILITY	Door 37	Door 25	Door 33	Door 36
red	Laminate AK	✓			✓
Non-Textured	Laminate AN				1
	Laminate AH			✓	
둉	Laminate Al	1			✓
Textured	Laminate AJ	1			✓
<u>ē</u>	Laminate AL			✓	
	Laminate AM				<b>✓</b>
High Gloss	Laminate AF		✓		
불융	Laminate AG		✓		

					D	OOR COLOR	AVAILABILI	ГҮ		
	CABINET COLOR AVAILABILITY	Matching Laminate Ends^	High Gloss Laminate AF/AG	Laminate AH	Laminate Al	Laminate AJ	Laminate AK	Laminate AL	Laminate AM	Laminate AN
	Stain K Cherry	1				1				
	Stain K Maple	1			✓	✓				
	Stain K Oak	1			✓	✓				
	Stain M Cherry	1				✓				
	Stain M Maple	1				✓				
8	Stain M Oak	1				✓				
Stains	Stain P Cherry	1								✓
5	Stain P Maple	1								1
	Stain P Oak	1								1
	Stain T Maple	1			1					✓
	Stain Y Maple	1			1					
	Stain Y Oak	1			1					
	Stain Z Maple	1						<b>√</b>		
	Paint A	1	✓	✓					✓	✓
S	Paint C	1		✓			✓			
Paints	Paint F	1		✓						✓
	Paint Q							<b>√</b>		
	Paint AD	1	1	<b>√</b>			N I.M. I		<b>✓</b>	✓

In Standard construction, cabinets will have matching laminate ends to match the cabinet box color. Where not available, ends will be Natural Maple laminate and a finished end treatment would be needed for an exposed end.

	CONSTRUC	TION FEATURES								
	STANDARD (GSB)	PLYWOOD ENDS (PE)*	ALL-PLYWOOD CONSTRUCTION (APC)*							
Doors & Drawer Fronts	See "Door Styles" pages 10-24 for door and drawer front configure	ation and construction details.								
Face Frames	3/4" solid hardwood.									
I-beam Braces	3/8" furniture board dadoed into face frame, end panels and back	c panels.	3/8" plywood dadoed into face frame, end panels and back panels.							
Cabinet Sides	1/2" furniture board with Natural Maple laminate interiors. Exteriors are laminate that match the color of the face frame, with exception of Paint Q and Cherry Stain Z.	1/2" <b>unfinished</b> veneer plywood with Natural Maple laminate interiors.								
	Optional Furniture Finished Plywood Ends (FPEB) modification: Cab for more details.	oinets will have 3/4″ finished venee	er end panels to achieve a Furniture End appearance. See page 43							
Cabinet Tops & Bottoms (Wall & Tall)	3/8" furniture board with Natural Maple laminate interior and extension	erior.	3/8" plywood with Natural Maple laminate interior and exterior.**							
Cabinet Bottoms (Base & Vanity)	3/8" furniture board with Natural Maple laminate interior.		3/8" plywood with Natural Maple laminate interior.**							
Cabinet Backs	3/8" furniture board with Natural Maple laminate interior. Base co easy drawer and tray installation.	binets have 3mm system holes for	3/8" plywood with Natural Maple laminate interior.** Base cabinets have 3mm system holes for easy drawer and tray installation.							
Adjustable Shelves	3/4" furniture board with Natural Maple laminate to match interior and base cabinets unless otherwise noted.	ors. Shelves are adjustable in wall	3/4" plywood with Natural Maple laminate to match interiors.** Shelves are adjustable in wall and base cabinets.							
Finish	Multi-step finishing process where the finished components are san	ded, stained, and sealed before a ca	talyzed top coat is applied.							
Hinges	Fully Concealed Integrated Smart Close Self Closing, 6-way Adjusta See page 382 for details.	ble. Hinge features deactivation opti	on. Some cabinets utilize a $170^\circ$ or $107^\circ$ 4-way adjustable hinge.							
Drawer Box and Roll Tray Construction	All Styles: Four-sided clear coated hardwood. Corners are dovetailed	d and glued. Drawer bottom is 5.2m	m laminated plywood fully captured in box sides, front and back.							
Drawer and Roll Tray Guide	Double fully concealed, ball bearing, self-aligning, full extension gu when the drawer or roll tray is approximately 2" from closing, app Optional (Roll Trays): EasyTrax™ (ET) height adjustment system. All guides have a maximum weight capacity of 90 lbs. Drawers and	lying resistance to the self-closing ma								
Toekick	Unfinished furniture board toekick to allow application of finished to 8' lengths; see ACCESSORIES section. When APC is selected, toeking	oeboard materials. A variety of lamir ck will be plywood.	nate and wood toeboard skins and baseboard mouldings available in							
Warranty	MasterBrand Cabinets has a Limited Lifetime Warranty. For terms a	nd conditions, please see pages 399	9-401.							
Interior Cabinet Components	A few interior components are manufactured from laminated furnith BCFW48SP (swing-out shelf), SLS33/36 (fixed shelf), and PY36	ure board because they provide for the (swing-out and door mounted racks)	ne most durable, aesthetic application. Some examples include the ).							
STA	ANDARD CABINET CONSTRUCTION	STANDARD DRAWER CONSTRUCTION								
Exterior Side: Board with M	Backs - 3/s" Furniture Board with Natural Maple  Top View  Shelves - 3/4" Furniture Board with Natural Maple Interior Sides - 1/2" Furniture Board with Natural Maple Tops and Bottoms - 3/s" Furniture Board with Natural Maple  Tops and Bottoms - 3/s" Furniture Board with Natural Maple  Tops and Bottoms - 3/s" Furniture Board with Natural Maple  Tops and Bottoms - 3/s" Furniture Board with Natural Maple  Tops and Bottoms - 3/s" Furniture Board with Natural Maple	Cle with Drawer Guide Fully Concealed	Drawer Bottom - 5.2 mm Plywood with Natural Maple Laminate, Captured in Box on Four Sides							

<sup>\*</sup>All-plywood components meet ANSI/HPVA HP-1 standards and may contain MDF or particleboard.
\*\*White Laminate Interior (WLI) modification is available on White cabinets to replace the Natural Maple laminate with White laminate.

		M	OD	IFI	CAT	10	N/I	UP	GR	AD	E (	10	<b>NP</b>	ATI	BII	.IT	Y (	CH	AR	T								
MODIFICATIO UPGRADE	DN/	PE APC	DFFSPC/DFFSPCNR/DFRSPC	DFFSPCSLBT/DFFSPCNRST/DFRSPCSLBT DFSIRT	DPSRR MFO	AUTHL/AUTHR/AUTHB	FBL/FFDR EPER	MIP	080	3 <b>6</b>	EXBKL/EXBKR	PFINBTMB	ACS EVI /EVB	INVERM TVRAV /ev /vv	9	DRWSEC	E E	25	PTOWB	233201	ADDTK	DRWTK	FIKAV/FIKFV PECTUALI	RECTKBK	RECTKL/RECTKR TKP	CFNTO	CFRMO P	ALF CG MD
Construction Upgrades (page 38)	PE APC			J J J J	111	Ι.	1 1 1	/	_		/		_	11	_	11	_	11	//	//	/ / .	/ /	11	·	11.			111
Drawer Front Options	DFFSPC/DFFSPCNR/DFRSPC† DFSLB†	<ul><li>J</li><li>J</li></ul>		F	1 1 1	_		_	_		1 1	1 1		11		11							1 1		11.	/ /	1	1 1 1 1 1 1
(pages 39-41)	DFR5PCSLBT <sup>†</sup>	11			111	/ .	/ / /	/ /			ш	11				11		1 1	1 1				11		11.	//	1	111
Drawer and Door Options	DFSLBT† DPSRR†# MFO*	/ / / /	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	J     J       J     J	1.	/	11		1	11	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	11	11			· ./ .	/	1	1 1 1 1	/ / .	/	11	1	J J , J J ,	_	\ \ \	J J J J J
(page 42) End Panel Modifications	SCPDRW*  AUTHL/AUTHR/AUTHB*  FB	<ul><li>J</li><li>J</li><li>J</li></ul>	<ul><li>J</li><li>J</li><li>J</li></ul>	<ul><li>J</li><li>J</li><li>J</li></ul>	1 1 1 1 1 1		1 1	11		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		J J J		·	_	11			11.	/ /		· /	11.	/	✓ ✓ ✓	J J J J J J
(page 43) Finish	FFDL/FFDR* FPEB MIP	1 1	1 1 1 1	<u> </u>	1 1 1 1 1 1 1 1 1	1	<i>J J</i>	11	1 0		1 1		-	J J J	11	1 1	1	1	11	11	/ / ,	11	11		J J , J J ,	$\neg$	✓ ✓	5 5 5 5 5 5 5 5 5
Modifications (page 44) Box	CBO	11	1 1	<i>J J</i>	J J J	Ц			Ü		11		11				· .	ı.	1 1			/ /		· J	11.	/	1	111
Modifications (pages 45-47)	CCO CFP CND	1 1 1 1		/ / / /	1		/	11			/ / / /	'	1	J J	1		′ ✓ ,	11		1	_	11	11	1	J J . J J .	/	\ \ \	
	EXBKL/EXBKR ID PFINBTMB	/ / / / /	1 1 1 1	/ / / /	<ul><li>J</li><li>J</li><li>J</li></ul>	/ ,	/ / / / /	11	-		1		1 1	11	11		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1		1 1	1		11		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	_	✓ ✓	<ul><li>J</li><li>J</li><li>J</li><li>J</li></ul>
Face Frame Modifications	ACS EXL/EXR INVFRM <sup>4</sup>	1 1 1 1	J J J J		J J J J J J			11	1 1 1	111	-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/ / / /	J J	1 1		, ,	1 1	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	· / / ,	/	11	1	J J , J J ,	_	/ /	J J J J J J
(pages 48-49)	TVRAV/FV/VV CMAT DRWPWR	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		1 1	\( \sqrt{1} \)	1.		11		111	1	' / /		1			1,	11	1	<i>y</i>	11.	11	11	1	J J ,  J J ,	//	/ /	
Interior Modifications (pages 50-53)	DRWSEC DRT	/ / / / / /	11	<ul><li>J</li><li>J</li><li>J</li><li>J</li></ul>		1.	1 1 1	11		11		· /	/		_		1,	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/	11	11	·	J J , J J , J J ,	/ .	/ /	<i>J</i>
	FD LTI PTOWB	11	11	_		1.	/ / / / /	11		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		1	1	11	11	11	_		1	/	/	/	11	· /	_	/ /	√ √	/
	RT TD TOTSSS	1 1 1 1		J J J J	1 1 1 1 1	1.		11	_	11	/	\ \ \ \ \ \ \ \ \	11		/	//	·	1 1	\ \ \	/ / /	/	/	11	1	J J , J J ,	/	<b>√</b>	<i>J</i> <i>J J J</i>
Toekick Modifications (pages 54-57)	ADDTK DRWTK FTK FTKAV/FTKFV	<ul><li>J</li><li>J</li><li>J</li><li>J</li></ul>	11	11	5	1 .		11	1		11	′ /	11		1		′ / ,	/ / / / / /	11	11	/		<i>J J</i>	<i>J</i>	/		\   \   \	<i>y y y y</i>
	RECTKALL RECTKBK RECTKL/RECTKR	/ / / / / /	1 1 1 1	J J J J J J	1 1 1 1 1 1 1 1 1	/ / ·	/	11	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		1			J J J J	1 1 1	J J J J	· J .	/ / / /	/ / / / / /	/ / / /	1 1	1	<b>/</b>	Ĺ	/	v	<i>\</i>	\(  \)
Configuration	TKP VTK CFNTO CFRMO	1 1	_		1 1 1 1 1 1	-	1 1 1	_	/ / ,	/ <i>J</i>	11		11		11	11		_	\ \ \ \	_	_	_	1				1	\ \ \ \ \ \ \ \
Modifications (page 58) Specialty	P	11	11	11	111	1.	111	11		1 1 1	11	1 1	· /			1	1	<i>J J</i>		1	1	1	1		1	/	<b>√</b>	111
Doors (pages 59-63)	CG MD with non-compatible modifi	11	/ / / /	11	1	1.	/ / /	11			11	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	11			1	1		1	1		/ /	11	1	1 1 .	1 1	1	

Orders for cabinets with non-compatible modifications will not be processed. Please contact customer service for more details.

\*Represents compatible modification(s) and upgrade(s).

\*AUTHL and EXBKL compatible with FFDR, and AUTHR and EXBKR compatible with FFDL.

\*DFF5PC, DFF5PCNR, DFR5PC, DFSLB, DFF5PCSLBT, DFF5PCNRST, DFR5PCSLBT, DFSLBT, and DPSRR only available on selected door styles. See pages 10-24 for availability.

\*INVFRM not compatible with RT on utility cabinets.


\*Not available on MDF.

# **CONSTRUCTION UPGRADES**

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Plywood Ends (PE)*	Most cabinets with sides	Replaces standard cabinet ends with unfinished 1/2" plywood exterior ends. See page 36 for more details.
All-plywood Construction (APC)*	Most cabinets with sides	Replaces standard cabinet construction with plywood for 1/2" ends, 3/4" shelves, and 3/8" top, bottom, and back. Exterior of cabinet ends are unfinished. See page 36 for more details.  White Laminate Interior (WLI) modification available on White cabinets (painted White or Laminate) in APC, see page 44.
	Selected trim panels	Replaces standard panel material with plywood. Exterior side is finished. Interior side is Natural Maple laminate.

# PLYWOOD ENDS CONSTRUCTION UPGRADE (PE) Backs - 3/s\* Furniture Board with Natural Maple laminate interior Top View Shelves - 3/s\* Furniture Board with Natural Maple laminate interior Tops and Bottoms - 3/s\* Furniture Board with Natural Maple laminate interior Exterior Sides - 1/z\* Plywood with Veneer



 $<sup>^{\</sup>star}$ All-plywood components meet ANSI/HPVA HP-1 standards and may contain MDF or particleboard.

### THINGS TO REMEMBER ABOUT FINISHED ENDS AND CABINET INTERIOR FINISHES

On cabinets with PLYWOOD ENDS (PE) or ALL-PLYWOOD CONSTRUCTION (APC) modifications, cabinet sides are plywood with an unfinished veneer exterior. You can finish the exposed ends in your kitchen with one of several decorative options, as follows:

- 1. Leave the ends UNFINISHED if the cabinets are installed against each other or against the wall.
- 2. Purchase a 1/4" VENEER SKIN for field installation. This brings the cabinet side flush with the face frame.
- 3. Specify FURNITURE FINISHED PLYWOOD ENDS (FPEB). See page 43 for details.
- 4. Specify AUTHENTIC ENDS (AUTHL, AUTHR, or AUTHB) or Face Frame and Door on End (FFDL or FFDR). See page 43 for details.
- 5. Specify cabinets with FINISHED ENDS (FB), factory installed. Both ends of the cabinet use 1/2" plywood veneer panel that is factory finished on the exterior to match the door and frame.
- Purchase Wall, Base or Tall END DECORATIVE DOOR PANELS (WED, BED, TED). These are a skin and a door that can be attached to finish the exposed end. This will extend the total cabinet run by the thickness of the door.
- 7. Purchase a Wall MESSAGE CENTER.
- 8. Cabinets specified with MIP have matching veneer interior and exterior. Some cabinets are provided with standard MIP construction, such as:

Wine Rack Cabinets

**Bookcase Cabinets** 

Base Open Cabinets

9. All Wall Organizer and Wall/Base Spice Drawer Cabinets are frameless doweled construction and feature 3/4" furniture board with matching finished veneer interior and exterior.


Effective March 14, 2022


# **DRAWER FRONT OPTIONS**

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Drawer Front Flat 5-piece (DFF5PC)	Base, tall, and vanity cabinets on Door 16, Door 17, Door 18, Door 21, Door 22, Door 24, Door 29, Door 35, Door 38, Door 42, and Door 46	Replaces the standard drawer front with a 5-piece flat center panel drawer front (see images with applicable door styles).  Premium finish and finish technique upcharges will apply where applicable.  See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
Drawer Front Flat 5-piece Narrow Rails (DFF5PCNR)	Base, tall, and vanity cabinets on Door 15	Replaces the standard 5-piece flat center panel drawer front (2 1/4" high top and bottom rails) with a narrow rail 5-piece flat center panel drawer front (1 1/2" high top and bottom rails) (see images with applicable door styles).  Not available on Door 15 Oak.  Premium finish and finish technique upcharges will apply where applicable.  See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
Drawer Front Raised 5-piece (DFR5PC)	Base, tall, and vanity cabinets on Door 31 and Door 43	Replaces the standard drawer front with a 5-piece raised center panel drawer front (see images with applicable door styles).  Premium finish and finish technique upcharges will apply where applicable.  See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
Drawer Front Slab (DFSLB)	Base, tall, and vanity cabinets on Door 15, Door 28, Door 32, Door 39, Door 41, and Door 45	Replaces the standard drawer front with a slab drawer front.

### **DRAWER FRONT FLAT 5-PIECE (DFF5PC)**





Door 24 \*Door 35 5-piece 6 1/4" and 6 3/4" high drawer fronts have a flat center panel,  $10^{\prime\prime}$  and taller drawer fronts have a raised center panel.

# DRAWER FRONT OPTIONS (cont'd)

Costonial sortice representati	iro pororo piacing your oracii	
OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Drawer Front Flat 5-piece with Slab Top	Base, tall, and vanity cabinets on Door 16, Door 17, Door 18, Door 21, Door 22, Door	Replaces the standard slab drawer fronts with a 5-piece flat center panel drawer front with the exception of the top drawer front of base and vanity cabinets when the face frame opening is 5" high, which will remain slab (see images with applicable door styles). Drawer front will be slab on Tall Built-in Microwave (TBMWB) and Single Oven Cabinets (OSB).
(DFF5PCSLBT)	24, Door 29, Door 35, Door 38, Door 42, and Door 46	Not available on Wall Two Drawer (W2D) and Furniture Drawer 6 3/4" High (FD6.75). Use DFF5PC for a 5-piece drawer front on these cabinets where DFF5PCSLBT is not available.
		Not compatible with Inverted Frame (INVFRM) modification.
		Upcharge for 5-piece drawer front is not applied to slab drawer fronts.
		Premium finish and finish technique upcharges will apply where applicable.
		See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
Drawer Front Flat 5-piece Narrow Rails with Slab Top (DFF5PCNRST)	Base, tall, and vanity cabinets on Door 15	Replaces the standard 5-piece flat center panel drawer front $(2\ 1/4'')$ high top and bottom rails) with a narrow rail 5-piece flat center panel drawer front $(1\ 1/2'')$ high top and bottom rails) with the exception of the top drawer front of base and vanity cabinets when the face frame opening is $5''$ high, which will be slab (see images with applicable door styles). Drawer front will be slab on Tall Built-in Microwave (TBMWB) and Single Oven Cabinets (OSB).
		Not available on Wall Two Drawer (W2D) and Furniture Drawer 6 3/4" High (FD6.75). Use DFF5PCNR for a 5-piece drawer front of these cabinets where DFF5PCNRST is not available.
		Not available on Door 15 Oak.
		Not compatible with Inverted Frame (INVFRM) modification.
		Upcharge for 5-piece drawer front is not applied to slab drawer fronts.
		Premium finish and finish technique upcharges will apply where applicable.
		See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.
DRAWE	R FRONT FLAT 5-PIECE (DFF5PCSLBT	


# DRAWER FRONT OPTIONS (cont'd)

OPTION NAME	APPLICABLE CABINET GROUP		DESCRIPTION/LIMITATIONS		
Drawer Front Raised 5-piece with Slab Top	Base, tall, and vanity cabinets on Door 31 and Door 43	with a 5-piece raised center panel drawer front with the exception of the top drawer front of base opening is 5" high, which will remain slab (see images with applicable door styles). Drawer ve (TBMWB) and Single Oven Cabinets (OSB).			
(DFR5PCSLBT)		Not available on Wall Two Drawer (W2D. these cabinets where DFR5PCSLBT is not	) and Furniture Drawer 6 3/4" High (FD6.75). Use DFR5PC for a 5-piece drawer front on available.		
		Not compatible with Inverted Frame (INVFRM) modification.			
		Upcharge for 5-piece drawer front is not a	applied to slab drawer fronts.		
		Premium finish and finish technique upch	arges will apply where applicable.		
		See page 81 for 5-piece drawer front dim	nensions when specifying decorative hardware.		
Drawer Front Slab Top (DFSLBT)	Base, tall, and vanity cabinets on Door 15, Door 28, Door 32, Door 39, Door 41, and	Replaces the 5-piece top drawer front of I remaining drawer fronts will remain 5-pie (TBMWB) and Single Oven Cabinets (0	base and vanity cabinets with a slab drawer front when the face frame opening is 5" high. The ece (see images with applicable door styles). Drawer front will be slab on Tall Built-in Microwave SB).		
	Door 45	Not available on Wall Two Drawer (W2D) and Furniture Drawer 6 3/4" High (FD6.75).			
		Not compatible with Inverted Frame (INVFRM) modification.			
		Premium finish and finish technique upch	arges will apply where applicable.		
		See page 81 for 5-piece drawer front dim	nensions when specifying decorative hardware.		
DRAWER	FRONT RAISED 5-PIEC (DFR5PCSLBT	CE WITH SLAB TOP	DRAWER FRONT SLAB TOP (DFSLBT)		


# **DRAWER AND DOOR OPTIONS**

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.


·	,				
OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS			
Door Panel - Solid Reverse Raised (DPSRR)	Most cabinets with doors and most panels with doors; AUTHL, AUTHR, AUTHB, FFDL, and FFDR modifications; available on Door 15, Door 16, Door 17, Door 22, Door 23, Door 32, Door 34, Door 39, Door 41, Door 45, and Door 47	Replaces veneer flat door center panel with a solid reverse raised center panel.  Not available on Door 15 MDF or Door 32 MDF.  Drawer fronts are not affected by this door option.  When ordered in Maple, center panels in Paint and Paint with Glaze finishes will be reverse raised MDF.			
Modified Full Overlay (MFO)	Most wall and tall cabinets and some panels with doors	Reduces the size of a Full Overlay door by 3/4" allowing for a top face frame reveal of 1" to allow for face mount moulding application.  Overlay Fillers are available in MFO heights to align with doors, see pages 303-306 for OLMFO and OLMFOP.  Not compatible with Add Toekick modification.  When Authentic End(s) are ordered in conjunction with Modified Full Overlay, the Authentic End will match the face frame reveal.  Not available on Aluminum Frame Doors.  Not available on Door 37, Door 44, Door 15 MDF, Door 18 MDF, and Door 32 MDF.			
Scooped Drawer (SCPDRW) (SCPDRWB) (SCPDRWL) (SCPDRWR)	Most base cabinets	Replaces top drawer box with a 2" high drawer box to allow for clearance of cooktops, etc. Only top drawer will be modified when specified on drawer bases.  On base cabinets with two top drawers, L, R, or B must be specified.  Increases clearance for cooktops from 2 1/2" to 3 7/8".  When SCPDRW is selected on 2DB18-2DB42, top drawer will utilize a 6 3/8" high drawer box, creating a clearance of 6 5/8" for the cooktop.  Not available on MDF or Door 37 door styles.			
	DOOR PANEL - SOLID REVERSE RAISED (DPSRR)				



# **MODIFIED FULL OVERLAY (MFO)**



# SCOOPED DRAWER (SCPDRW/SCPDRWB/SCPDRWL/SCPDRWR)




# **END PANEL MODIFICATIONS**


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Authentic Ends	Most wall, base, tall, and	Modifies cabinet end panel(s) with applied decorative door(s) onto FPEB upgraded end panel(s).
(AUTHL) (AUTHR)	vanity cabinets	Includes FPEB modification — If AUTHL or AUTHR upgrades are specified, the opposite end panel is also FPEB.
(AUTHB)		Available on most cabinets with depths of 9", 12", 15", 18", 21", 24"and 27". Custom doors must be specified for other depths not listed. 9" depth available on cabinets 30" high or taller.
		For tall cabinets, non-miter doors have two panels on the bottom door.
		27" deep cabinets will have double door configuration. Office base cabinets (29" high) will have double door configuration when specified on 24" deep cabinets.
		DPSRR option and upcharge applies to Authentic End door(s), which will be upgraded to a solid reverse raised center panel.
Face Frame and Door on End	Most wall, base, tall, and vanity cabinets	Creates a working door on the end of the specified cabinet. Side cabinet configuration will match front cabinet configuration (i.e. drawer/door or full height door). Opposite end panel will be FPEB. Side cabinet configuration will match front configuration.
(FFDL) (FFDR)		On Base and Tall cabinets, recessed toe space is standard on the side specified with FFDR or FFDL (if any flush toekick modification is specified, FFD side of cabinet will also be flush). 12" deep cabinets specified with FFDL or FFDR and FTKAV or FTKFV will receive a standard flush toekick.
		Full depth shelves standard. Glass shelves not compatible with the FFD modification.
		Doors will always be hinged on the back of the cabinet. Option not available on both ends of cabinet. Not available on peninsula cabinets. Available on cabinets in depths of 12", 15", 18", 21", and 24".
		CG, MD, and DPSRR options and upcharges apply to FFD door. When MD is selected on 12" deep cabinets, the FFD door will be CG. When ordered with Mullion Doors on 39" or 42" high cabinets, adjustable shelves will not align with mullions.
Finished Ends (FB)	Cabinets with PE or APC modification; both ends will be finished	Creates a matching finished 1/2" veneer plywood exterior.
Furniture Finished Plywood* Ends (FPEB)	Most wall, base, tall, office, and vanity cabinets	Replaces standard cabinet ends with 3/4" finished veneer end panels to achieve a Furniture End appearance. Both exterior sides are finished. Includes PE upgrade and standard laminate interior. Matching Interior Plywood (MIP) is available.


# **AUTHENTIC ENDS (AUTHL/AUTHR/AUTHB)**




# FURNITURE FINISHED PLYWOOD ENDS (FPEB)









Wall cabinets


<sup>\*</sup>All-plywood components meet ANSI/HPVA HP-1 standards and may contain MDF or particleboard.

# **FINISH MODIFICATIONS**


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

	OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS	
Plyw	Matching Interior Plywood  Most cabinets		Modifies the cabinet interior and end panel exterior to matching finished veneer plywood. Cabinet top and bottom exterior on wall cabinets is also matching finished veneer plywood.	
(MIP) Cabinet construction features 1/plywood.			Cabinet construction features $1/2''$ plywood ends and $3/8''$ top, bottom, and back. Shelves are upgraded to full depth $3/4''$ veneered plywood.	
			Interior wood accessories feature a natural finish and will not match cabinet exterior.	
			When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option. If MIP is not desired, it can be deselected by choosing NOTMIP.	
		Most end panels with fillers attached	Replaces standard panel material with veneer plywood finished on both sides.	
White		White cabinets with APC	Replaces Natural Maple laminate interior with White laminate plywood interior. Wall cabinet exterior tops and bottoms will be white laminate. PFINBTMB is recommended for use when WLI cabinets are adjacent to cabinets with natural maple laminate cabinet bottoms. Finished Ends (FB) is recommended for matching finished veneer ends.	
			Only available on cabinets in White (painted Maple or Laminate) that are specified with APC.	
			WLI shelves are plywood with White laminate, interior accessories will not change.	

### **MATCHING INTERIOR PLYWOOD (MIP)**




# WHITE LAMINATE INTERIOR (WLI)




1/


# **BOX MODIFICATIONS**


OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS	
Cabinet Box Only (CBO)	Most wall, base, tall, and vanity cabinets	Removes doors, drawer fronts, and any accessory items attached to a door or drawer front. Drawer box and any interior components attached to the cabinet box will be included. Frames will not be drilled for hinges.	
Cabinet Case Only (CCO)	Most wall, base, tall, and vanity cabinets	Removes doors, drawer fronts, drawer boxes, interior components, and mini touch-up kits. Frames will not be drilled for hinges, but cabinet will have standard drilling for shelves and guides.	
Cabinet False Panel (CFP)	Most base and vanity cabinets with a top drawer	Replaces top drawer with false panel. Not available with deep drawers.	
Cabinet with No Door, with Drawer (CND)	Most wall, base, tall, and vanity cabinets with door(s) and drawer(s)	Removes door(s). Complete drawer(s) with drawer front(s) and interior components remain in cabinet. Frames will not be drilled for hinges.	
	CABINET BOX ONLY	(CBO)	CABINET CASE ONLY (CCO)











# **BOX MODIFICATIONS (cont'd)**

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICAE Cabinet Gr				DESCR	IPTION/LIMITATIONS	
Increased Depth (ID)	Most wall and vanit	y cabinets	Increased depth wo Any specified shelv Wall peninsula cab	Increases the depth of wall and vanity cabinets in 1" increments to a maximum depth of 27". Increased depth wall cabinets should be either floor mounted or stacked to maintain stability. Any specified shelving is included and is always full depth. Wall peninsula cabinets may be increased in 1" increments to 18" maximum. Depth restrictions may apply where depths are available as a standard cabinet. Wall cabinets 12" deep are limited to up to 15" deep on sizes where a 24" deep cabinet is available.			
	Most base, tall, and cabinets without dro roll trays		desired on tall cabi	n of base, tall, and vanity c nets, the 24" deep cabine nay apply where depths ar	t must be mod	lified. Any specified shelving is includ	ents to 27". When depth beyond 24" is led and is always full depth.
	Oven Cabinets		Increases the depth drawer depth will r	n of oven cabinets in 1" in not change. Any specified s	crements to a helving is inclu	maximum depth of 27". When over uded and is always full depth.	a cabinets with drawers are increased,
	End panels	d panels		n of end panels in 1" incre vailable on plywood panels e only available in 3" incre	only.	·	
Reduced Depth (RD)  Most base, tall, and vanity cabinets with drawers or roll trays			Reduces the depth dimension is specif	in 1" increments to a mini ied as the distance from th	imum depth o e front of the	f 12". Any specified shelving is inclu face frame to the back of the cabine	ded and is always full depth. The t.
	Most base, tall, and cabinets without dro roll trays		Reduces the depth shelving is included cabinet.	in 1" increments to a mini I and is always full depth.	imum depth o The dimension	f 6". If reduced depth to 8" or less, is specified as the distance from the	toekick will not be included. Any specified front of the face frame to the back of the
	Most wall cabinets	st wall cabinets		Reduces the depth in 1" increments to a minimum depth of 6". Any specified shelving is included and is always full depth. The dimension is specified as the distance from the front of the face frame to the back of the cabinet. Wall top hinge cabinets can only be reduced to 9" depth minimum.			
	End panels	els Reduces the o		leduces the depth in 1" increments to a minimum depth of 6".			
	· ·		Reduces the depth in 1" increments to fit a minimum cabinet depth of 12".				
			Drawer Box and Rol	l Tray Exterior Depth		Clearance Behind Drawer	Box or Roll Tray and Back Panel
Cabinet Depth		Standard Dr	awer Guides	Heavy Duty Side-mount Gui	des (DDFD)	Standard Drawer Guides	Heavy Duty Side-mount Guides (DDFD)
24		2		21		2 3/4	2 3/4
23		2		18		1 3/4	4 3/4
22		1		18		3 3/4	3 3/4
21		1		18		2 3/4	2 3/4
20		1		N/A		1 3/4	N/A
19		1		N/A		3 3/4	N/A
18 17		1		N/A N/A		2 3/4	N/A N/A
16 15		1		N/A N/A		3 3/4 2 3/4	N/A N/A
14		1		N/A		1 3/4	N/A
13			9 N/A			3 3/4	N/A
12		9	)	N/A		2 3/4	N/A
	INCREAS	SED DEP	TH (ID)	,		REDUCED DE	

Wall cabinets

Wall cabinets

Base cabinets


Base cabinets

# **BOX MODIFICATIONS (cont'd)**


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS			
Most cabinets	Extends cabinet end panel back in 1" increments, available up to 6" per side. Includes FPEB modification with 3/4" finished veneer end panels on both ends.			
	EXBKL and EXBKR are compatible with each other and can be specified with either the same dimension per side or unique dimensions if desired. Compatible with Authentic Ends when End Extended Back is specified in 3" increments.			
Most wall cabinets	Prepares cabinet for installation of a separately purchased and field installed applied 1/4" end panel skin to create a flush finished bottom on a single cabinet or multiple cabinets that are bridged between taller adjacent cabinets.			
	Features factory installed spacer blocks against the cabinet bottom, along the face frame, back, and end panels. Cabinet back and end panel heights are $1/4''$ less than the face frame, leaving clearance for the applied skin. Cabinet end panel bottom edge remains unfinished.			
	Panel utilized for flush bottom must be purchased separately using 1/4" end panel skins (see WEPS, TEPS, or BEPS on pages 313-314) or 1/4" custom panels (see DAPNL1/4 on page 326), and requires cabinet installer to cut to size before installation.			
	If used on the end of a run, moulding or a full height end panel skin must be purchased separately to cover exposed unfinished edge of applied skin for the flush finished bottom. Not compatible with FPEB, AUTHL/AUTHR/AUTHB, FFDL/FFDR, and EXBKL/EXBKR modifications.			
	CABINET GROUP  Most cabinets			


# **END EXTENDED BACK LEFT (EXBKL)**



# **END EXTENDED BACK RIGHT (EXBKR)**



# PREPARE CABINET FOR FINISHED BOTTOM (PFINBTMB)




# **FACE FRAME MODIFICATIONS**

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS	
Appliance Cut-out, Single (ACS)	Most Oven Cabinets	Creates a custom cut-out area for field-ready oven installation. Available on oven cabinets specified with an (N) for Narrow Stile, with $11/2''$ wide frame side stiles. See cabinet specifications for available cut-out dimensions.  Custom Width dimension available in $1/4''$ increments, with a minimum of $1/2''$ to a maximum of $6''$ less than the cabinet width. Frame side stiles will not be notched.  Custom Height dimension available in $1/4''$ increments. Cut-out area will be centered.	
Extended Stile (EXL) (EXR)	Most cabinets with a face frame	Extends face frame width beyond its normal width by specified dimension to eliminate the need for field installed fillers, available in 1/2" increments from 1/2"-3". For example, a 1 1/2" wide face frame with EXL2 will have a width of 3 1/2" on the left side of the cabinet.  Extended Left: EXL.5, EXL1, EXL1.5, EXL2, EXL2.5, EXL3 Extended Right: EXR.5, EXR1, EXR1.5, EXR2, EXR2.5, EXR3 EXL and EXR are compatible with each other and can be specified with either the same dimension per side or unique dimensions if desired. When ordered with Peninsula (P) modification, both face frames on specified side will be modified.	

# **APPLIANCE CUT-OUT, SINGLE (ACS)**




# **EXTENDED STILE LEFT (EXL)**



Cabinets with a face frame - Wall

### **EXTENDED STILE RIGHT (EXR)**



Cabinets with a face frame - Wall

# FACE FRAME MODIFICATIONS (cont'd)


OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION	/LIMITATIONS
Inverted Frame (INVFRM)	Most cabinets with a face frame cross rail	Inverts face frame openings. Drawer openings relocated to the bottom for doors do not change, standard drawer opening changes to 4 1/2'	' high.
	Tall Panels with Filler Attached and Authentic Ends	On talls and stacked walls, when INVFRM is ordered in conjunction wi after the frame is inverted. Glass only available on doors for 41 $1/2^{\prime}$	in CG (Curtor-giass), top and bottom locations should be specified Thigh or less.
		Doors on inverted frame cabinets may not align with adjacent cabinet	
		On Tall Panels with Filler Attached and Authentic Ends, when INVFRM cabinets with the modification.	is selected, doors will be inverted (no tace trame) to align with ta
Valance Top Rail (TVRAV) (TVRFV) (TVRVV)	Base Open Cabinets, Bookcases	Modifies the top rail with an arch, furniture, or straight valance.	
		INVERTED FRAME (INVFRM)	
WAL	Tall cabinets	Base cabinets	Wall cabinets
VAL/ Al	ANCE TOP RAIL, RCH (TVRAV)	VALANCE TOP RAIL, FURNITURE (TVRFV)	VALANCE TOP RAIL, STRAIGHT (TVRVV)

# **INSTALLED INTERIOR MODIFICATIONS**

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.


OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Secured Drawer featuring Master Lock Biometric	Most base cabinets with a top drawer	Modifies the standard drawer box with an installed self-locking mechanism featuring proven Master Lock advanced sensor biometric technology. When activated, drawer opens 2 3/16" to access fingerprint reader, which stores up to 100 unique fingerprints. Homeowner must reset memory after cabinet installation. Secured housing protrudes 2 3/4" into the depth of the drawer box interior.
Technology (DRWSEC) (DRWSECB)		Features one 9V battery compartment (battery not included). Self-locking when in closed position. Manual key lock on bottom of drawer for backup method of entry.
(DRWSECL) (DRWSECR)		DRWSEC available on 24" deep base cabinets with widths of 18", 21", and 24".
(DRWSECK)		DRWSECL, DRWSECR, and DRWSECB available on 24" deep base cabinets with widths of 42" and 48".
		Not compatible with Reduced Depth (RD) modification or PowerGlide™ Compact Drawer Outlet (DRWPWR).
		Installer must remove the drawer front to drill and countersink the back of the drawer front for field installation of knobs and pulls.
CabMat™	Most sink base and vanity	Installs removable CabMat <sup>™</sup> , size is determined by face frame opening width and cabinet depth.
(CMAT1) (CMAT2)	cabinets	CMAT2 is only available on vanity cabinets designed for double bowl applications.
		Not available with Reduced Depth modification. When ordered with Increased Depth modification, CabMat™ size does not change.
		Vanity cabinets with face frame openings of 24" and 30" will utilize CabMat™ sized for 21" and 27" openings.
		See page 371 for CabMat <sup>™</sup> product descriptions.
Full Depth Shelf (FD)	Base cabinets with standard half depth shelves	Replaces standard shelf with full depth shelf.


# SECURED DRAWER FEATURING MASTER LOCK BIOMETRIC TECHNOLOGY (DRWSEC/DRWSECB/DRWSECL/DRWSECR)



# **FULL DEPTH SHELF (FD)**









Effective March 14, 2022


# INSTALLED INTERIOR MODIFICATIONS (cont'd)

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.


OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Deep Roll Tray (DRT)	Most cabinets with roll trays	Replaces standard roll trays with a 6 3/8" deep roll tray. Replaces bottom roll tray only on base cabinets and bottom 2 roll trays on utility cabinets.
EasyTrax <sup>™</sup> (ET)	Most cabinets with roll trays	Includes pre-installed upright wooden system that allows for easy height adjustment of roll trays.
Installed Roll Tray (RT)	Select base, tall, office, and vanity cabinets	Installs specified number of roll trays (1-5 per side). Example, for two roll trays, specify 2RT.  On cabinets with center stile, specify RTL for roll trays in left side and RTR for roll trays in right side. RTL and RTR should be selected for roll trays in both sides.  When 1RT is specified on a base cabinet, the roll tray is installed in the lowest position and one half depth adjustable shelf is included. On utility cabinets for lower section, 1RT includes three shelves, 2RT includes two shelves, and 3RT includes 1 shelf. No shelves for lower section are included with 4RT or 5RT.
Light Installed Battery Strip (LTI.BS) (LTI.BSB) (LTI.BSL) (LTI.BSR)	Select base, office, and vanity cabinets	Installs a battery operated LED light inside the cabinet door opening(s). LTI.BS installs one LED light inside the cabinet door opening. LTI.BSB installs two LED lights inside both left and right cabinet door openings. On corner cabinets, installs one LED light for the top section and one LED light below fixed shelf for bottom section. LTI.BSL installs one LED light in the left door opening. LTI.BSR installs one LED light in the right door opening. Battery operated - (4) AAA batteries (not included). Motion activated. Low power usage (0.3W). Plastic aluminum finish. Dimensions: Length 11.93" (303mm), Width 0.67" (17mm), and Depth 0.55" (14mm).








LIGHT INSTALLED BATTERY STRIP (LTI.BS/LTI.BSB/LTI.BSL/LTI.BSR)



# EASYTRAX<sup>™</sup> (ET)




# INSTALLED INTERIOR MODIFICATIONS (cont'd)


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
PowerGlide <sup>™</sup> Compet Compet Outlet (DRWPWR) (DRWPWRB) (DRWPWRL) (DRWPWRL)	Most base cabinets with a top drawer	Installs PowerGlide™ Compact Drawer Outlet into the drawer box.  Includes two 120V electrical plug-ins and two 2.1 amp rated USB charging ports with a total rated capacity of 15 amps.  Cord has 3 ft. of length hanging freely from back mounting bracket. The cord is 14 gauge wire and features a standard 3-prong plug and is required to be plugged into an approved GFCI outlet for all applications.  Outlet is ETL approved-compliant for electrical and other safety standards to U.S. and Canadian safety including UL standards.  Outlet face plate measures 5.22″ x 2.3″ and will extend 3/4″ into drawer box.  Available on base cabinet widths of 18″-36″.  For use in cabinet depths of 15″, 18″, 21″, and 24″. Only compatible with RD in 3″ increments.  Also available as a field installed accessory, see DRWPWR1 on page 374.
Push to Open Wastebasket (PTOWB)	Base cabinets with door mounted wastebasket pull-outs	Changes the guide mechanism on wastebasket pull-outs to a mechanical push to open guide with smart close. Available on 24" deep cabinets only. Does not change other drawer guides on the cabinet.
Tilt-out Tray, Stainless Steel Slim (TOTSSS)	Cabinets with false panels	Installs one stainless steel tilt-out tray inside of each false panel.  Tray is 1 11/16" deep and protrudes 3/4" into cabinet.

# POWERGLIDE™ COMPACT DRAWER OUTLET (DRWPWR/DRWPWRB/DRWPWRL/DRWPWRR)



# TILT-OUT TRAY, STAINLESS STEEL SLIM (TOTSSS)




### **PUSH TO OPEN WASTEBASKET (PTOWB)**




# INSTALLED INTERIOR MODIFICATIONS (cont'd)

OPTION NAME	APPLICABLE CABINET GROUP		DESCRIPTION/LIMITATIONS						
Tray Dividers (TD)	Most wall, full height base, and tall cabinets	Installs removable Tray Dividers. Plywood dividers match the interior of the cabinet. Rails for dividers are Natural Maple regardless of the color of the interior of the cabinet.							
		Number of divider	Number of dividers is predetermined based on cabinet width. See chart below.						
		Available only in t	he top of Sta	cked Walls ar	nd Tall Cabinets.				
		Available with Reduced Depth modification (12" minimum) and Increased Depth modification (27" maximum). When cabinet is increased to 27", tray dividers will be 24" deep set back 3" into the cabinet.							
		Base Full Height cabinets will have a top. Not available with Peninsula modification.							
		Available on cabinets with frame height openings of 15"-27" with full top and bottom panels.							
		Cabinet # of Mod Width Dividers Name							
		9"-12" 1 1TD 15"-18" 2 2TD 21"-24" 3 3TD							
		27"-31 1/2" 4 4TD 5TD							










# **TOEKICK MODIFICATIONS**

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS					
Add Toekick (ADDTK)	Most wall cabinets	Creates a $41/2''$ toekick on the front of cabinet. Cabinet top changes to use I-beam construction when ADDTK is selected. ADDTK with reduced depth is available on cabinets $9''$ deep or larger.					
		Peninsula cabinets are available with ADDTK 15" deep and larger. Depths of 14" and less will not have ADDTK available.					
		Furniture drawers will be available with ADDTK option down to a reduced depth of 12".					
		Available with compatible toekick modifications. See the Modification/Upgrade Compatibility Chart on page 37 for details.					
		Extends the face frame to the floor eliminating the toe space. Not available when either RECTKL or RECTKR modifications are used.					
(FTK) (FTK.FNT.P)	cabinets, and wall cabinets with ADDTK	When FTK is ordered with the Peninsula modification, only the working drawer side will receive a flush toekick.					
(FTK.P)		When FTK.FNT.P is ordered with the Peninsula modification, both sides will receive a flush toekick.					
		When FTK.P is ordered with the Peninsula modification, only the peninsula side will receive a flush toekick.					











# **TOEKICK MODIFICATIONS (cont'd)**

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Flush Toekick Arch (FTKAV) (FTKAV.P) (FTKAV.FNT.P)	Most base, tall, and vanity cabinets, and wall cabinets with ADDTK	Creates an arch flush toe space. Valance replaces standard toekick creating a full open area beneath cabinet floor.  When FTKAV.FNT.P is ordered with the Peninsula modification, both sides will receive an arch flush toekick.  When FTKAV.P is ordered with the Peninsula modification, only the peninsula side will receive an arch flush toekick.
Flush Toekick Furniture (FTKFV) (FTKFV.P) (FTKFV.FNT.P)	Most base, tall, and vanity cabinets, and wall cabinets with ADDTK	Creates a furniture flush toe space. Valance replaces standard toekick creating a full open area beneath cabinet floor.  When FTKFV.FNT.P is ordered with the Peninsula modification, both sides will receive a furniture flush toekick.  When FTKFV.P is ordered with the Peninsula modification, only the peninsula side will receive a furniture flush toekick.





# **TOEKICK MODIFICATIONS (cont'd)**

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.


OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Loose Toekick Most tall cabinets (TKP)		Available on 84", 87", and 90" tall cabinets. Removes and ships the toekick separately. Not compatible with other toekick modifications.
		Pedestal is designed to create a Recessed Left or Right Toekick (RECTKL or RECTKR) application during field installation, or can be centered. Pedestal must be covered with toeboard material.
Recessed Island Toekick (RECTKALL)	Most base and vanity cabinets, and wall cabinets with ADDTK	Creates a 3 3/8" recessed toekick on the right, left, and back of cabinet. The entire toekick area will have non-matching material and requires any exposed toekick area to be covered. RECTKALL only available on cabinets at least 15" deep.
Recessed Toekick on Back or Side (RECTKBK) (RECTKL) (RECTKR)	Most base and vanity cabinets, and wall cabinets with ADDTK	Creates a 3 3/8" recessed toekick on the back (RECTKBK), left (RECTKL), or right (RECTKR). When either the RECTKR or RECTKL are used, FTK is NOT available. The entire toekick will have non-matching material and requires any exposed toekick area to be covered. On RECTKL and RECTKR, the back will have a 1/2" recessed offset and non-specified side will have a 1/2" recessed offset to allow for application of toeboard material.
(urelinit)		93" and 96" tall cabinets have RECTKL or RECTKR standard on loose pedestal. For recess toekick applications of both left and right, order RECTKL.R. On 9" wide cabinets, only one side can be recessed. RECTKBK only available on cabinets at least 15" deep.

# LOOSE TOEKICK (TKP)




Tall cabinets
Pedestal is reduced in width for RECTKL or RECTKR during field installation.


# **RECESSED ISLAND TOEKICK (RECTKALL)**




### **RECESSED TOEKICK - BACK (RECTKBK)**




### **RECESSED TOEKICK - LEFT (RECTKL)**



### **RECESSED TOEKICK - RIGHT (RECTKR)**






Base cabinets

Vanity cabinets


# **TOEKICK MODIFICATIONS (cont'd)**


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.


OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS				
Toekick Drawer (DRWTK)  Most cabinets with a standard toekick, and wall cabinets		eplaces standard toekick with a toekick drawer. Available on most 21″-24″ deep cabinets in 18″, 21″, 24″, 27″, 30″, 33″, and 36″ idths that have standard toekick construction.				
	with ADDTK	Front of toekick drawer is unfinished, allow enough toeboard to cover. 1" clearance below toekick drawer. Exterior dimensions of drawer are 3 3/8" tall and 15" or 18" deep.				
		Toekick drawer uses a push to open full extension side-mount guide, does not have soft-close feature.				
Void Toekick (VTK)	Most base, tall, and vanity cabinets	Removes the toekick. Only available when the cabinet has a standard toekick (not available when flush toekick is standard or when cabinet has a separate pedestal base).				
		When VTK is specified on cabinets to be used with a countertop, cabinets must also be supported from the floor, not just attached to the wall. Failure to properly install cabinets in this situation will void the warranty.				




# **TOEKICK DRAWER (DRWTK)**








# **VOID TOEKICK (VTK)**






Vanity cabinets

# **CONFIGURATION MODIFICATIONS**

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, pricing and leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Cabinet Front Only (CFNTO) Most cabinets with a face frame		Creates a door and/or drawer front assembled with a frame.
		Doors are attached with the specified hinges and drawer fronts are cleated.
Cabinet Frame Only (CFRMO)	Most cabinets with a face frame	Creates a cabinet frame only. No box, doors, or drawer fronts are included.
Peninsula (P)	Most wall and base cabinets	Creates a peninsula cabinet that is $1/4$ " deeper than the standard cabinet depth. If ID or RD is specified, cabinet will be $1/4$ " deeper than specified cabinet depth. Any adjustable shelves are upgraded to full depth.
		Any cabinet with a toekick must be at least 15" deep (either standard with a toekick or when ADDTK is specified).
		Single door cabinets are hinged on the same cabinet end, for example a W1230L will feature a Left hinge on the front side and a Right hinge on the peninsula side.
		Not available on tall cabinets (oven, utility, and pantry) or multi-drawer base cabinets.
		Cabinets with drawers can only be reduced in 3" increments.
		Peninsula cabinets are not designed to be used as stand alone island cabinets.
		The maximum depth for wall cabinets with the Peninsula modification is 18".

# **CABINET FRONT ONLY (CFNTO)**




Cabinet front only - Wall, Base, and Tall


# **CABINET FRAME ONLY (CFRMO)**




Cabinet frame only – Wall, Base, and Tall

# PENINSULA (P)





# **ALUMINUM FRAME DOOR OPTIONS**








ALFBS Aluminum Frame Door with a Brushed Stainless Steel look with Frost glass




ALFBL Aluminum Frame Door with a Black powder coat finish with Frost glass





ALFC Aluminum Frame Door in Aluminum finish with Clear glass



ALFBSC Aluminum Frame Door with a Brushed Stainless Steel look with Clear glass

ALFBLC Aluminum Frame Door with a Black powder coat finish with Clear glass


- All aluminum doors will be full overlay with miter construction.
- Cabinet face frame and end panels will be matched to the finish specified.
- Aluminum and Brushed Stainless doors have an anodized finish.
- Black doors have a powder coated finish.
- Glass and matching panel are installed in door, removal will void warranty.
- Door rails are 2 1/4" wide.
- All Aluminum Frame door options are represented by ALF in Door Options availability grids.
- Cabinet will have standard interior or can be ordered with MIP option. When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option.
  If MIP is not desired, it can be deselected by choosing NOTMIP.
- Aluminum Frame Door options are compatible with Face Frame and Door on End modifications (FFDL and FFDR). The ALF\_door upcharge will also apply to the side door.

# **CUT-FOR-GLASS DOORS (CG)**

### Glass not included

60






Cut-for-glass

- Not available in Door 19, Door 25, Door 33, Door 36, Door 37, and Door 44.
- If desired for use with Door 19 or Door 44, using a shaker style such as Door 15, Door 18, or Door 38 is recommended.
- If ordered in an MDF door style, door will be Maple. On Stacked Wall (STW\_\_) and Utility cabinets (U\_\_), all cabinet doors will be Maple when ordered with a Cut-for-glass Door.
- Not available on bifold doors.
- Specify Door Style and Finish when ordering Cut-for-glass Doors.
- Custom door sizes available. See pages 326-331.
- Glass clips included with door, but glass is not included.
- · For cabinet availability, please see modification grids.
- CG.TOP and CG.BTM are specified on cabinets with upper and lower doors to designate which
  doors should be Cut-for-glass. See Door Options grid for SKU availability.
- When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option.
   If MIP is not desired, it can be deselected by choosing NOTMIP.
- All textured glass panels will be drop shipped separately from the cabinet order.
- Glass installation clips will ship with the doors and/or cabinets.
- The use of glass for base cabinet applications or for placement near interior or exterior doors is not recommended.

# **MULLION DOORS (MD)**

### Glass not included




Mullion


- Available in all door styles except Door 19, Door 25, Door 28, Door 33, Door 35, Door 36, Door 37, Door 41, and Door 44.
- Custom Door Sizes not available.
- For Mullion Door availability, please see modification grids in wall section.
- If ordered in an MDF door style, door will be Maple.
- Includes mullion door only. Glass may be ordered separately. See page 68 for details.
- Not compatible with Beveled glass.
- MD.TOP and MD.BTM are specified on cabinets with upper and lower doors to designate which doors should be Mullion Doors. See Door Options grid for SKU availability.
- Shelves will not align with mullions.
- When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option.
   If MIP is not desired, it can be deselected by choosing NOTMIP.
- All textured glass panels will be drop shipped separately from the cabinet order.
- Glass installation clips will ship with the doors and/or cabinets.
- The use of glass for base cabinet applications or for placement near interior or exterior doors is not recommended.

MULLION LITES GRID								
C-1-:		Cabinet Height						
Cabinet Width*	15″	18″	24"	30″	33″	36″	39″	42"
W15	G	G	G	D	D	D	A	A
W18	G	G	G	D	D	D	Α	Α
W21	G	G	G	D	D	D	A	A
W24	G	G	G	D	D	D	Α	Α
W24 (butt)	G	G	G	D	D	D	Α	Α
W27 (butt)	G	G	G	D	D	D	Α	A
W30 (butt)	G	G	G	D	D	D	А	Α
W33 (butt)	G	G	G	D	D	D	Α	Α
W36 (butt)	G	G	G	D	D	D	Α	Α
W42 (CS)	G	G	G	D	D	D	Α	A
W45 (CS)		G	G	D	D	D	Α	Α
W48 (CS)		G	G	D	D	D	Α	Α
W48 (butt)	G	G	G	D	D	D	Α	A
WC30				D	D	D	Α	Α
WC33				D	D	D	Α	A
WC36				D	D	D	Α	А
WC39				D	D	D	Α	A
WC42				D	D	D	Α	Α
WC45				D	D	D	Α	Α
WC48				D	D	D	Α	Α
DW	G	G	G	D	D	D	A	A

<sup>\*</sup>Stacked wall cabinets (STW\_ \_ and STWC\_ \_) also available with MD option in selected widths.

# Mullion Door Configurations






- Available in Door 15, Door 18, Door 38, Door 42, and Door 46.
- Custom Door Sizes not available.
- Shelves will not align with mullions.
- For Mullion Door availability, please see modification grids in wall section.
- If ordered in an MDF door style, door will be Maple.
- Includes mullion door only. Glass may be ordered separately. See page 68 for details.
- Not compatible with Beveled glass.
- When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option.
   If MIP is not desired, it can be deselected by choosing NOTMIP.
- All textured glass panels will be drop shipped separately from the cabinet order.
- Glass installation clips will ship with the doors and/or cabinets.
- The use of glass for base cabinet applications or for placement near interior or exterior doors is not recommended.

MULLION SHAKER LITES GRID									
Cabinet Width*	Cabinet Height								
Cabinet Wiam"	18″	24"	30″	33″	36"	39″	42″		
W15 <sup>†</sup>	Н	Н	Н	Н	Н	Н	Н		
W18	Н	Н	Н	Н	Н	Н	Н		
W21	Н	Н	Н	Н	Н	Н	Н		
W24	Н	Н	Н	Н	Н	Н	Н		
W24 (butt)	J	J	J	J	J	J	J		
W27 (butt)	J	J	J	J	J	J	J		
W30 (butt) <sup>†</sup>	Н	Н	Н	Н	Н	Н	Н		
W33 (butt)	Н	Н	Н	Н	Н	Н	Н		
W36 (butt)	Н	Н	Н	Н	Н	Н	Н		
W42 (CS)	Н	Н	Н	Н	Н	Н	Н		
W45 (CS)	Н	Н	Н	Н	Н	Н	Н		
W48 (CS)	Н	Н	Н	Н	Н	Н	Н		
W48 (butt)	J	J	J	J	J	J	J		
WC30	J	J	J	J	J	J	J		
WC33			Н	Н	Н	Н	Н		
WC36			Н	Н	Н	Н	Н		
WC39			J	J	J	J	J		
WC42			J	J	J	J	J		
WC45			Н	Н	Н	Н	Н		
WC48			Н	Н	Н	Н	Н		
DW <sup>†</sup>	Н	Н	Н	Н	Н	Н	Н		

<sup>\*</sup>Stacked wall cabinets (STW\_ \_ and STWC\_ \_) also available with SHMD option in selected widths.


# **Shaker Mullion Door Configurations**



<sup>&</sup>lt;sup>†</sup>Door 18 and Door 38 will have "J Configuration" for 15" and 30" wide cabinets and all DW cabinets.

# PRAIRIE MULLION DOORS (PRMD)

### Glass not included




- Available in Door 15, Door 18, Door 38, Door 42, and Door 46.
- Custom Door Sizes not available.
- Shelves will not align with mullions.
- For Mullion Door availability, please see modification grids in wall section.
- If ordered in an MDF door style, door will be Maple.
- Includes mullion door only. Glass may be ordered separately. See page 68 for details.
- Not compatible with Beveled glass.
- When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option.
  If MIP is not desired, it can be deselected by choosing NOTMIP.
- All textured glass panels will be drop shipped separately from the cabinet order.
- Glass installation clips will ship with the doors and/or cabinets.
- The use of glass for base cabinet applications or for placement near interior or exterior doors is not recommended.


MULLION PRAIRIE LITES GRID								
C-L:+ W:-l+L*	Cabinet Height							
Cabinet Width*	18″	24"	30"	33″	36"	39″	42″	
W15 <sup>†</sup>	K	K	K	K	K	K	K	
W18	K	K	K	K	K	K	K	
W21	K	K	K	K	K	K	K	
W24	K	K	K	K	K	K	K	
W24 (butt)	L	L	L	L	L	L	L	
W27 (butt)	L	L	L	L	L	L	L	
W30 (butt) <sup>†</sup>	K	K	K	K	K	K	K	
W33 (butt)	K	K	K	K	K	K	K	
W36 (butt)	K	K	K	K	K	K	K	
W42 (CS)	K	K	K	K	K	K	K	
W45 (CS)	K	K	K	K	K	K	K	
W48 (CS)	K	K	K	K	K	K	K	
W48 (butt)	L	L	L	L	L	L	Г	
WC30	L	L	L	L	L	L	L	
WC33			K	K	K	K	K	
WC36			K	K	K	K	K	
WC39			L	L	L	L	L	
WC42			L	L	L	L	L	
WC45			K	K	K	K	K	
WC48			K	K	K	K	K	
DW <sup>†</sup>	K	K	K	K	K	K	K	


<sup>\*</sup>Stacked wall cabinets (STW\_ \_ and STWC\_ \_) also available with PRMD option in selected widths.

# **Prairie Mullion Door Configurations**



 $<sup>^\</sup>dagger$ Door 18 and Door 38 will have "L Configuration" for 15" and 30" wide cabinets and all DW cabinets.





Portico

Waterbury


Pavillion

Lyndhurst

- Cut-for-glass and Mullion doors must be ordered separately. See pages 60-63 for door style availability.
  For glass shelf kits, see page 362.
  Door frame may reduce amount of glass shown.
  No changes or cancellations will be accepted after 24 hours from acknowledgment of order.
  Art glass will be packaged separately from applicable cabinet(s) and shipped with cabinet order for field installation.
  The use of glass for base cabinet applications or for placement near interior or exterior doors is not recommended.

STYLE	PANEL THICKNESS	CAMING MATERIAL
Anson	1/4"	Zinc Black Patina
Avondale	1/4"	Zinc
Charlotte	1/4"	Zinc
Lanai	1/4"	Zinc
Lonsdale	1/4"	Zinc
Lyndhurst	1/4"	Zinc Black Patina
Pavillion	1/4"	Zinc
Portico	1/4"	Zinc Black Patina
Waterbury	1/4"	Zinc Black Patina


# Anson



Glass Type: A) Clear Seedy 100SDY

3/16" H-Ch Zinc Proglaze2 (all) Black Patina Finish

### **Charlotte**



Heights >23" 3 Horizontal Bars





2 Horizontal Bars


В Overlay 15/16" x 15/16"



Glass Types: A) 1/8" Clear B) Frost Etch 100


Metal Types: 3/16" H-Ch Zinc Proglaze2 (all) 1/8" U-Ch Zinc (overlays)

# **Avondale**



Glass Types: A) <sup>3</sup>/<sub>16</sub>" Clear with <sup>1</sup>/<sub>2</sub>" Bevel B) Clear Vecchio 100V

Metal Type: 3/16" H-Ch Zinc Proglaze2 (all)




Minimum Size 6" x 6"


13/8"

Widths > 13" 4 Vertical Columns

Heights < 13" Diamond(s) Only



Widths > 10" to 13" 3 Vertical Columns




Widths > 7" to 10" 2 Vertical Columns



Full Design


Minimum Size

 $6" \times 6^{1/4}"$ 



Widths 6" to 7"

### Lanai



Glass Type: A) 1/8" Clear Metal Type: 3/16" H-Ch Zinc Proglaze2 (all)

31/4" Equal 31/4" Equal


Heights 6" to 9" One Star Heights >9" Two Stars

Minimum Size 6" x 6"

Glass Type: A) Seedy Clear 100Sdy

Metal Type: 3/16" H-Ch Zinc Proglaze2 (all)


# **Pavillion**




Metal Type:

3/16" H-Ch Round Zinc Proglaze2 (all)

# Lyndhurst



Glass Type: A) Clear Rough Rolled 100RR Metal Type: 3/16" H-Ch Zinc Proglaze2 (all) Black Patina Finish Minimum Size 6" x 12"




Widths >11" 3 Vertical Bars **Equally Spaced** 



Widths 6" to 11" 1 Vertical Bar Centered


### **Portico**



Glass Types: A) 1/8" Clear B) 3/16" Clear with 1/2" Bevel

Metal Type: 3/16" H-Ch Zinc Proglaze2 (all) Black Patina Finish

Minimum Size 6" x 12"




Widths >11" 2 Columns 2 Stars



Widths 6" to 11" 1 Column

# Waterbury



Glass Type: A) Clear Waterglass 100W

Metal Type: 3/16" H-Ch Zinc Proglaze2 (all) Black Patina Finish





Heights >14" to 20"
2 Center Squares
17 Lite Configuration



Heights 6" to 14"
1 Center Square
12 Lite Configuration


Day Light Opening

Heights >20" 3 Center Squares 22 Lite Full Design



Minimum Size 6" x 6"

# **TEXTURED GLASS PANELS**









Frost



68







Silhouette

- Cut-for-glass door must be ordered separately. See page 60 for door style availability.
  For glass shelf kits, see page 362.
  When textured glass is ordered for use in wall top hinge (WTH) or wall vertical-lift (WVL) cabinets, glass design will be turned horizontally and may not match desired pattern.
  Door frame may reduce amount of glass shown.
  No changes or cancellations will be accepted after 24 hours from acknowledgment of order.
  All textured glass panels will be drop shipped separately from the cabinet order.
  Glass installation clips will ship with the doors and/or cabinets.
  The use of glass for base cabinet applications or for placement near interior or exterior doors is not recommended.

STYLE	PANEL THICKNESS
Antique	1/8"
Bevel	1/4"
Clear	1/8"
Frost	5/32"
Rain	5/32"
Reeded	5/32"
Seeded	9/32"
Silhouette	1/8"

# **TEXTURED GLASS PANELS**

# Antique



- Glass type: AntiquePanel thickness: 1/8"

# **Frost**




- Glass type: FrostPanel thickness: 5/32"

# **Bevel**




- Glass type: Clear
  Panel thickness: 1/4"
  Not compatible with Mullion Doors.

# Rain



- Glass type: Rain Panel thickness: 5/32"

# Clear



- Glass type: Clear Panel thickness: 1/8"

# Reeded




- Glass type: Reeded Panel thickness: 5/32"


# Seeded



- Glass type: SeededPanel thickness: 9/32"

# **Silhouette**










When the Width is Greater Than 2/3 the Height, the Design is Centered and Does Not Finish in the Corners



- Glass type: Frost Etch
  Panel thickness: 1/8"
  \*Not recommended for use with Door 16, Door 23, Door 29, Door 34, Door 43, and Door 45 door styles.









Vanity Base Cabinets)


# **CABINET DIMENSIONS**


# **ROLL TRAY POSITIONS**



# BASE CABINETS AND 34 1/2" HIGH VANITY CABINETS








**UTILITY CABINETS** 

# **32" HIGH VANITY CABINETS**



**DESK DOOR DRAWER BASE CABINETS** 


# **CABINET AND OVERLAY DIMENSIONS**

- 1 1/2" Top and Bottom Rails Wall and Base Cabinets.
- 1 1/2" Vertical Stiles.
- 3" Center Vertical Rails on Wall and Base Cabinets to Divide Double Door Cabinets 39" Wide and Over.

DOOR AND DRAWER FRONT SIZES	FULL OVERLAY
Face Frame Reveal (see page 9 for more details)	1/4" Reveal Around Doors
Door Size for Base/Wall Cabinets	Frame Opening + 2 1/2"
4 1/2" or 5" High Drawer Opening	6 1/4" Drawer Front
7 1/2" High Drawer Opening	10" Drawer Front
8 5/8" High Drawer Opening	11 3/8" Drawer Front
8 7/8" High Drawer Opening	11 3/8" Drawer Front
12" High Drawer Opening	14 1/2" Drawer Front
14" High Drawer Opening	16 1/2" Drawer Front


# 84" HIGH APPLICATION

Number after Wall Cabinet Represents Height of Cabinet




# 87" HIGH APPLICATION

Number after Wall Cabinet Represents Height of Cabinet




# 90" HIGH APPLICATION

Number after Wall Cabinet Represents Height of Cabinet




# 93" HIGH APPLICATION

Number after Wall Cabinet Represents Height of Cabinet




# 96" HIGH APPLICATION


Number after Wall Cabinet Represents Height of Cabinet



# 32 1/2" HIGH UNIVERSAL ACCESS CABINETS, 24" DEEP





# $32^{\prime\prime}$ HIGH UNIVERSAL ACCESS CABINETS, $21^{\prime\prime}$ DEEP




RVWS must be ordered with Vanity Wall Sink (VWS..23), not designed to be a stand-alone unit. See page 221 for more details.


# 29" HIGH DESK CABINETS









# **DIMENSIONS FOR CORNER INSTALLATIONS (45° DIAGONAL)**





# **INSTALLATION HEIGHT REQUIREMENTS**



Height of ceiling needs to be considered for installation of tall cabinets. Cabinet height below includes toekick area:

		Minim	um Installation H	eight for Cabinet	Depth	
Cabinet Height	12"	15"	18"	21"	24"	27"
84"	84 7/8"	85 11/32"	85 15/16"	86 19/32"	87 3/8"	88 1/4"
87"	87 27/32"	88 5/16"	88 27/32"	89 1/2"	90 1/4"	91 3/32"
90"	90 13/16"	91 1/4"	91 13/16"	92 7/16"	93 5/32"	93 31/32"
93" *	89 5/16"	89 25/32"	90 5/16"	90 31/32"	91 23/32"	92 17/32"
96" *	92 5/16"	92 3/4"	93 9/32"	93 29/32"	94 5/8"	95 13/32"
93" PWT	_	_	_	95 11/32"	96 1/16"	96 27/32"
96" PWT	_	_	_	98 9/32"	98 31/32"	99 3/4"

<sup>\*</sup>Separate pedestal base included with cabinet to be installed after cabinet is in an upright position.

# **5-PIECE DRAWER FRONT DIMENSIONS CHART**

5-PIECE DRAWER FRONTS	DRAWER FRONT WIDTH	DRAWER FRONT HEIGHT	PANEL FLAT WIDTH	PANEL FLAT HEIGHT
Door 15	8 1/2"	6 1/4"	4"	1 3/4"
Door 15 DFF5PCNR	8 1/2"	6 1/4"	4"	3 1/4"
Door 16 DFF5PC	8 1/2"	6 1/4"	3 1/2″	1 1/4"
Door 17 DFF5PC	8 1/2"	6 1/4"	2 1/2"	1 3/4"
Door 18 DFF5PC	8 1/2"	6 1/4"	2 1/2"	1 3/4"
Door 21 DFF5PC	8 1/2"	6 1/4"	4 1/4"	2"
Door 22 DFF5PC	8 1/2"	6 1/4"	2 1/2"	1 3/4"
Door 23	8 1/2"	6 1/4"	3 1/2"	11/4"
Door 24 DFF5PC	8 1/2"	6 1/4"	4 1/4″	2"
Door 26	8 1/2"	6 1/4"	3 1/2"	1 1/4"
Door 28	8 1/2"	6 1/4"	3 1/2"	1 1/4"
Door 29 DFF5PC	8 1/2"	6 1/4"	3 1/2"	1 1/4"
Door 31 DFR5PC	8 1/2"	6 1/4"	1 5/8″	1 1/8"
Door 32	8 1/2"	6 1/4"	2 1/2"	1 3/4"
Door 35 DFF5PC	8 1/2"	6 1/4"	3 1/2"	1 1/4"
Door 37	8 1/2"	6 1/4"	2 1/2"	1 3/4"
Door 38 DFF5PC	8 1/2"	6 1/4"	2 1/2"	1 3/4"
Door 39	8 1/2"	6 1/4"	2 1/2"	1 3/4"
Door 41	8 1/2"	6 1/4"	3 1/2"	1 1/4"
Door 42 DFF5PC	8 1/2"	61/4"	4 1/4″	2"
Door 43 DFR5PC	8 1/2"	61/4"	1 1/4″	]"
Door 45	8 1/2"	61/4"	4 1/4″	2"
Door 46 DFF5PC	8 1/2"	61/4"	4"	3 1/4"

Drawer sizes are representative of a 9" wide base cabinet.

# DESIGN CHECKLIST

# **DESIGN CHECKLIST**

CONSTRUCTION OPTIONS	VARYING HEIGHTS AND DEPTHS
Consider exposed end options:  Modify exposed cabinet ends to PE or APC.  Adding a veneer finished end (FB) will age uniformly with the rest of the kitchen.  Apply 1/4" skin to hide 1/4" reveal. This will allow the ends to age uniformly with the rest of the kitchen and will make it flush.  Apply decorative door kit (BED, WED, TED). This kit includes 1/4" skin, decorative doors, and screws for field installation.  Upgrade exposed cabinet ends with Authentic Ends (AUTHL/AUTHR/AUTHB) or	<ul> <li>Also increase the depth of a wall cabinet run when you increase the height (so moulding on adjacent cabinet will kill into the side of the taller cabinet).</li> <li>Skin the sides of tall cabinets to keep adjacent base and wall cabinets out from reveal of tall cabinet.</li> <li>Add increased depth on tall end panels for a built-in look for deep refrigerators.</li> <li>Account for the additional support needed for wall cabinets with a depth of 18" or greater. This can be achieved by installing a soffit or end panels.</li> </ul>
Furniture Finished Plywood Ends (FPEB) Modification.	MATCHING INTERIOR CABINETS/GLASS OPTIONS
WOOD AND FINISH CHARACTERISTICS  Review specific details with the customer:  Mineral Streaks, Birdseye Dots, Grain Variations (especially Rustic Alder and Rustic Hickory).  Color Variations/Darkening (especially Natural/Light Cherry).	Verify cut-for-glass or mullion door option is available on desired cabinet size.  (See pages 60-63 for available cut-for-glass/mullion door sizes.)  Verify glass insert option is available for desired cut-for-glass door size chosen.  Verify matching interior option has been selected for all open or glass cabinets.  Verify mullion door lite grid matches customer expectations.
Finish Variations (Glazes are "consistently inconsistent"), hairline cracks may	MOULDINGS
develop at frame joints on painted frame.  Underside of cabinets are Natural Maple. Use light rail or cabinet panel edge and skin to hide, especially when designing with peninsula wall cabinets. For cabinets that are bridged between taller adjacent cabinets, specify PFINBTMB modification.  See page 47 for more details.	Order rosettes and plinths in beaded or fluted styles to match fillers.  Verify correct amount of crown moulding has been ordered.  Order toekick caps.  Order extra scribe.
STORAGE SOLUTIONS	ISLANDS AND PENINSULAS
Review storage and usage needs with Customer. See chart on pages 85-86 for more Storage Solutions.  Cooking Solutions:  Wall Spice Rack Cabinet  Storage Solutions:  SuperCabinet™  Base Rotating Deep Bin  Pegged Dish Organizer  Wall Message Center	<ul> <li>Consider standard height bars are 34 1/2" tall and require 19" knee space. Raised bars are 42" tall.</li> <li>Consider base peninsula cabinets (P) are 24 1/4" deep and require 12" of knee space. Use back panels/doors to flush non-P cabinets with P cabinets.</li> <li>Use recess toe on sides and back or BBM8 when using multiple base cabinets to create an island.</li> <li>Use outside corner moulding if a skin is exposed on the back of the island.</li> </ul> APPLIANCES
Clean-up Center:  • Trash/Recycle Basket Base	Note for all consumers, appliances are not included with any cabinetry product.
CLEARANCES  Add fillers between end cabinets and walls on full overlay door styles.  Allow space between door/window trim and end cabinets for countertop and top moulding overhang.  Include refrigerator door hinges in overall refrigerator height when placing cabinets above it.	<ul> <li>Do not place dishwashers next to diagonal front cabinet (interference) or next to a range (no countertop support).</li> <li>Verify refrigerator door has enough clearance to open beyond 90° so refrigerator drawers can be utilized. Refer to appliance manufacturer's specs.</li> <li>Add TF696FH, as it may be required to frame around built-in microwave ovens and other built-in items. Refer to appliance manufacturer's specs.</li> <li>Order appliance panels.</li> </ul>
Maintain a minimum clearance of 3" by pulling blind corners as follows:  — Full Overlay: 1 1/4", Standard Overlay 1/2". (More is needed in certain situations	SPECIAL CONSIDERATIONS
such as when adjacent to an appliance or when using oversized pulls or knobs.)  Allow sufficient clearance (3") on each side of accessory cabinets (such as roll-out trays, swing-out units, etc.). Doors on these cabinets must open fully for accessories to be functional.  Ensure the height between the cooktop and range hood is 24" to meet NKBA	<ul> <li>Consider V-groove skins and/or decorative doors on exposed cabinet sides in glazed kitchen.</li> <li>MISCELLANEOUS</li> <li>Order full size touch-up kit (mini touch-up kit included with standard sink base).</li> </ul>
guidelines.  Qualify customer carefully on upper cabinet/microwave advantages/disadvantages as	TIPS TO THE INSTALLER
follows:  Minimum of 18" from cooktop to upper cabinet/above the range microwave which allows for easy access to either, but less room over back burner.  Minimum of 21" from cooktop to upper cabinet/microwave which allows for access to large pots on back burner of cooktop, but longer reach to microwave.	$\#10 \times 2\ 1/2''$ installation screws are furnished and packaged inside all cabinets. Proper wall stud or ceiling joist installation is essential for Wall and Peninsula cabinets to support weight. Whenever possible, cabinets should be attached to each other for additional strength. Excessive weight should not be put on cabinets hung by themselves. Shimming may be required to ensure proper alignment. Wallboard alone is not strong enough to support the cabinets.
FILLERS  Place fillers toward end of run where least conspicuous if needed.  Attach overlay fillers on top of the base, wall, or tall fillers when using full overlay door styles to maintain a consistent reveal. Don't forget to include blind corner fillers.  Add a filler at least 6" wide to accommodate a decorative onlay when the filler is used as valance.	Our Warranty does not cover damage caused by improper installation. Please be sure to install cabinets properly. If you have questions, please contact your representative or customer service.

# **NKBA GUIDELINES**

# kitchen planning guidelines

# **DOOR/ENTRY**

• Door opening should be at least 32" wide, requiring a minimum 2' 10" wide door.

# DOOR INTERFERENCE

• Entry door should not interfere with safe appliance operation or appliance doors.

# **DISTANCE BETWEEN WORK CENTERS**

- With three work centers, the total distance traveled should not be more than 26' with no single leg of the triangle less than 4' or more than 9'.
- With more than three work centers, each additional travel distance to another work
  center should be no less than 4' or more than 9'. Each leg is measured from the
  center-front of the appliance/sink. No work triangle leg should intersect an
  island/peninsula by more than 12".

# **SEPARATING WORK CENTERS**

 A tall obstacle should not separate two primary work centers. A properly recessed tall corner unit is acceptable.

# **WORK TRIANGLE TRAFFIC**

• Major traffic patterns should not cross through the basic work triangle.

### **WORK AISLE**

 The work aisle should be at least 42" for one cook and at least 48" for multiple cooks.

### **WALKWAY**

• The walkway width should be at least 36".

### TRAFFIC CLEARANCE AT SEATING

 Allow 32" of clearance from the table to wall/obstacle if no traffic passes behind a seated diner. If traffic passes behind the diner, allow at least 36" to edge past or 44" to walk past.

# **SEATING CLEARANCE**

- 30" high tables/counters should allow a 24" wide by 18" deep space for each seated diner and at least 18" knee space.
- 36" high counters should allow a 24" wide by 15" deep space for each seated diner and at least 15" kneespace.
- 42" high counters should allow a 24" wide by 12" deep space for each seated diner and at least 12" kneespace.

# CLEAN-UP/PREP SINK PLACEMENT

 With only one sink, locate it adjacent to or across from the cooking surface and refrigerator.

# CLEAN-UP/PREP SINK LANDING AREA

- Include at least a 24" wide landing space on one side of the sink and 18" on the other.
- If all the countertop at the sink is not the same height, plan a 24" landing space on one side of the sink and 3" of countertop frontage on the other, both at the same height of the sink.

# PREPARATION/WORK AREA

 Include a section of countertop at least 36" wide x 24" deep next to the sink for a work area.

# DISHWASHER PLACEMENT

Nearest edge of dishwasher should be within 36" of nearest edge of sink. Provide
at least 21" of standing space between the edge of the dishwasher and countertop
frontage/appliances/cabinets which are placed at a right angle to the dishwasher.

### WASTE RECEPTACLES

 Include at least 2 waste receptacles, one near the sink and the other nearby for recycling.

### **AUXILIARY SINK**

 Provide at least 3" of countertop frontage on one side of the auxiliary sink and 18" on the other side, both at the same height as the sink.

### REFRIGERATOR LANDING AREA

Include at least 15" of landing area on the handle side of the refrigerator, 15" on
either side of a side-by-side refrigerator, 15" of landing space which is no more than
48" across from the front of the refrigerator, and 15" above or adjacent to any
under-counter style refrigerator.

# **COOKING SURFACE LANDING AREA**

- Include a minimum of 12" of landing area on one side of the cooking surface and 15" on the other.
- If cooking surface is at a different countertop height than the rest of the kitchen, then the 12" and 15" landing areas must be the same height as the cooking surface.
- For safety reasons, in an island or peninsula situation, the countertop should extend a minimum of 9" behind the cooking surface if the counter height is the same height as the cooking surface.

# **COOKING SURFACE CLEARANCE**

- Allow 24" between the cooking surface and a protected noncombustible surface above it
- At least 30" of clearance is required between the cooking surface and an unprotected/combustible surface above it.
- If a microwave/hood combination is used, then the manufacturer's specifications should be followed.

# **COOKING SURFACE VENTILATION**

- A correctly sized, ducted ventilation system is recommended for all cooking surface appliances. The recommended minimum is 150 CFM.
- Code requires that the manufacturer's specifications be followed. Minimum exhaust rate for a ducted hood is 100 CFM and must be ducted to the outside.
- Make-up air may need to be provided. Refer to local codes.

# **COOKING SURFACE SAFETY**

- Do not locate cooking surface under an operable window.
- · Window treatments above cooking surface should not use flammable materials.
- Place a fire extinguisher near the kitchen exit away from cooking equipment.

# **MICROWAVE OVEN PLACEMENT**

 The ideal location for the bottom of the microwave is 3" below the principle user's shoulder, but no more than 54" above the floor.

# **MICROWAVE LANDING AREA**

 Provide at least 15" above, below, or adjacent to the handle side of a microwave oven.

# **OVEN LANDING AREA**

- Include at least 15" next to or above the oven.
- A 15" landing area that is not more than 48" away is also acceptable as long as the oven does not open into a walkway.

# **COMBINING LANDING AREAS**

 If two landing areas are adjacent to one another, determine a new minimum for the two by taking the longer of the two and adding 12".

continued

# kitchen planning quidelines (continued)

# **COUNTERTOP SPACE**

 A total of 158" of countertop frontage, 24" deep, with at least 15" clearance above is needed to accommodate all landing, preparation, work, and storage areas.

# **COUNTERTOP EDGES**

Clipped or round corners, rather than sharp edges, are recommended on all counters.

# **STORAGE**

84

The recommended total shelf/drawer frontage for a small kitchen (less than 150 square feet) is 1400", for a medium kitchen (151 to 350 square feet) is 1700", and for a large kitchen (greater than 350 square feet) is 2000".

Sizes:	S	M	L
Wall	300"	360"	360"
Base	520"	615"	660"
Drawer	360"	400"	525"
Pantry	180″	230"	310"
Misc.	40"	95"	145"

 The totals for wall, base, drawer, and pantry shelf/drawer frontage can be adjusted upward or downward as long as the recommended total stays the same.

# STORAGE AT CLEAN-UP/PREP SINK

 The recommended total for a small kitchen is 400", a medium kitchen is 480", a large kitchen is 560", and should be located within 72" of the centerline of the main clean-up/prep sink.

# **CORNER CABINET STORAGE**

• At least one corner cabinet should include a functional storage device.

# **ELECTRICAL RECEPTACLES**

 GFCI (Ground-Fault-Circuit-Interrupter) protection is required on all receptacles servicing countertop surfaces within the kitchen.

# LIGHTING

- Every work surface should be well illuminated. At least one wall switch-controlled light must be placed at the entrance.
- Window/skylight area, equal to at least 8% of the total square footage of the kitchen, or a total living space which includes a kitchen, is required.

# bathroom planning guidelines

# DOOR/ENTRY

Doorway opening should be at least 32", requiring a minimum 2' 10" wide door.

### DOOR INTERFERENCE

The door area should include clear floor space for maneuvering which varies
according to the type of door and the direction of the approach.

# **CEILING HEIGHT**

 Bathroom floor to ceiling minimum height is 80". A shower or tub with a shower head shall have a minimum floor to ceiling height of 80" above a minimum area 30" x 30" at the shower head.

# **CLEAR SPACE**

- Plan a clear space of 30" from the front edge of all fixtures to any opposite bath fixture. wall. or obstacle.
- A minimum space of at least 21" is required in front of a lavatory, toilet, bidet, and tub, with a 24" minimum space in front of a shower entry.

# SINGLE LAVATORY PLACEMENT

- The distance from the centerline of the lavatory to the sidewall/tall obstacle should be at least 20".
- The minimum distance required is 15". The minimum distance required between a
  wall and the edge of a lavatory is 4".

### DOUBLE LAVATORY PLACEMENT

- The distance between the centerlines of two lavatories should be at least 36".
- The minimum distance required is 30".
- The minimum distance required between the edges of two lavatories is 4".

# LAVATORY/VANITY HEIGHT

• The height for a lavatory varies from 32" to 43" to fit the user.

# **COUNTERTOP EDGES**

Clipped or round corners, rather than sharp edges, are recommended on all
counters

# **SHOWER SIZE**

 The interior shower size should be at least 36" x 36". The minimum interior shower size required is 30" x 30".

# **STORAGE**

- Provide adequate, accessible storage for toiletries, bath linens, grooming and general bathroom supplies.
- Storage of frequently used items should be 15" to 48" above floor.

# **ELECTRICAL RECEPTACLES**

All GFCI receptacles should be located at electrical appliance points of use.

Load bearing floors and shelves meet KCMA standards of 15 lbs. per square foot. Warranty does not cover overloading beyond this point.

To view a complete and updated list of the NKBA Guidelines, visit https://nkba.org/info/guidelines

© Copyright 2010 National Kitchen & Bath Association

# STORAGE SOLUTIONS REFERENCE CHART

Wall Cabinets	Description	3″	6"	9"	12"	15"	18"	21″	24"	27"	30″	33″	36"	39″	42"	45"	48"	Page
W36SHLFPD	Wall Shelf Pull-down	-	-	<b>'</b>	12	1.5	10		24		30	33	•	3,	74	13	70	139
WBCPO, OL	Wall Box Column Pull-outs (Plain, Overlay)	•	•													-		137, 138
WEAS	Wall Easy Access Storage Cabinets	<u> </u>	_			•	•				•		•					110
WMC	Wall Message Center	•				<u> </u>	-				Ť		Ť					143
WSC	Wine Storage Cabinet	Ť			•	•	•	•	•									141
WSP	Wall Spice Pull-outs			•	•	Ť	<u> </u>	Ť	Ť							$\vdash$		139
WSR	Wall Spice Rack Cabinets			Ť	Ť		•	•								$\vdash$		140
Base Cabinets	Description	3″	6"	9"	12"	15"	18"	21"	24"	27"	30″	33"	36"	39"	42"	45"	48"	
2DBRT	Two Drawer Bases w/Roll Tray	3	0	7	12	13	•	•	•	•	30	•	-	37	42	43	40	Page 200
2DB36PD0	Two Drawer Base w/Pegged Dish Organizer						-	Ť	Ť	Ť	•	-	•			┢		199
2DB36FPDO	Two Drawer Base w/Roll Tray & Pegged Dish Organizer												_			-		200
						_	_	<u> </u>	-		_		•	-		├		
3DBWTCD	Three Drawer Bases w/Wood Tiered Cutlery Divider Drawer					•	•	•	•		•		•					202
3DBBDD	Three Drawer Base Buffet w/Deep Drawer										•	•	•			₩		203
3DBDD	Three Drawer Bases w/Deep Drawer								•	•	•	•	•			<u> </u>		203
4DBWTCD	Four Drawer Bases w/Wood Tiered Cutlery Divider Drawer					•	•	•	•		•		•			<u> </u>		204
BFHMIXSC	Base Cabinets w/Mixer Shelf						•	•	•							<u> </u>		172
BFSCO	Base w/Food Storage Container Organizer						•		•									169
BPS	Pots & Pans Organizer Bases w/Drawer								•		•		•					168
BRTWTCD	Bases w/Wood Tiered Cutlery Divider Drawer & Roll Tray					•	•	•	•		•		•					167
BTDRO	Bases with Roll-out Tray Divider				•	•												171
BWTCD	Bases w/Wood Tiered Cutlery Divider Drawer					•	•	•	•		•		•					157
B18CWP	Base w/Can and Wine Bottle Pull-outs						•											170
B18FHCWP	Full Height Base w/Can and Wine Bottle Pull-outs						•											170
BBCPO_, OL	Base Box Column Pull-outs (Plain, Overlay)	•	•															212
BBTP24	Base Bin Tray Pull-out								•									207
BBTP24FH	Base Bin Tray Pull-out Full Height								•									208
BBTP24FHPFD	Base Bin Tray Pull-out Full Height w/Pet Feeding Drawer								•									208
BBTP24PFD	Base Bin Tray Pull-out w/Pet Feeding Drawer								•									208
BCPO	Base Corners w/Pull-out															•	•	186
BCFWPO	Base Corners Full Width w/Pull-out																•	187
BCFW48CPO	Base Corner Full Width w/Curved Pull-out																•	187
BCFW48SP	Base Cabinet Full Width w/Roll Trays & Swing-out															$\vdash$	•	188
BCOPP12	Base Container Organizer Pantry Pull-out															<del> </del>	Ť	211
BMC24	Base Message Center	•			Ť											<del> </del>		213
	Base Pantry Pull-outs	Ť		-	•											<del></del>		210
BPP				•	•				-		_					<del> </del>		
BPPP	Base Pots & Pans Pull-outs					_	_		•		•					<del> </del>		168, 169
BPTWB	Base Paper Towel Cabinet w/Wastebasket					•	•											205
BPTWBFH	Base Paper Towel Cabinet w/Wastebasket Full Height					•	•									<u> </u>		207
BRDB36	Base Rotating Deep Bin												•			<u> </u>		195
BSC30PR, R, RP, RS, SR	SuperCabinet™										•							161
BSC36PRP, PRS, SRP, SRS	SuperCabinet™												•			<u> </u>		163
BTDPP12	Base Tray Divider Pantry Pull-out				•											<u> </u>		210
BUPP	Base Utensil Pantry Pull-out			•	•													211
BUPPKB	Base Utensil Pantry Pull-out w/Knife Block				•	•												212
BV2SC30PR, RP, RS, SR	SuperCabinet™ Version 2										•							162
BV2SC36PRP, PRS, SRP, SRS	SuperCabinet™ Version 2												•					164
BWB	Base Wastebaskets					•	•	•										205
BWBFH	Base Wastebaskets Full Height					•	•	•										206
CNTYSBCM	Country Sink Base w/CabMat™										•	•	•					181
LSP36	Lazy Susan Pull-out												•					196
SBCM, SCM, STCM, STSCM	Sink Base w/CabMat™										•	•	•					173, 176, 177, 178
SBD	Sink Bases w/Drawers Below								•	•	•	•	•	•	•	•	•	178
SBS	Sink Base SuperCabinet <sup>TM</sup>										•	•	•					177
SBSTS	Sink Base SuperCabinet™ w/Tilt-out Trays				<u> </u>						•	•	•				$\vdash$	177
SLSCR	Super Lazy Susans w/Chrome Rail										<u> </u>	•	•			$\vdash$		193
SLSCR	Asymmetrical Super Lazy Susans w/Chrome Rail											•	•				$\vdash$	195
Tall Cabinets	Description	3″	6"	9"	12"	15"	18"	21"	24"	27"	30″	33″	36"	39"	42"	45"	48"	Page
	•			, ·	12	13	•	•	•		•	33	•	37			,,,	234
I PIII 74	Pontry Ton Units								. •	1	, ,	1		1	1	1	ı	ZJ4
PTU24	Pantry Top Units												_			_		234
PY3624	Pantry Units												•					236
PY3624 TPP24	Pantry Units Tall Pantry Pull-outs			•	•	•	•						•					235
PY3624	Pantry Units		•	•	•		•		•				•					

# STORAGE SOLUTIONS REFERENCE CHART

# STORAGE SOLUTIONS REFERENCE CHART

Vanity Cabinets	Description	3″	6"	9"	12"	15"	18"	21″	24"	27"	30″	33″	36"	39"	42"	45"	48"	Page
L188421BH	Linen Tall w/Drawer and Removable Hamper						•											296
LC188421	Linen Closet						•											295
LCRH188421	Linen Closet w/Removable Hamper						•											295
VBH183421	Vanity Hamper w/Drawer						•											294
VBWB153421	Vanity Base Wastebasket					•												281
VGP0123421	Vanity Grooming Pull-out				•													283
VH183221FH	Vanity Hamper						•											294
VMP32.5	Vanity Mirror w/Side Pull-outs								•		•							300
VP93421	Vanity Pull-out			•														283
VSB21U	Vanity Sink Bases w/U-shaped Pull-out Trays										•		•					277
VSB3421WB	Vanity Sink Bases w/Wastebasket								•		•							277
VSSB3421ST	Vanity Sink Base SuperCabinet™ w/Tilt-out Trays										•	•	•					278
VSSB3421STWB	Vanity Sink Base SuperCabinet™ w/Tilt-out Trays and Wastebasket										•	•	•					277
VWB1521	Vanity Wastebasket Full Height					•												282
VWB1521RT	Vanity Wastebasket Full Height w/Roll Tray					•												282, 283
VWH23.521U	Vanity Wall Hung Double Door w/U-shaped Pull-outs										•		•					298
Modifications	Description	3″	6"	9″	12″	15″	18″	21″	24"	27″	30″	33″	36"	39″	42"	45"	48″	Page
CMAT1 (Base, Universal)	CabMat <sup>TM</sup>										•	•	•					50
CMAT2 (Vanity)	CabMat <sup>TM</sup>								•	•	•	•	•					50
DRWTK	Toekick Drawer						•	•	•	•	•	•	•					57

Available widths

86

# WALL CABINET NOMENCLATURE All Wall Cabinets are 12" deep unless otherwise noted.



Available
STD Standard on these cabinets

5 Day Express Response Item

			CUSTOM MODIFICATIONS		
Mod.	Description	Mod.	Description	Mod.	Description
ADDTK*	Add Toekick	EXBKR	End Extended Back - Right	INVFRM	Inverted Frame
AUTHB	Authentic Ends - Both	EXL	Extended Stile - Left	MIP	Matching Interior Plywood
AUTHL	Authentic End - Left	EXR	Extended Stile - Right	P	Peninsula
AUTHR	Authentic End - Right	FB	Finished Ends	PFINBTMB	Prepare Cabinet for Finished
CBO	Cabinet Box Only	FFDL	Face Frame and Door on		Bottom
CCO	Cabinet Case Only		End - Left	RD	Reduced Depth
CFNTO	Cabinet Front Only	FFDR	Face Frame and Door on	TD	Tray Dividers
CFRMO	Cabinet Frame Only		End - Right	TVRAV	Valance Top Rail, Arch
CND	Cabinet with No Door,	FPEB	Furniture Finished Plywood	TVRFV	Valance Top Rail, Furniture
	with Drawer		Ends	TVRVV	Valance Top Rail, Straight
EXBKL	End Extended Back - Left	ID	Increased Depth	WLI	White Laminate Interior

	CONSTRUCTION UPGRADES	DO	OR OPTIONS
od.	Description	Mod.	Description
[	All-plywood Construction Plywood Ends	ALF CG, CG.BTM, CG.TOP DPSRR MD, MD.BTM, MD.TOP MFO	Aluminum Frame Doors Cut-for-glass Doors Door Panel - Solid Reverse Raised Mullion Doors Modified Full Overlay

\*ADDTK available with compatible toekick modifications.

See the Modification/Upgrade Compatibility Chart on page 37 for details.

# WALL TOP HINGE, 9" HIGH



# WTH249

WTH309 WTH339 WTH369 WTH379

- 24" Wide (WTH249) uses standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30"-37" Wide (WTH309-WTH379) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- Not available on Door 46.
- Glass not available.
- Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107°. For applications close to a ceiling, door angle can be restricted to 75° with a Wall Top Hinge Restriction Clip (WTHRESCLIP75, see page 382).
- Door will not have standard hinges and may have visible 3/16" diameter holes used during finish processing.
- Lift mechanism not available for order for field installation, only available factory installed.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
			•		•		•	•	•		•	•		•		•	•			•

# APC PE

Doo	r Opi	tions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				

88

21" or 24"

WTH30924

30", 33", 36", or 37"

WTH33924

WTH36924 WTH37924

- 21"-24" Wide (WTH21924-WTH24924) use standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30"37" Wide (WTH30924-WTH37924) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- Not available on Door 46.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Glass not available.
- Two WTH21924 can be used to create a 42" wide solution for wide refrigerator applications.
- Two WTH24924 can be used to create a 48" wide solution for wide refrigerator applications.
- Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107°. For applications close to a ceiling, door angle can be restricted to 75° with a Wall Top Hinge Restriction Clip (WTHRESCLIP75, see page 382).
- Door will not have standard hinges and may have visible 3/16" diameter holes used during finish processing.
- Lift mechanism not available for order for field installation, only available factory installed.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
			•		•		•	•	•		•	•		•		•	•			•


### **Construction Upgrades**

APC	PE
•	•

### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				

# WALL SINGLE DOOR, 12" HIGH



W1212 L or R

W1512 L or R

W1812 L or R

W2112 L or R

W2412 L or R

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•*	•		•	•	•		•		•		•			•		•	•			•

\*Not available on 21" and 24" wide

### **Construction Upgrades**

APC	PE
•	•


### **Door Options**


ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†	•			•				•

 $^{\dagger}$ Not available on 12", 21", and 24" wide

# WALL DOUBLE DOOR, 12" HIGH

21", 24", 27", 30", 311/2", 33", 34", 36", or 37"





W2112

W2412

W2712

W3012

W31.512

W3312

W3412

W3612

W3712

W3912

W4212

W4512

W4812

• 42" or wider will feature four doors.

# **Custom Modifications**

ADDT	K AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•	•	•		•	•	•		•	•		•	•	•	•			•

Dear Ontions

Construction	ı Upgrades
ADC	DE


APC	PE
•	•

טטע	Op	10112						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

# WALL TOP HINGE, 12" HIGH

18", 21", or 24" 12'

30", 33", 36", or 37"



WTH1812

WTH2112

WTH2412

WTH3012

WTH3312

WTH3612

WTH3712

- 18"-24" Wide (WTH1812-WTH2412) use standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door  $33\ has\ a$  standard horizontal grain pattern. See page 9 for more details.
- 30"-37" Wide (WTH3012-WTH3712) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- Not available on Door 46.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP,
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- · Lift mechanism not available for order for field installation, only available factory installed.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•	•			•

### Construction Upgrades


	1-3
APC	PE
•	•

# Door Ontions

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†	•			•				•

 $^\dagger$ Available only on 30" and 36" wide

# **WALL REFRIGERATOR SINGLE** DOOR, 12" HIGH, 24" DEEP



### W241224 L or R

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•	•	•		•	•	•		•	•		•		•	•			•


# Construction Upgrades

Construction	i opgiuues
APC	PE
•	•

D00	. op	10113						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

90

# WALL REFRIGERATOR DOUBLE DOOR, 12" HIGH, 24" DEEP



W241224

W271224

W301224

W31.51224

W331224

W341224 W361224

W371224

W391224

W421224

W451224

W481224

• 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.

• Load limit is 15 lbs. per square foot of load bearing surface.

• 42" or wider will feature four doors.

# **Custom Modifications**

ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•	•	•		•	•	•		•	•		•		•	•			•


# **Construction Upgrades**




# **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

# WALL TOP HINGE REFRIGERATOR, 12" HIGH, 24" DEEP





WTH241224

WTH301224

WTH331224

WTH361224

WTH371224

- 24" Wide (WTH241224) uses standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30"-37" Wide (WTH301224-WTH371224) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail
  configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for
  more details.
- Not available on Door 46.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see page 382).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•	•			•

Construction	ı Upgrade:
V DC	DE

APC	PE
•	•

# Door Options ALF CG CG.E

.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•				•

 $^{\dagger}\text{Available}$  only on 30" and 36" wide

# WALL SINGLE DOOR, 15" HIGH



W1215 L or R

W1515 L or R

W1815 L or R

W2115 L or R

W2415 L or R

# Custom Modifications

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•*	•		•	•	•		•	•	•		•	•		•	•	•	•			•

\*Not available on 21" and 24" wide

# **Construction Upgrades**

APC	PE
•	•


### **Door Options**


ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†	•			•	•‡			•


 $^{\dagger}$ Not available on 12", 21", and 24" wide  $^{\dagger}$ Not available on 12" wide

# WALL DOUBLE DOOR, 15" HIGH

21", 24", 27", 30", 31 $^{1}/_{2}$ ", 33", 34", 36", or 37"







W2115

W2415

W2715

W3015

W31.515

W3315

W3415

W3615

W3715

W3915

W4215CS

W4215

W4515

W4815

• W4215CS has two doors. W4215 has four doors.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•*	•		•	•	•		•	•	•		•	•		•	•	•	•			•

\*Not available on W4215CS

# **Construction Upgrades**

APC	PE
•	•


# **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}\text{Available}$  only on 24", 27", 30", 33", 36", and 48" wide, and on W4215CS

# WALL TOP HINGE, 15" HIGH





WTH1815

WTH2115

WTH2415

WTH3015

WTH3315

WTH3615

WTH3715

- 18"-24" Wide (WTH1815-WTH2415) use standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30"37" Wide (WTH3015-WTH3715) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail
  configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for
  more details.
- Not available on Door 46.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see none 387)
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•	•			•

# Construction Upgrades


	1-3
APC	PE
•	•

# **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†				•				•

 $^{\dagger}\text{Available}$  only on 30" and 36" wide

# WALL REFRIGERATOR SINGLE DOOR, 15" HIGH, 24" DEEP



### W241524 L or R

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.


### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	Р	PFINBTMB	RD	TD	TVR_V	WLI
	•		•	•	•		•	•	•		•	•		•		•	•			•


# Construction Upgrades

Doo	r Opi	tions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•			•

# WALL REFRIGERATOR DOUBLE DOOR, 15" HIGH, 24" DEEP



39" or 42"



W241524

W271524

W301524

W31.51524

W331524

W341524

W361524

W371524

W391524 W421524CS

W421524

W451524

W481524

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- $\bullet\,$  Load limit is 15 lbs. per square foot of load bearing surface.
- W421524CS has two doors. W421524 has four doors.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•*	•		•	•	•		•	•	•		•	•		•		•	•			•

<sup>\*</sup>Not available on W421524CS

# **Construction Upgrades**


	13
APC	PE
•	•

# **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

<sup>†</sup>Available only on 24", 27", 30", 33", 36", and 48" wide, and on W421524CS

# WALL TOP HINGE REFRIGERATOR, 15" HIGH, 24" DEEP



30", 33", 36", or 37"

WTH241524

WTH301524

WTH331524

WTH361524

WTH371524

- 24" Wide (WTH241524) uses standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30"-37" Wide (WTH301524-WTH371524) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- Not available on Door 46.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP,
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•	•			•

Construction	1 Upgrades
APC	PE

APC	PE
•	•

Doo	r Opi	lions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO

 $^{\dagger}\text{Available}$  only on 30" and 36" wide

# WALL SINGLE DOOR, 18" HIGH



W1218 L or R

W1518 L or R

W1818 L or R

W2118 L or R

W2418 L or R

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	Р	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•	•	•		•	•	•	•	•	•		•	•	•	•	•		•

# **Construction Upgrades**

APC	PE
•	•


### **Door Options**


ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•


†Not available on 12" wide

# WALL DOUBLE DOOR, 18" HIGH

24", 27", 30", 311/2", 33", 34", 36", or 37"







W2418

W2718

W3018

W31.518

W3318

113310

W3418 W3618

W3718

W3918

W4218

W4518

W4818CS

# W4818

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•	•	•		•	•	•	•	•	•		•	•	•	•	•*		•

\*Not available on 39", 42", 45", and 48" wide

# **Construction Upgrades**


APC	PE
•	•


# Door Options

D00	Opi	110112						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}\text{Available}$  only on 24", 27", 30", 33", 36", 42", 45", and 48" wide

# WALL TOP HINGE, 18" HIGH





WTH1818

WTH2118

WTH2418

WTH3018

WTH3318

WTH3618

WTH3718

- 18"-24" Wide (WTH1818-WTH2418) use standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30"37" Wide (WTH3018-WTH3718) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail
  configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for
  more details.
- Not available on Door 46.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see pages 382).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•	•	•		•


# **Construction Upgrades**


APC	PE
•	•

### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†	•			•				•

 $^\dagger$ Available only on 30" and 36" wide





	Full Overlay	Modified Full Overly
Α	16 13/16"	16 1/16"
В	17 5/16"	17 5/16"

# WVL3018

# WVL3618

- Uses non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- · Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with smart close, tension can be field adjusted.
- · Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Art Glass not available.
- Not available on Door 46.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•				•


# Construction Unarados

Constitution	Opgrades
APC	PE
•	•


Door 0	ptions
--------	--------

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•	•			•				•

# WALL REFRIGERATOR SINGLE or DOUBLE DOOR, 18" HIGH, 24" DEEP




24", 27", 30", 311/2", 33", 34", 36", or 37"



39", 42", 45", or 48"

18'



# W241824 L or R

W241824

W271824

W301824

W31.51824

W331824

W341824

W361824

W371824

W391824

W421824

W451824

W481824CS

### W481824

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•	•	•		•	•	•	•	•	•		•		•	•	•*		•

<sup>\*</sup>Not available on 39", 42", 45", and 48" wide

### **Construction Upgrades**


	13
APC	PE
•	•

D00	. op	10113						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^\dagger \text{Available}$  only on 24", 27", 30", 33", 36", 42", 45", and 48" wide

# 97

# WALL TOP HINGE REFRIGERATOR, 18" HIGH, 24" DEEP





WTH241824

WTH301824 WTH331824

WTH361824

WTH371824

- 24" Wide (WTH241824) uses standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30":37" Wide (WTH301824-WTH371824) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail
  configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for
  more details.
- Not available on Door 46.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see page 382).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

### **Custom Modifications**


ADDTI	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•	•	•		•

Construction U	ppg. uuo
APC	PE

# Door Options ALF CG CG.BTM CG.TOP DPSRR MD MD.BTM MD.TOP MFO

<sup>†</sup>Available only on 30" and 36" wide

# WALL REFRIGERATOR VERTICAL-LIFT, 18" HIGH, 24" DEEP



	Full Overlay	Modified Full Overlay
Α	16 13/16"	16 1/16"
В	17 5/16"	17 5/16"

# WVL301824 WVL361824

- Uses non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail configuration is unique from adjacent cabinet
  doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with smart close, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Art Glass not available.
- Not available on Door 46.
- $\bullet\,$  Depth can be reduced to a minimum of 12".


# **Custom Modifications**


403.0.																				
ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•		•		•			•		•	•			•

# Construction Upgrades


APC	PE
•	•

# 









W361824PO L or R W371824PO L or R W361824PO W371824P0

# W391824PO L or R W391824P0

- Door-mounted pull-out with a chrome wire rack that extends fully to the front of the cabinet then opens to the side for easy accessibility to contents. Designed for use above refrigerators or other high applications. Smart close not included.
- Available installed in either the left side, right side, or both sides.
- $\bullet$  For sufficient pull-out clearance, 13 1/8" of adjacent space is required for door to open fully when installed near a wall or corner.
- Chrome rack is 10" wide and 20 13/16" deep.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 20 lbs. per pull-out.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•			•		•	•	•		•			•		•				•

# **Construction Upgrades**

	13
APC	PE
•	•

# **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

# WALL SINGLE DOOR, 21" HIGH

12", 15", 18", 21", or 24"



W1221 L or R

W1521 L or R

W1821 L or R

W2121 L or R

W2421 L or R

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•	•	•		•	•	•	•	•	•		•	•	•	•	•		•

# Construction Upgrades

APC	PE
•	•


# **Door Options**

	. 1							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MF0
	•			•				•

# WALL DOUBLE DOOR, 21" HIGH

24", 27", 30", 31<sup>1</sup>/<sub>2</sub>", 33", 34", 36", or 37"







W2421

W2721

W3021

W31.521

W3321

W3421

W3621

W3721

W3921

W4221

W4521

W4821CS

# W4821

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•	•	•		•	•	•	•	•	•		•	•	•	•	•*		•

\*Not available on 39", 42", 45", and 48" wide


# **Construction Upgrades**


APC	PE
•	•

# Door Options

	· - p·							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

# WALL TOP HINGE, 21" HIGH





WTH1821

WTH2121

WTH2421

WTH3021

WTH3321

WTH3621

# WTH3721

- 18"-24" Wide (WTH1821-WTH2421) use standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30"-37" Wide (WTH3021-WTH3721) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail
  configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for
  more details.
- Not available on Door 46.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see page 382).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•	•	•		•

# **Construction Upgrades**


APC	PE
•	•

# **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†	•			•				•

 $^\dagger$ Available only on 30" and 36" wide

# 100



	Full Overlay	Modified Full Overlay
Α	20"	19 1/4"
В	20 1/2"	20 1/2"

# WVL3021

# WVL3621

- Uses non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail configuration is unique from adjacent cabinet
  doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- · Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with smart close, tension can be field adjusted.
- · Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Art Glass not available.
- Not available on Door 46.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•				•


MD.BTM MD.TOP MFO

### Construction Upgrades


	10
APC	PE
•	•


νοο	Door Options												
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD								

# WALL REFRIGERATOR SINGLE or DOUBLE DOOR, 21" HIGH, 24" DEEP



24", 27", 30", 311/2", 33", 34", 36", or 37"







### W242124 L or R

W242124

W272124

W302124

W31.52124

W332124

W342124

W362124

W372124

W392124

W422124

W452124

W482124CS

# W482124

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- $\bullet$  Load limit is 15 lbs. per square foot of load bearing surface.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•	•	•		•	•	•	•	•	•		•		•	•	•*		•


<sup>\*</sup>Not available on 39", 42", 45", and 48" wide


# **Construction Upgrades**

APC	PE
•	•

νοο	r Up	rions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

# WALL TOP HINGE REFRIGERATOR, 21" HIGH, 24" DEEP





WTH242124

WTH302124

WTH332124

WTH362124

WTH372124

- 24" Wide (WTH242124) uses standard configuration doors with vertical center panel grain. Door 19, Door 36, and Door 44 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 30"-37" Wide (WTH302124-WTH372124) use non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail
  configuration is unique from adjacent cabinet doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for
  more details.
- Not available on Door 46.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see page 382).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

### **Custom Modifications**

ADDTI	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•		•	•	•		•


Construction	ı Upgrades
APC	PE


# Door Options

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†	•			•				•

<sup>&</sup>lt;sup>†</sup>Available only on 30" and 36" wide

# WALL REFRIGERATOR VERTICAL-LIFT, 21" HIGH, 24" DEEP





	Full Overlay	Modified Full Overlay
Α	20"	19 1/4"
В	20 1/2"	20 1/2"

# WVL302124 WVL362124

- Uses non-standard configuration doors where grain on center panels and Door 44 slab doors runs horizontally, and non-miter door rail configuration is unique from adjacent cabinet
  doors. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with smart close, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Art Glass not available.
- Not available on Door 46.
- $\bullet\,$  Depth can be reduced to a minimum of 12".

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•							•		•	•			•


# Construction Upgrades


APC	PE
•	•

# **Door Options**

	p							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•	•			•				•

102





W362124PO L or R W372124PO L or R W362124PO W372124PO

# W392124PO L or R W392124PO

- Door-mounted pull-out with a chrome wire rack that extends fully to the front of the cabinet then opens to the side for easy accessibility to contents. Designed for use above refrigerators or other high applications. Smart close not included.
- Available installed in either the left side, right side, or both sides.
- $\bullet$  For sufficient pull-out clearance, 13 1/8" of adjacent space is required for door to open fully when installed near a wall or corner.
- Chrome rack is 10" wide and 20 13/16" deep.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 20 lbs. per pull-out.

# **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•		•		•	•	•		•			•		•				•

# **Construction Upgrades**


	10
APC	PE
•	•

# **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

# WALL SINGLE DOOR, 24" HIGH

Both (PO) Top View



W1224 L or R

W1524 L or R

W1824 L or R

W2124 L or R

W2424 L or R

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•	•		•

# **Construction Upgrades**

APC	PE
•	•


### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•


 $^{\dagger}\text{Not}$  available on 12″ wide

#### WALL DOUBLE DOOR, 24" HIGH

24", 27", 30", 311/2", 33", 34", 36", or 37"



39", 42", 45", or 48"



W2424

W2724

W3024

W31.524

W3324

W3424

W3624

W3724

W3924

W4224

W4524

W4824CS

#### W4824

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•	•*		•

\*Not available on 39", 42", 45", and 48" wide

#### **Construction Upgrades**

APC	PE
•	•


#### **Door Options** ALF CG

UIIS							
CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO	
		•	•†			•	l


 $^{\dagger}\text{Available}$  only on 24", 27", 30", 33", 36", 42", 45", and 48" wide

#### WALL REFRIGERATOR SINGLE or DOUBLE DOOR, 24" HIGH, 24" DEEP


W242424 L or R




 $24",\,27",\,30",\,31^{1}/2",\,33",\,34",\,36",\,or\,37"$ 



39", 42", 45", or 48"





W242424 W272424 W302424 W31.52424 W332424 W342424 W362424

W372424

W392424

W422424

W452424

W482424CS

#### W482424

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Shelf is 21" deep on W392424, W422424, W452424, W482424CS, and W482424 to allow for the shelf to be removed from the cabinet.

#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•		•	•	•*		•


\*Not available on 39", 42", 45", and 48" wide


Construction	i opgiuues
APC	PE
•	•

νοο	r Opi	lions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}$ Available only on 24", 27", 30", 33", 36", 42", 45", and 48" wide







W362424PO L or R W372424PO L or R W362424PO W372424PO

#### W392424PO L or R W392424PO

- Door-mounted pull-out with a chrome wire rack that extends fully to the front of the cabinet then opens to the side for easy accessibility to contents. Designed for use above refrigerators or other high applications. Smart close not included.
- Available installed in either the left side, right side, or both sides.
- $\bullet$  For sufficient pull-out clearance, 13 1/8" of adjacent space is required for door to open fully when installed near a wall or corner.
- Chrome rack is 10" wide and 20 13/16" deep.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 20 lbs. per pull-out.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•		•		•		•	•	•		•			•		•				•

#### **Construction Upgrades**


APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

#### WALL SINGLE DOOR, 27" HIGH

12", 15", 18", 21", or 24"



W1227 L or R

W1527 L or R

W1827 L or R

W2127 L or R

W2427 L or R

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•	•		•


#### **Construction Upgrades**

	1-3
APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

#### WALL DOUBLE DOOR, 27" HIGH

24", 27", 30", 33", 34", 36", or 37"




W2427 W2727 W3027 W3327 W3427 W3627

39", 42", 45", or 48"


W3927 W4227 W4527 W4827CS

W3727



#### W4827

#### **Custom Modifications**



\*Not available on 39", 42", 45", and 48" wide


#### Construction Upgrades

Constitution	Opgrades
APC	PE
•	•

	D00	. op	10113						
Γ	ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
Γ		•			•				•

#### WALL REFRIGERATOR SINGLE or DOUBLE DOOR, 27" HIGH, 24" DEEP






27

W242724 W272724 W302724 W332724 W342724 W362724 W372724


24", 27", 30", 33", 34", 36", or 37"



W392724 W422724 W452724

W482724CS

#### 39", 42", 45", or 48"



#### W482724

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.
- Load limit is 15 lbs. per square foot of load bearing surface.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•		•	•	•*		•

\*Not available on 39", 42", 45", and 48" wide

#### **Construction Upgrades**



Doo	r Op	tions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

# 48" 27'



W930 L or R

W1230 L or R

W1530 L or R

W1830 L or R

W2130 L or R

W2430 L or R

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•	•		•

#### **Construction Upgrades**

	1-3
APC	PF
7 0	
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†	•			•	•‡			•


†Not available on 9" and 24" wide


#### WALL DOUBLE DOOR, 30" HIGH

24", 27", 30", 33", or 36"



39", 42", 45", or 48"





W2430

W2730

W3030

W3330

W3630

W3930

W4230

W4530

W4830CS

#### W4830

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•	•*		•

\*Not available on 39", 42", 45", and 48" wide

#### **Construction Upgrades**

APC	PE
•	•


#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $<sup>^{\</sup>dagger}$ Not available on 39 $^{\prime\prime}$  wide

#### WALL SINGLE DOOR, 33" HIGH

9", 12", 15", 18", 21", or 24"



W933 L or R

W1233 L or R

W1533 L or R

W1833 L or R

W2133 L or R

W2433 L or R

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•			•

#### **Construction Upgrades**

APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

<sup>†</sup>Not available on 9" and 12" wide


<sup>&</sup>lt;sup>‡</sup>Not available on 9" and 12" wide

#### WALL DOUBLE DOOR, 33" HIGH

24", 27", 30", 33", or 36"







W2433

W2733

W3033

W3333

W3633

W3933

W4233

W4533

W4833CS

#### W4833

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•			•

#### **Construction Upgrades**

	13
APC	PE
•	•

#### **Door Options**

	· - p·							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

†Not available on 39" wide

#### WALL SINGLE DOOR, 36" HIGH

9", 12", 15", 18", 21", or 24"



W936 L or R

W1236 L or R

W1536 L or R

W1836 L or R

W2136 L or R

W2436 L or R

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•			•

#### Construction Upgrades

CONSTRUCTION	i opgrades
APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
•†	•			•	•‡			•

<sup>†</sup>Not available on 9" and 24" wide <sup>‡</sup>Not available on 9" and 12" wide 39", 42", 45", or 48"

108





W2436

W2736

W3036

W3336

W3636

W3936

W4236

W4536

W4836CS

#### W4836

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•			•

#### Construction Upgrades

	opgiuuos
APC	PE
•	•


#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}\text{Not}$  available on 39″ wide

#### WALL SINGLE DOOR, 39" HIGH

9", 12", 15", 18", 21" or 24"



W939 L or R

W1239 L or R

W1539 L or R

W1839 L or R

W2139 L or R

W2439 L or R

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•			•

#### Construction Upgrades

APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}\text{Not}$  available on  $9^{\prime\prime}$  and  $12^{\prime\prime}$  wide

#### WALL DOUBLE DOOR, 39" HIGH

24", 27", 30", 33", or 36"







W2439

W2739

W3039

W3339

W3639

W3939

W4239

W4539

W4839CS

#### W4839

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•			•

#### **Construction Upgrades**

	13
APC	PE
•	•


#### **Door Options**

	· - p·							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}\text{Not}$  available on 39″ wide

#### WALL SINGLE DOOR, 42" HIGH

9", 12", 15", 18", 21", or 24"



W942 L or R

W1242 L or R

W1542 L or R

W1842 L or R

W2142 L or R

W2442 L or R

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•			•

#### **Construction Upgrades**

APC	PE
•	•

#### **Door Options**

	- 1							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}\text{Not}$  available on 9'' and 12'' wide



39", 42", 45", or 48"

110





W2442

W2742

W3042

W3342

W3642

W3942

W4242

W4542

W4842CS

#### W4842

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•		•	•	•	•			•

#### Construction Upgrades


	. opg.uuos
APC	PE
•	•

#### **Door Options**

	. 1							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}$ Not available on 39" wide

#### WALL EASY ACCESS STORAGE CABINET, 30" HIGH





#### WEAS1530 L or R

WEAS1830 L or R

#### **WEAS3030**

#### **WEAS3630**

- Adjustable shelves are 7 1/2" deep.
- Each door features a chrome and wood three-tiered rack.
- $\bullet$  Door rack width is 9 3/8" on 15" and 30" wide cabinets.
- $\bullet$  Door rack width is 12 3/8" on 18" and 36" wide cabinets.
- Door rack depth is 3".

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•		•			•		•				•

#### Construction Unarades

***************************************	. opg.uuos
APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

#### WALL TWO DRAWER CABINET, 18" HIGH, 12" DEEP

12", 15", 18", 21", 24", 27", 30", 33", or 36" 18

W2D1218 W2D1518

W2D1818 W2D2118

W2D2418

W2D2718

W2D3018

W2D3318

W2D3618

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	ЕХ	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•		•		•	•	•		•	•								


#### **Construction Upgrades**


APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO

## WALL TWO DRAWER SINGLE DOOR CABINET, 48", 51", 54", 57", or 60" HIGH, 12" DEEP





W2D1548 L or R

W2D1848 L or R

W2D2448 L or R

W2D1551 L or R

W2D1851 L or R

W2D2451 L or R

W2D1554 L or R

W2D1854 L or R

W2D2454 L or R

W2D1557 L or R

W2D1857 L or R

W2D2457 L or R

W2D1560 L or R

W2D1860 L or R

W2D2460 L or R

#### **Custom Modifications**

ADD	TK AL	JTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•		•	•	•		•	•	•	•	•		•	•		•						•


#### **Construction Upgrades**


APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MF0
	•			•	•			•

# VALL CABINETS

# WALL TWO DRAWER DOUBLE DOOR CABINET, 48", 51", 54", 57", or 60" HIGH, 12" DEEP





W2D2448 W2D2748

W2D3048

W2D3348

W2D3648

W2D2451

W2D2751

W2D3051

W2D3351

W2D3651

W2D2454

W2D2754 W2D3054

W2D3354

W2D3654

W2D2457

W2D2757

W2D3057

W2D3357

W2D3657

W2D2460

W2D2760

W2D3060

W2D3360

W2D3660

#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•		•	•	•	•	•		•	•		•						•

#### Construction Upgrades

	10
APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•			•

# WALL THREE DRAWER SINGLE DOOR, 48", 51", 54", 57", or 60" HIGH



W3D1548 L or R W3D1848 L or R

W3D2448 L or R

W3D1551 L or R

W3D1851 L or R W3D2451 L or R

W3D1554 L or R

W3D1854 L or R

W3D2454 L or R



W3D1557 L or R

W3D1857 L or R

W3D2457 L or R

W3D1560 L or R

W3D1860 L or R

W3D2460 L or R

- Includes one shallow depth drawer and two standard drawers.
- Top drawer will be slab drawer front for all 5-piece drawer and Drawer Front Raised applications.
- Drawer front to face frame reveal is justified to the top. Bottom reveal is 1".

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•		•	•	•	•	•		•	•		•						•

Construction	ı Upgrades
APC	PE
•	•

#### Door Options

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•			•

# WALL THREE DRAWER DOUBLE DOOR, W3D2448 48", 51", 54", 57", or 60" HIGH W3D2451

36" or 39" Frame Opening Height

24"

57' or 60'

## W3D2454 W3D2457

#### W3D2460

- Includes one shallow depth drawer and two standard drawers.
- Top drawer will be slab drawer front for all 5-piece drawer and Drawer Front Raised applications.
- $\bullet$  Drawer front to face frame reveal is justified to the top. Bottom reveal is 1".

#### **Custom Modifications**



# Construction Upg


ruction	ı Upgrades
ľ	PE


Doo	r Opi	tions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO

# WALL CABINETS

# **/ALL CABINETS**

# STACKED WALL CABINETS SINGLE DOOR, 48", 51", 54", 57", or 60" HIGH





- STW1248 L or R
- STW1548 L or R
- STW1848 L or R
- STW2148 L or R
- STW2448 L or R
- STW1251 L or R
- STW1551 L or R
- STW1851 L or R
- STW2151 L or R
- STW2451 L or R
- STW1254 L or R
- STW1554 L or R
- STW1854 L or R
- STW2154 L or R
- STW2454 L or R
- STW1257 L or R
- STW1557 L or R
- STW1857 L or R
- STW2157 L or R
- STW2457 L or R
- STW1260 L or R
- STW1560 L or R
- STW1860 L or R
- 311111000 E 01 10
- STW2160 L or R
- STW2460 L or R

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	Р	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•		•

#### Construction Upgrades


	10
APC	PE
•	•


#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•	•	•		•†	•†	•

†Not available on 12" wide

# STACKED WALL CABINETS DOUBLE DOOR, 48", 51", 54", 57", or 60" HIGH







STW2448

STW2748

STW3048

STW3348

STW3648

STW2451

STW2751

STW3051

STW3351

STW3651 STW2454

STW2754

STW3054

STW3354

STW3654

STW3948

STW4248

STW4548

**STW4848CS** 

STW3951

STW4251

STW4551

**STW4851CS** 

STW3954

STW4254

STW4554

**STW4854CS** 

STW4848

STW4851

STW4854

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	Р	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•	•	•	•*	•	•	•*		•


<sup>\*</sup>Not available on 39", 42", 45", and 48" wide


APC	PE
•	•


Doo	r Opi	lions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•	•	•		•†	•†	•

<sup>†</sup>Not available on 39" wide

## STACKED WALL CABINETS DOUBLE DOOR, 48", 51", 54", 57", or 60" HIGH (cont'd)







STW2457

STW2757

STW3057

STW3357

STW3657

STW2460

STW2760

STW3060

STW3360 STW3660

STW3957

STW4257

STW4557

**STW4857CS** 

STW3960 STW4260

STW4560

**STW4860CS** 

STW4857 STW4860

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•	•	•	•	•	•*	•	•	•*		•

\*Not available on 39", 42", 45", and 48" wide

#### Construction Unarados

CONSTRUCTION	i opgrades
APC	PE
•	•

νοο	r Op	IIONS			
ΔIF	ſĠ	CG RTM	CG TOP	DPSRR	WL


716	-	CO.D		DI DIM	1110			71111 0
AIF (	G	CG RTM	CG TOP	DPSRR	MD	MD.BTM	MD TOP	MFO

†Not available on 39" wide

#### **Wall Corner Cabinets**

- Wall corner cabinets may be installed flush to the wall (left) or pulled up to 3" away from wall (right) to accommodate odd dimensions in a kitchen design. In either case, the adjoining run of 12" wall cabinets plus a 3" filler will butt against the solid-wood panel.

  When a cabinet is "pulled" it will use proportionally more wall space, for example, a 30" wide WC pulled 2" will use 32" of space.
- The L or R in the cabinet's nomenclature indicates the location of cabinet void.
- Blind side of wall corner cabinets cannot be installed next to a range hood or microwave shelf unit due to door interference.




NOTE: All outside stiles are 1 1/2" wide

Model	A Recommended Space	B Max. Pull*	C Max. Space	D Face Frame Opening	Full 0	* verlay At Max.	F Actual Cabinet
WC24/STWC24	24"	5″	29″	7 1/2″	1 3/4"	6 3/4"	24"
WC27/STWC27	27″	4 1/2"	31 1/2"	9″	3 1/4"	7 3/4″	27"
WC30/STWC30	30″	5″	35″	13 1/2"	1 3/4"	6 3/4"	30″
WC33/STWC33	33″	4 1/2"	37 1/2"	15″	3 1/4"	7 3/4"	33″
WC36/STWC36	36″	5″	41″	19 1/2"	1 3/4"	6 3/4"	36"
WC39/STWC39	39″	4 1/2"	43 1/2"	21″	3 1/4"	7 3/4"	39″
WC42/STWC42	42"	4 1/2"	46 1/2"	24"	3 1/4"	7 3/4"	42"
WC45/STWC45	45"	4 1/2"	49 1/2"	27"	3 1/4"	7 3/4"	45"
WC48/STWC48	48"	4 1/2"	52 1/2"	30″	3 1/4″	7 3/4″	48″

<sup>\*</sup>Minimum/maximum space between inside edge of door and face of filler/adjoining cabinet. If cabinet is pulled to maximum stated dimension, filler will need to be cleated for proper attachment.

#### WALL CORNER SINGLE DOOR, 24" or 27" HIGH



WC2424 L or R

WC2724 L or R

WC3024 L or R

WC2427 L or R

WC2727 L or R

WC3027 L or R

- Includes one 3" filler, shipped unattached.
- . L or R indicates void. R (right) void shown.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•*	•	•		•	•	•	•			•


<sup>\*</sup>Face Frame and Door on End modification not available on the void side of the cabinet.

	. opg.uuos
APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

#### WALL CORNER SINGLE DOOR, 30", 33", or 36" HIGH

24", 27", 30", 33", or 36"



WC2430 L or R

WC2730 L or R

WC3030 L or R

WC3330 L or R

WC3630 L or R

WC2433 L or R

WC2733 L or R

WC3033 L or R

WC3333 L or R

WC3633 L or R

WC2436 L or R

WC2736 L or R

WC3036 L or R

WC3336 L or R

WC3636 L or R

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	Р	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•*	•	•		•	•	•	•			•

<sup>\*</sup>Face Frame and Door on End modification not available on the void side of the cabinet.

#### **Construction Upgrades**


ĺ	APC	PE
	•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}\text{Available}$  only on 30", 33", and 36" wide

#### WALL CORNER DOUBLE DOOR, 30", 33", or 36" HIGH



WC3930 L or R

WC4230 L or R

WC4530 L or R

WC4830 L or R WC3933 L or R

WC4233 L or R

WC4533 L or R

WC4833 L or R

WC3936 L or R WC4236 L or R

WC4536 L or R

WC4836 L or R

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- On 39" wide cabinets, Peninsula and Mullion Door options cannot be ordered together due to the unavailability of Mullion Doors for the double door side.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	D	PFINBTMB	RD	TD	TVR V	WLI
AUUIK	АИІП	CDU	LLU	CLINIO	CLKWO	CND	EVDIV	ΕV	ГD	ΓΓυ	LLED	IV	IIIV/K/W	MIL	Г	LLIMD I WID	ΚU	Iυ	IVK_V	WLI
•	•	•	•	•	•		•	•	•	•*	•	•		•	•	•	•			•


<sup>\*</sup>Face Frame and Door on End modification not available on the void side of the cabinet.

Construction	i opgrades
APC	PE
•	•

#### **Door Options** ALF CG CG.BTM CG.TOP DPSRR MD MD.BTM MD.TOP MFO

# WALL CORNER SINGLE DOOR, 39" or 42" HIGH

24", 27", 30", 33", or 36"



WC2439 L or R

WC2739 L or R

WC3039 L or R

WC3339 L or R

WC3639 L or R

WC2442 L or R

WC2742 L or R

WC3042 L or R

WC3342 L or R

WC3642 L or R

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•*	•	•		•	•	•	•			•

\*Face Frame and Door on End modification not available on the void side of the cabinet.

#### **Construction Upgrades**


	1-3
APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

<sup>†</sup>Available only on 30", 33", and 36" wide

# WALL CORNER DOUBLE DOOR, 39" or 42" HIGH



WC3939 L or R

WC4239 L or R

WC4539 L or R

WC4839 L or R

WC3942 L or R

WC4242 L or R

WC4542 L or R

WC4842 L or R

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- On 39" wide cabinets, Peninsula and Mullion Door options cannot be ordered together due to the unavailability of Mullion Doors for the double door side.

#### Custom Modifications

403.0.																				
ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•*	•	•		•	•	•	•			•

\*Face Frame and Door on End modification not available on the void side of the cabinet.


#### **Construction Upgrades**


	10
APC	PE
•	•

D00	. op	110113						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

# **VALL CABINETS**

# STACKED WALL CORNER SINGLE DOOR, 48", 51", 54", 57", or 60" HIGH





- STWC2448 L or R
- STWC2748 L or R
- STWC3048 L or R
- STWC3348 L or R
- STWC3648 L or R
- STWC2451 L or R
- STWC2751 L or R
- STWC3051 L or R
- STWC3351 L or R
- STWC3651 L or R
- STWC2454 L or R
- STWC2754 L or R
- STWC3054 L or R
- STWC3354 L or R
- STWC3654 L or R
- STWC2457 L or R
- STWC2757 L or R
- STWC3057 L or R
- STWC3357 L or R
- ----
- STWC3657 L or R
- STWC2460 L or R STWC2760 L or R
- 3111417 00 E 01 K
- STWC3060 L or R STWC3360 L or R
- STWC3660 L or R
- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•	•	•		•	•	•	•*	•	•	•	•		•	•			•

<sup>\*</sup>Face Frame and Door on End modification not available on the void side of the cabinet.

#### **Construction Upgrades**


	. opg.uuos
APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•	•	•		•†	•†	•

<sup>†</sup>Available only on 30", 33", and 36" wide

# STACKED WALL CORNER DOUBLE DOOR, 48", 51", 54", 57", or 60" HIGH



STWC4248 L or R

STWC4548 L or R

STWC4848 L or R STWC3951 L or R

STWC4251 L or R

STWC4251 L or R


STWC4851 L or R

STWC3954 L or R

STWC4254 L or R

STWC4554 L or R

STWC4854 L or R



STWC3957 L or R

STWC4257 L or R

STWC4557 L or R

STWC4857 L or R

STWC3960 L or R

STWC4260 L or R

STWC4560 L or R

STWC4860 L or R

• Includes one 3" filler, shipped unattached.

• L or R indicates void. R (right) void shown.

#### Custom Modifications

Α	DDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•	•		•	•	•	•*	•	•	•	•		•	•			•

 $<sup>{}^{\</sup>star}\mathsf{Face}$  Frame and Door on End modification not available on the void side of the cabinet.


#### **Construction Upgrades**

	opgiados
APC	PE
	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•	•	•		•†	<b>●</b> †	•

<sup>†</sup>Not available on 39" wide



#### Diagonal Wall Cabinets with Increased or Reduced Depth

		RD9	RD10	RD11	STD	ID13	ID14	ID15	ID16	ID17	ID18	ID19	ID20	ID21	ID22	ID23	ID24
Cabinet Depth	Α	9"	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"
Wall Space	В	21"	22"	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"	34"	35"	36"

#### DIAGONAL WALL, 12", 15", or 18" HIGH, 24" x 24"

12" 24" 24" 15" 17" 18" 12" 12" 12"

DW122424 L or R

DW152424 L or R

DW182424 L or R

- Cabinets require 24" x 24" of corner wall space.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•	•	•				•	•*	•	•		•		•	•			•

\*Available only on 18" high

#### **Construction Upgrades**

	. 1.3
APC	PE
•	•

#### **Door Options**

200	. vp							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

<sup>†</sup>Not available on 12" high

## DIAGONAL WALL, 24" or 27" HIGH, 24" x 24"



DW242424 L or R

DW272424 L or R

- Cabinets require 24" x 24" of corner wall space.
- Adjustable shelf cannot be removed/retrofitted.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•	•	•	•		•		•	•			•

#### Construction Upgrades


APC	PE
•	•


#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO	
	•			•	•†			•	

 $<sup>^{\</sup>dagger}\text{Not}$  available on 27" high

# DIAGONAL WALL, 30", 33", 36", 39", or 42" HIGH, 24" x 24"





DW302424 L or R

DW332424 L or R

DW362424 L or R

#### DW392424 L or R

#### DW422424 L or R

- Cabinets require 24" x 24" of corner wall space.
- Adjustable shelves.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

**Door Options** 


#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•	•	•	•		•		•	•			•

	10
APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•			•

#### DIAGONAL WALL, 12", 15", or 18" HIGH, 27" x 27"



#### DW122727 L or R

#### DW152727 L or R

#### DW182727 L or R

- Cabinets require 27" x 27" of corner wall space.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### **Custom Modifications**

Α	DDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	Р	PFINBTMB	RD	TD	TVR_V	WLI
		•		•	•	•				•	•*	•	•		•		•	•			•

\*Available only on 18" high

#### Construction Upgrades


APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

<sup>†</sup>Not available on 12" high

# DIAGONAL WALL, 24" or 27" HIGH, 27" x 27"



#### DW242727 L or R

#### DW272727 L or R

- Cabinets require 27" x 27" of corner wall space.
- Adjustable shelf cannot be removed/retrofitted.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•	•	•	•		•		•	•			•

#### **Construction Upgrades**


APC	PE
•	•


#### **Door Options**

	P							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

<sup>†</sup>Not available on 27" high

# DIAGONAL WALL, 30", 33", 36", 39", or 42" HIGH, 27" x 27"





#### DW302727 L or R

DW332727 L or R

DW362727 L or R

#### DW392727 L or R

#### DW422727 L or R

- Cabinets require 27" x 27" of corner wall space.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.


#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•	•	•	•		•		•	•			•

#### Construction Upgrades

APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•			•





DW392424S L or R

DW422424S L or R

• Cabinets require 24" x 24" of corner wall space.

- Plywood shelves are 18" in overall diameter with a 17" interior diameter and 1" high lip.
- · Shelves rotate independently.
- Full overlay styles use 14.1/2'' wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•	•	•			•		•				•

#### **Construction Upgrades**

	10
APC	PE
•	•

## Door Options ALF CG CG.BTM CG.TOP DPSRR MD MD.BTM MD.TOP MFO

# DIAGONAL WALL with LOWER DOOR, 48", 51", 54", 57", or 60" HIGH, 24" x 24"





DW302424D L or R

DW332424D L or R

DW362424D L or R

DW392424D L or R

DW422424D L or R

- Cabinets require 24" x 24" of corner wall space.
- $\bullet$  Lower section of cabinet does not have a bottom (floor).
- Mullion Doors not available on bottom door.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### Custom Modifications


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•		•	•		•			•			•


#### Construction Upgrades

APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•	•	•			•	•

# DIAGONAL WALL with LOWER DOOR, 48", 51", 54", 57", or 60" HIGH, 27" x 27"





DW302727D L or R DW332727D L or R DW362727D L or R

# DW392727D L or R DW422727D L or R

- Cabinets require 27" x 27" of corner wall space.
- Lower section of cabinet does not have a bottom (floor).
- Mullion Doors not available on bottom door.
- Full overlay styles use  $14 \frac{1}{2}$  wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WI
	•	•	•	•	•				•		•	•		•			•			•


#### **Construction Upgrades**


	10
APC	PE
•	•

#### Door Options

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•	•	•			•	•

#### DIAGONAL WALL with LOWER DOOR and LAZY SUSAN, 48", 51", 54", 57", or 60" HIGH, 24" x 24"





DW302424DS L or R DW332424DS L or R DW362424DS L or R

# DW392424DS L or R DW422424DS L or R

- Cabinets require 24" x 24" of corner wall space.
- Lower section of cabinet does not have a bottom (floor).
- Mullion Doors not available on bottom door.
- $\bullet\,$  Plywood shelves are 18" in overall diameter with a 17" interior diameter and 1" high lip.
- Shelves rotate independently.
- Full overlay styles use  $14 \frac{1}{2}$  wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.


#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•		•			•						•

#### Construction Upgrades

APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MF0
		•	•	•			•	•





STDW482424 L or R STDW512424 L or R STDW542424 L or R

#### STDW572424 L or R

#### STDW602424 L or R

- Cabinet requires 24" x 24" of corner wall space.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•		•	•	•	•		•	•			•


#### **Construction Upgrades**

Constitution	Opgrades
APC	PE
•	•

### Door Options

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•	•	•		•	•	•

# STACKED DIAGONAL WALL, 48", 51", 54", 57", or 60" HIGH, 27" x 27"



STDW482727 L or R STDW512727 L or R

STDW542727 L or R

# STDW572727 L or R STDW602727 L or R

- Cabinet requires 27" x 27" of corner wall space.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.


#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•				•		•	•	•	•		•	•			•

APC	PE
•	•

DOO	r Op	tions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•	•	•		•	•	•

## DIAGONAL WALL PENINSULA, 30", 33", 36", 39", or 42" HIGH, 24" x 24 1/4"





DW302424PLL DW302424PLR DW302424PRL DW302424PRR DW332424PLL DW332424PLR DW332424PRL DW332424PRR

DW362424PLL DW362424PLR DW362424PRL DW362424PRR

DW392424PLL\* DW392424PLR\* DW392424PRL\* DW392424PRR\* DW422424PLL\* DW422424PLR\* DW422424PRL\* DW422424PRR\*


- RL door hinging shown.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.
- \*When ordered with MD, shelves will not align with mullions.

#### Diagonal Wall Peninsula

Diagonals are different. All PLL, PLR, etc. designations refer to wall openings as well as hinge location. A PLL is left hinged on the kitchen (DW) side. Peninsula side is 24" wide and features butt doors. The second L or R in the product code indicates the position of the butt doors relative to the DW side.



All Peninsula wall cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels. Weight load limit is 15 lbs. per square foot.




#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
		•	•	•	•				•		•			•	STD	•				•

#### **Construction Upgrades**

APC	PE
•	•


200	. op	10113						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•			•




#### Easy Reach Wall Corner Cabinets with Increased or Reduced Depth

		RD9	RD10	RD11	STD	ID13	ID14	ID15	ID16	ID17	ID18	ID19	ID20	ID21	ID22	ID23	ID24
Cabinet Depth (ER2424)	Α	9"	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"
Wall Space (ER2424)	В	21"	22"	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"	34"	35"	36"
Cabinet Depth (ER2121)	Α	9"	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"
Wall Space (ER 2121)	В	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"

## **EASY REACH WALL CORNER,** 30", 33", 36", 39", or 42" HIGH, 21" x 21"





ER302121 L or R

ER332121 L or R

ER362121 L or R

#### ER392121 L or R ER422121 L or R

- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of ER.
- Adjustable shelves.
- · Hinged door opens 170°.
- Integrated soft-close hinge not included.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•						•		•	•		•		•	•			•


Construction	Upgrades
--------------	----------


APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

## EASY REACH WALL CORNER, 30", 33", 36", 39", or 42" HIGH, 24" x 24"





ER30 L or R

ER33 L or R

ER36 L or R

ER39 L or R

ER42 L or R

- Requires 24" x 24" of corner wall space.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of ER.
- · Adjustable shelves.
- Hinged door opens 170°.
- Integrated soft-close hinge not included.

#### **Custom Modifications**


ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	EXBK	ЕХ	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•						•		•	•		•		•	•			•


Construction	ı Upgrades
ADC.	DE

4011311041101	. opg.uuos
APC	PE
•	•

Doo	r Op	tions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

#### **ASYMMETRICAL EASY REACH WALL** CORNER, 30", 33", 36", 39", or 42" HIGH





ER302124 L or R ER302421 L or R

ER332124 L or R

ER332421 L or R

ER362124 L or R

ER362421 L or R

ER392124 L or R

ER392421 L or R

ER422124 L or R

ER422421 L or R

- Hinged door opens to 170°.
- Adjustable shelves.
- Legs at the front frames are 9" on 21" leg and 12" on 24" leg.
- Nomenclature for asymmetrical cabinets reads as follows:

First set of numbers = height

Second set of numbers = left side

Third set of numbers = right side

- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of ER.
- ER\_ \_2124L shown.
- Integrated soft-close hinge not included.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•						•		•	•		•		•	•			•


#### **Construction Upgrades**


APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

#### 135° CORNER INSIDE WALL, 30", 33", or 36" HIGH





	A	В
Model	Dimension	Dimension
W21(*)CIA	21"	16 1/16"
W24(*)CIA	24"	19 1/16"
W27(*)CIA	27"	22 1/16"

A indicates back width of cabinet and wall space. (\*) indicates height of cabinet. B indicates face frame width.

**W2130CIA** 

**W2430CIA** 

**W2730CIA** 

**W2133CIA** 

**W2433CIA** 

**W2733CIA** 

**W2136CIA** 

**W2436CIA** 

#### **W2736CIA**

- Doors are hinged on outside of frame.
- Adjustable shelves cannot be removed from cabinet.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR V	WLI
ADDIK	AUIII	CDU	cco	CHITO	CIKMO	CIVD	LADIA	L/\	עו	III	IILD	Iυ	HAALIVAI	14/11	- 1	TTHINDIMU	Nυ	Iυ	1 4 IV _ 4	WLI
1									_											
1		•	•						•		•			•		•				•


#### **Construction Upgrades**

APC	PE
•	•

#### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

 $^{\dagger}$ Available only on W2430CIA, W2433CIA, and W2436CIA



Model	A Dimension	B Dimension
W21(*)CIA	21"	16 1/16"
W24(*)CIA	24"	19 1/16"
W27(*)CIA	27"	22 1/16"

A indicates back width of cabinet and wall space. (\*) indicates height of cabinet. B indicates face frame width.

**W2139CIA** 

**W2439CIA** 

**W2739CIA** 

**W2142CIA** 

**W2442CIA** 

**W2742CIA** 

• Doors are hinged on outside of frame.

• Adjustable shelves cannot be removed from cabinet.

**Custom Modifications** 

AD	DTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
				•	•					•		•			•		•				•

Construction	upgraaes
APC	PE
•	•

#### **Door Options**


AL	F	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
		•			•	•†			•

<sup>†</sup>Available only on W2439CIA and W2442CIA

## WALL END CABINET SINGLE DOOR, 30", 33", 36", 39", or 42" HIGH, 12" x 12"







WEC1230 L or R

WEC1233 L or R

WEC1236 L or R

WEC1239 L or R\*

WEC1242 L or R\*

- Width at wall: 12" x 12".
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall. \*When ordered with MD, shelves will not align with mullions.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
		•	•	•	•									•		•				•

#### Construction Ungrades


	. opg.uuos
APC	PE
•	

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•			•

# WALL END CABINET DOUBLE DOOR, 30", 33", 36", 39", or 42" HIGH, 12" x 12"







WEC1230D WEC1233D WEC1236D

#### WEC1239D WEC1242D

- Width at wall: 12" x 12".
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.
- Decorative glass inserts are not available.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WL
		•	•											•		•				•


Construction	Upgrades
APC	PE


νο0	r Up	rions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

# WALL QUARTER ROUND END SHELF, 30", 33", 36", 39", or 42" HIGH

#### **Radius Top and Bottom Panels**







WQRES630RT WQRES633RT

WQRES636RT

#### WQRES639RT WQRES642RT


- Units are reversible.
- Radius moulding is not available for WQRES636RT.
- Veneer on 3/4" furniture board core with matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.


MODIFICATIONS	
No modifications available for	
these products.	

	. 1.3
APC	PE
•	

#### **Square Top and Radius Bottom Panels**

132





WQRES639ST L or R

WQRES630ST L or R

WQRES642ST L or R

- Specify left or right. Only top panel is square. Right shown.
- Veneer on 3/4" furniture board core with matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.

MODIFICATIONS	
No modifications available fo	0
these products.	

#### **Construction Upgrades**


APC	PE
•	

#### WALL QUARTER ROUND END SHELF, 30", 33", 36", 39", or 42" HIGH

#### **Square Top and Bottom Panels**







**WQRES630STSB** 

**WQRES633STSB** 

**WQRES636STSB** 

#### **WQRES639STSB**

#### **WQRES642STSB**

- Units are reversible.
- Veneer on 3/4" furniture board core with matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.


#### **MODIFICATIONS** No modifications available for these products.

APC	PE
•	

# WALL QUARTER ROUND END SHELF, 12" RADIUS, 30", 33", 36", 39", or 42" HIGH

WQRES1230RT WQRES1233RT WQRES1236RT

#### **Radius Top and Bottom Panels**



#### WQRES1239RT WQRES1242RT

- Veneer on 3/4" furniture board core with matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.

MODIFICATIONS	
No modifications available for these products.	


#### Construction Upgrades


APC	PE
•	

# WALL QUARTER ROUND END SHELF, 12" RADIUS, 30", 33", 36", 39", or 42" HIGH

#### **Square Top and Radius Bottom Panels**







#### WQRES1230STRB

WQRES1233STRB

WQRES1236STRB


## WQRES1239STRB

#### WQRES1242STRB

- Veneer on 3/4" furniture board core with matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.

MODIFICATIONS
No modifications available for
these products.

APC	PE
•	



	0	ening	Cat	inet
	Width	Height	Width	Height
MW2718	24"	14 1/4"	27"	18"
MW3018	27"	14 1/4"	30"	18"
MW2721	24"	17 1/4"	27"	21″
MW3021	27"	17 1/4"	30"	21"

MW2718

MW3018

MW2721

MW3021

- Includes one 3/4" shelf with six mounting screws. Microwave shelf extends beyond the front of the cabinet by 6 1/2", for a total shelf depth of 18 1/2".
- Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.
- Matching Interior Plywood (MIP) standard.
- When ID is ordered, shelf will not be included with cabinet.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.


#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	STD			•		•	•			•	•		STD		•				

Construction	ı upgraaes
APC	PE

Doo	r Opi	tions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO

#### WALL MICROWAVE DOUBLE DOOR CABINET, 36", 39", or 42" HIGH



12", 15", or 18" Frame Opening Height

	Op	ening	Cab	inet
	Width	Height	Width	Height
MW2436	21"	18 3/4"	24"	36"
MW2736	24"	18 3/4"	27"	36"
MW3036	27"	18 3/4"	30"	36"
MW2439	21"	18 3/4"	24"	39"
MW2739	24"	18 3/4"	27"	39"
MW3039	27"	18 3/4"	30"	39"
MW2442	21"	18 3/4"	24"	42"
MW2742	24"	18 3/4"	27"	42"
MW3042	27"	18 3/4"	30"	42"

### MW2436

MW2736

MW3036

MW2439

MW2739

MW3039

MW2442

MW2742

#### MW3042

- Includes one 3/4" shelf with six mounting screws. Microwave shelf extends beyond the front of the cabinet by 6 1/2", for a total shelf depth of 18 1/2".
- Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.

Door Ontions

- Matching Interior Plywood (MIP) standard.
- · When ID is ordered, shelf will not be included with cabinet.

#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•		•	•			•	•		STD		•				

#### Construction Upgrades

Collatiocitor	construction opgrades								
APC	PE								

	. op							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				•

#### **WALL BUILT-IN MICROWAVE** CABINET, 18" or 21" HIGH



Model	Factory Opening	Maximum Cut-out
WBMW2718	21W x 9H	25 1/2W x 15H
WBMW2721	21W x 12H	25 1/2W x 18H
WBMW3018	24W x 9H	28 1/2W x 15H
WRMW3021	24W x 12H	28 1 /2W x 18H

WBMW271818

WBMW301818

WBMW272118

WBMW302118

WBMW271821

WBMW301821

WBMW272121

WBMW302121

WBMW271824

WBMW301824

WBMW272124

#### WBMW302124

- · WBMWs can be used to stack with other cabinets to create custom appliance cabinet designs.
- · Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.


#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	STD			•		•	•	•		•	•		•		•	•			•

APC	PE
•	•


Doo	Door Options											
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO				

#### **WALL BUILT-IN MICROWAVE** DOUBLE DOOR CABINET, 36", 39", or 42" HIGH, 18" or 21" DEEP





27" wide



30" wide

Model	Factory Opening	Maximum Cut-out
WBMW27	21W x 10 1/2H	25 1/2W x 19 3/4H
WBMW30	24W x 10 1/2H	28 1/2W x 19 3/4H

WBMW273618

WBMW303618

WBMW273918

WBMW303918

WBMW273621

WBMW303621

WBMW273921

WBMW303921

WBMW274221

#### WBMW304221

- ullet Uses face mount hinges, doors have a consistent 1/4'' width reveal.
- Two 1/4" fillers included, except with FPEB, AUTHL, AUTHR, and AUTHB.
- Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.
- All cabinets have 3" stiles on frames.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	Р	PFINBTMB	RD	TD	TVR_V	WLI
	•		•	•*	•		•	•	•		•	•		•		•	•			•

\*Not available on 18" deep

#### **Construction Upgrades**

	10
APC	PE
•	•


#### Door Options

200	. op.							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

#### WALL APPLIANCE GARAGE DOOR, 18" HIGH, 12" DEEP







WAGD12 L or R

WAGD15 L or R

WAGD18 L or R

WAGD21 L or R

WAGD24 L or R

WAGD24

WAGD27

WAGD30

WAGD33

WAGD36

• Cabinet does not have floor.


#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•	•	•		•	•	STD		•	•		•			•			•

#### **Construction Upgrades**

APC	PE
•	STD

#### **Door Options** ALF CG CG.BTM CG.TOP DPSRR MD MD.BTM MD.TOP MFO





	Full Overlay
Α	16 13/16"
В	17 5/16"

#### WAGVLD15

#### WAGVLD18

#### WAGVLD21

#### WAGVLD24

- Uses standard configuration doors with vertical center panel grain. Door 19 and Door 36 have a standard vertical grain pattern. Door 33 has a standard horizontal grain pattern. See page 9 for more details.
- Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with smart close, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- · Bottom edge not trimmable.

#### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•		•		•	•	•		•	•		•						•

#### **Construction Upgrades**

APC	PE
•	•

#### **Door Options**

\LF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				

#### **CORNER DOOR, 18" HIGH**

# 24" or 27" 24" or 27" 18'

#### **CD2424 L or R**

#### **CD2727 L or R**

- CD2424 L or R requires 24" x 24" corner wall space.
- CD2727 L or R requires 27" x 27" corner wall space.
- Cabinet is designed to fit beneath Diagonal Wall Cabinets.
- Cabinet has partial top and no floor.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

#### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•		•	•	•				•		•			•						•


#### **Construction Upgrades**


APC	PE
•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•				

# WALL BOX COLUMN PULL-OUT,







Top View

**WBCP0330 WBCP0630 WBCP0333** 

**WBCP0633** 

**WBCP0336 WBCP0636 WBCPO339 WBCPO639** 

#### **WBCPO342 WBCP0642**

- Recommend installation between two cabinets. Can be installed on the end of a run or adjacent to an appliance with a 3/4" thick end panel.
- All styles feature a natural finish full extension wood pull-out with adjustable shelves and chrome rail sides.
- $\bullet \ \ \text{If ordered with Heirlooming Technique, will not feature sand-through characteristics}.$
- In order to allow proper clearance for opening and closing, allow an additional 1/8" space between adjacent cabinet face frames. The 3" wide pull-outs require 3 1/8" space and the 6" wide pull-outs require  $6\ 1/8"$  space. Spacers are included with the pull-outs to allow for proper installation.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.


### MODIFICATIONS No modifications available for these products.


#### Finish Techniques


Distressing	Heirlooming
•	

# **ALL CABINETS**

# WALL BOX COLUMN PULL-OUT, OVERLAY









WBCPO3300L

WBCPO6300L

WBCP03330L

WBCPO6330L

WBCPO336OL

WBCPO636OL

WBCPO3390L

WBCPO6390L

#### WBCPO3420L

#### WBCPO6420L

- Recommend installation between two cabinets. Can be installed on the end of a run or adjacent to an appliance with a 3/4" thick end panel.
- Overlay application includes profiled full overlay filler.
- All styles feature a natural finish full extension wood pull-out with adjustable shelves and chrome rail sides.
- In order to allow proper clearance for opening and closing, allow an additional 1/8" space between adjacent cabinet face frames. The 3" wide pull-outs require 3 1/8" space and the 6" wide pull-outs require 6 1/8" space. Spacers are included with the pull-outs to allow for proper installation.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Not compatible with face mount moulding.


#### MODIFICATIONS


No modifications available for these products.

#### Finish Techniques

	•
Distressing	Heirlooming
•	•

### WALL SPICE PULL-OUT, 30", 33", 36", 39", or 42" HIGH





WSP930 WSP1230

WSP933

WSP1233

WSP936

WSP1236

WSP939

WSP1239

WSP942

### WSP1242

- 30" and 33" high units include a natural finish, full extension wood pull-out with three adjustable shelves, one fixed shelf, and chrome finish rail sides.
- Wood plugs for top of 30" and 33" high pull-out included for field installation.
- 36" to 42" high units include a natural finish, full extension wood pull-out with three adjustable shelves, two fixed shelves, and chrome finish rail sides.
- Wire for top rail on 36" to 42" high pull-out included separately for field installation.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.

Door Ontions

• Pull-out does not have smart close feature.

### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•	•	•	•		•		•	•	•		•					•				


Construction	ı Upgrades
APC	PE
•	•

D00	ı op	IIVII3						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

### **WALL SHELF PULL-DOWN**







W3624SHLFPD

W3627SHLFPD

W3630SHLFPD

W3633SHLFPD

W3636SHLFPD

W3639SHLFPD

W3642SHLFPD

- Shelf Pull-down dimensions: 18 11/64" high x 28 1/4" wide x 8 1/2" deep.
- $\bullet$  Interior dimensions of pull-down trays: 28 1/4" wide x 8 1/2" deep.
- Clearance dimensions: 19 3/8" high x 15 3/8" wide.
- 30" to 42" high units will have one adjustable shelf above pull-down unit.
- Maximum Weight Capacity for Shelf Pull-down: 26 lbs.

### **Custom Modifications**

C03101	ii ivioui	iicuiic	1113																	
ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
	•	•	•	•	•		•	•	•		•			•		•				•


APC	PE
•	•


<b>J</b> 00	r	U	p	n	0	11:	5		

200	. op.	10113						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•†			•

<sup>†</sup>Not available on 27" high

# WALL SPICE RACK CABINET, 30", 33", 36", 39", or 42" HIGH





140

WSR1830 L or R

WSR2130 L or R

WSR1833 L or R

WSR2133 L or R

WSR1836 L or R

WSR2136 L or R

WSR1839 L or R

WSR2139 L or R

WSR1842 L or R

WSR2142 L or R

- Shelves are 4 1/2" deep.
- Field installed swing-out has three adjustable and one fixed bottom shelf with chrome finish wire rail sides.
- Dimensions: WSR18 wood insert is 26" high x 13" wide x 6" deep. WSR21 wood insert is 26" high x 16" wide x 6" deep.
- When Increased Depth (ID) is ordered, wood insert will not increase in size.
- Maximum Weight Capacity for Spice Rack Shelves: 15 lbs.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WL
•	•	•	•	•	•		•	•	•		•	•		•		•				•

Construction	Upgrades
100	DE


APC	PE
•	•

### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
	•			•	•			•

# WALL WINE RACK, 15", 18", or 30" HIGH







Model	# of Bottles
WNR3015	11
WNR3615	13
WNR3018	11
WNR3618	13
WNR1530	11
WNR1830	11
WNR2130	11

WNR3015

WNR3615

WNR3018

WNR3618

WNR1530

WNR1830

WNR2130

- Matching Interior Plywood (MIP) standard.
- Cabinet interior finished to match cabinet face frame.
- Solid-wood lattice work.
- Wine bottle opening 4" x 4".
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
•		STD			•		•	•			•			STD		•				


### **Construction Upgrades**


	13
APC	PE
STD	

### **Door Options**

<b>D</b> 00	. op	110113						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO

### WINE STORAGE CABINET, 12", 15", 18", 21", or 24" HIGH





	18"	
18"	18"	

Model	# of Bottles
WSC121212	4
WSC151512	10
WSC181812	18
WSC212112	24
WSC242412	32
WSC181818	18

WSC121212

WSC151512

WSC181812

WSC212112

WSC242412

### WSC181818

- Matching Interior Plywood (MIP) standard.
- Must be installed between two cabinets, between a cabinet and a wall, or mounted to a horizontal surface.
- "X" shelf configuration cannot be removed.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Reduced depth not recommended for safe wine bottle storage.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
							•				•	•*		STD		•	•			


\*ID on 12" deep models available up to 18" deep


### **Construction Upgrades**


APC	PE
STD	


ν00	r Op	попѕ						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO

### WALL WINE CUBBY, 24", 30", 36", or 42" WIDE, 6" HIGH









W624 (4 openings)

W630 (5 openings)

W636 (6 openings)

### **W642** (7 openings)

- Veneer on 3/4" furniture board core.
- Matching interior.
- Frameless construction.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Increased Depth only available in 3" increments.

### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
									STD			•								

### **Construction Upgrades**


	1.9
APC	PE

### Door Ontions

טטע	Opi	110112						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO







W030

### W036

- Veneer on a 3/4" furniture board core.
- Frameless construction.
- Matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.

Door Ontions

• Increased Depth only available in 3" increments.


### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
									STD			•								


Construction Upgrades								
APC	PE							


סטט	ı op	110113						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO


# WALL SPICE DRAWER, 24", 30", 36", or 42" WIDE, 6" HIGH











WSD24 (4 drawers)

WSD30 (5 drawers)

WSD36 (6 drawers)

### WSD42 (7 drawers)

- Drawer front is unique to item and will not match profile chosen.
- All styles use standard drawer front profile except Door 15, Door 16, Door 18, Door 19, Door 26, Door 28, Door 32, Door 38, Door 41, Door 44, Door 45, Door 46, and Door 47, which use the shaker profile.
- Door 25, Door 33, Door 36, and Door 37 drawer fronts will match doors and drawer fronts.
- Veneer on 3/4" furniture board core.
- 1/2" hardwood drawer with rabbet joint.
- Horizontal application only.
- Matching interior.
- Frameless construction.
- Increased Depth only available in 3" increments.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
									STD			•								


### Construction Upgrades


construction opgrades									
APC	PE								

### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO

# WALL MESSAGE CENTER, 30", 33", 36", 39", or 42" HIGH, 3" DEEP





WMC1230 L or R WMC1233 L or R WMC1236 L or R

### WMC1239 L or R

### WMC1242 L or R

- Includes magnetic whiteboard on back of door, key hooks, pencil holder, and fixed plexi-glass fronted shelves.
- WMC1230, WMC1233, and WMC1236 have 2 fixed shelves. WMC1239 and WMC1242 have 3 fixed shelves.
- Not recommended for use next to a Peninsula cabinet due to the additional 1/4" cabinet depth.
- Door will open 90° without decorative hardware.
- Cabinet should be hinged on wall side.
- For proper installation, adjacent cabinet must have FPEB or 1/4" skin applied.
- Overlay fillers can be used on side of cabinet to add a decorative touch.

### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	EXBK	EX	FB	FFD	FPEB	ID	INVFRM	MIP	P	PFINBTMB	RD	TD	TVR_V	WLI
		•	•								STD			•						•

### **Construction Upgrades**

# APC PE

Doo	r Opi	ions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

# CLASSIC ARCH WOOD HOOD, 36", 42", or 48" WIDE



### WHA36

### WHA42

### WHA48

- $\bullet \ \ \text{Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets)}.$
- Exhaust system not included. Compatible with all blowers on page 151.
- Compatible with Classic Wood Hood Chimney (WHC\_\_), which can be trimmed. See page 145.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required.
- Arched raised panel valance front.
- $\bullet\,$  Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

# MODIFICATIONS No modifications available for these products.

Distressing	Heirlooming
•	•

**WHS30** 

WHS36

**WHS42** 

WHS48

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all blowers on page 151.
- Compatible with Classic Wood Hood Chimney (WHC\_\_), which can be trimmed. See page 145.
- Check your local building code for installation heights above the range.
- · Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### **MODIFICATIONS**

No modifications available for these products.

### **Finish Techniques**

Distressing	Heirlooming
•	•

# ARCH FLAT PANEL WOOD HOOD, 30", 36", 42", or 48" WIDE



### WHAFP30

WHAFP36

WHAFP42

### WHAFP48

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all blowers on page 151.
- Compatible with Classic Wood Hood Chimney (WHC\_\_), which can be trimmed. See page 145.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### **MODIFICATIONS**

No modifications available for these products.

### Finish Techniques

Distressing	Heirlooming
•	•

# SQUARE FLAT PANEL WOOD HOOD, 30", 36", 42", or 48" WIDE



### WHSFP30

WHSFP36

WHSFP42

### WHSFP48

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all blowers on page 151.
- Compatible with Classic Wood Hood Chimney (WHC\_\_), which can be trimmed. See page 145.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

### MODIFICATIONS


No modifications available for these products.

### **Finish Techniques**

Distressing	Heirlooming
•	•

WALL CABINETS

# CLASSIC WOOD HOOD CHIMNEY, 23 1/2" HIGH



### WHC30

### WHC36

### WHC42

### **WHC48**

- 3/4" thick plywood.
- Trimmable.
- If trimmed, moulding is recommended to conceal any cut marks.
- Optional accessory for Classic Arch Wood Hood (WHA), Classic Square Wood Hood (WHS), Arch Flat Panel Wood Hood (WHAFP), and Square Flat Panel Wood Hood (WHSFP).
- Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### MODIFICATIONS

No modifications available for these products.

### Finish Techniques

	-
Distressing	Heirlooming
•	•

# LINEAR TAPERED WOOD HOOD, 30", 36", or 42" WIDE



### JWHL30

### JWHL36


### JWHL42

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all blowers on page 151.
- Chimney included and can be trimmed.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics.
- · Available in glaze finishes, but wood hood design does not provide detail for glaze hang-up.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

### MODIFICATIONS

No modifications available for these products.

# SHIPLAP STRAIGHT WOOD HOOD, 36", 42", or 48" WIDE



### JWHSHIPSTR36

### **JWHSHIPSTR42**

### **JWHSHIPSTR48**

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Constructed of 3/4" thick grooved plywood creating a shiplap appearance.

  Trimmable If trimmable modeling is recommended to consend any set model.
- $\bullet$  Trimmable. If trimmed, moulding is recommended to conceal any cut marks.
- Exhaust system not included. Compatible with all blowers on page 151.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Rustic Hickory.
- $\bullet$  No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS
No modifications available for these products.

Distressing	Heirlooming
•	•

# SHIPLAP STRAIGHT WOOD HOOD with CORBELS, 36", 42", or 48" WIDE

# 42" 42" 36", 42", 48" 151/2" 193/4" 371/2", 431/2", 491/2"

### **JWHSHIPSTRCB36**

### JWHSHIPSTRCB42

### **JWHSHIPSTRCB48**

- Includes a pair of decorative corbels.
- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Constructed of 3/4" thick grooved plywood creating a shiplap appearance.
- Trimmable. If trimmed, moulding is recommended to conceal any cut marks.
- Exhaust system not included. Compatible with all blowers on page 151.
- Check local building code and appliance installation specifications for clearance requirements (including corbels) and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Rustic Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### **MODIFICATIONS**

No modifications available for these products.

### **Finish Techniques**

Distressing	Heirlooming
•	•

# SHIPLAP TAPERED WOOD HOOD, 30", 36", 42", or 48" WIDE



### **JWHSHIPT30**

### **JWHSHIPT36**

### **JWHSHIPT42**

### **JWHSHIPT48**

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Constructed of 3/4" thick grooved plywood creating a shiplap appearance.
- Exhaust system not included. Compatible with all blowers on page 151.
- Compatible with Shiplap Wood Hood Chimney (JWHSHIPCH\_\_\_), which can be trimmed. See page 147.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Rustic Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### MODIFICATIONS

No modifications available for these products.

### Finish Techniques

Distressing	Heirlooming
•	•

# SHIPLAP TAPERED WOOD HOOD with CORBELS, 36", 42", or 48" WIDE



### **JWHSHIPTCB36**

### **JWHSHIPTCB42**

### **JWHSHIPTCB48**


- Includes a pair of decorative corbels.
- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Constructed of 3/4" thick grooved plywood creating a shiplap appearance.
- Exhaust system not included. Compatible with all blowers on page 151.
- Compatible with Shiplap Wood Hood Chimney (JWHSHIPCH\_\_), which can be trimmed. See page 147.
- Check local building code and appliance installation specifications for clearance requirements (including corbels) and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Rustic Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

### MODIFICATIONS

No modifications available for these products.

Distressing	Heirlooming
•	•

# SHIPLAP WOOD HOOD CHIMNEY, 24 3/4" HIGH



### JWHSHIPCH30

### **JWHSHIPCH36**

### JWHSHIPCH42

### **JWHSHIPCH48**

- $\bullet$  Constructed of  $3/4^{\prime\prime}$  thick grooved plywood creating a shiplap appearance.
- Trimmable. If trimmed, moulding is recommended to conceal any cut marks.
- Optional accessory for Shiplap Tapered Wood Hoods (JWHSHIPT\_ and JWHSHIPTCB\_ ) for an installed height of 54".
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Rustic Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### MODIFICATIONS

No modifications available for these products.

### **Finish Techniques**

	-
Distressing	Heirloomin
•	•

# SIMPLE TAPERED WOOD HOOD, 30", 36", 42", or 48" WIDE



### WHSMT30

### WHSMT36

### WHSMT42

### WHSMT48

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all blowers on page 151.
- Compatible with Simple Wood Hood Chimney (WHSMC\_ \_), which can be trimmed. See page 148.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Rustic Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### MODIFICATIONS

No modifications available for these products.

### Finish Techniques

Distressing	Heirlooming
•	•

# SIMPLE TAPERED WOOD HOOD with CORBELS, 36", 42", or 48" WIDE



### WHSMTCB36

### WHSMTCB42

### WHSMTCB48

- Includes a pair of decorative corbels.
- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all blowers on page 151.
- Compatible with Simple Wood Hood Chimney (WHSMC\_\_), which can be trimmed. See page 148.
- · Check local building code and appliance installation specifications for clearance requirements (including corbels) and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Rustic Hickory.
- $\bullet$  No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for	
these products.	

	•
Distressing	Heirlooming
•	•

# SIMPLE WOOD HOOD CHIMNEY, 24 3/4" HIGH

## 191/2", 251/2" 311/2", 371/2" 1715/16", 2315/16", 1231/32" 1715/16", 2315/16",

148

WHSMC30

WHSMC36

WHSMC42

### WHSMC48


- $\bullet\,$  Trimmable. If trimmed, moulding is recommended to conceal any cut marks.
- Optional accessory for Simple Tapered Wood Hoods (WHSMT\_\_ and WHSMTCB\_\_) for an installed height of 54".
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Rustic Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for	
these products	

### Finish Techniques

Distressing	Heirlooming
•	•

# CANOPY ARCH WOOD HOOD, 30" or 36" WIDE, 24" HIGH



### WHCA30

### WHCA36

- Install Wood Hoods between adjacent cabinets.
- Doors matching the style ordered will be installed on hood.
- Exhaust system not included. Compatible with all blowers on page 151.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required. Interior bottom section is finished below liner. Liner is not arched.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- When ordered in Rustic Alder or Rustic Hickory, only the doors will have Rustic characteristics.
- Arched raised panel valance front.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for these products.	


### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
								•

### **Finish Techniques**

Distressing	Heirlooming
•	•

# CANOPY ARCH WOOD HOOD, 30" or 36" WIDE, 30" HIGH



### JWHCA3030

### JWHCA3630

- Install Wood Hoods between adjacent cabinets.
- Doors matching the style ordered will be installed on hood.
- Exhaust system not included. Compatible with all blowers on page 151.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required. Interior bottom section is finished below liner. Liner is not arched.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- When ordered in Rustic Alder or Rustic Hickory, only the doors will have Rustic characteristics.
- Arched raised panel valance front.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


MODIFICATIONS
No modifications available for
these products.

### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
								•

	•
Distressing	Heirlooming
•	•

### **CANOPY SQUARE WOOD HOOD,** 30" or 36" WIDE, 24" HIGH



### WHCS30

### WHCS36

- Install Wood Hoods between adjacent cabinets.
- Doors matching the style ordered will be installed on hood.
- Exhaust system not included. Compatible with all blowers on page 151.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required. Interior bottom section is finished below liner.
- · Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- When ordered in Rustic Alder or Rustic Hickory, only the doors will have Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

	MODIFICATIONS	
N	o modifications available for	
	these products.	


### **Door Options**

	· - p·							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
								•

### Finish Techniques

Distressing	Heirlooming
•	•

### **CANOPY SQUARE WOOD HOOD,** 30" or 36" WIDE, 30" HIGH



### JWHCS3030

### JWHCS3630

- Install Wood Hoods between adjacent cabinets.
- Doors matching the style ordered will be installed on hood.
- Exhaust system not included. Compatible with all blowers on page 151.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required. Interior bottom section is finished below liner.
- · Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- When ordered in Rustic Alder or Rustic Hickory, only the doors will have Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for these products.	

### Door Ontions

-	. op.							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
								•

### Finish Techniques

Distressing	Heirlooming
•	•


### STRAIGHT BATTEN WOOD HOOD, 30" or 36" WIDE,


# 24" or 30" HIGH



### WHSBATTEN3024

### WHSBATTEN3030





### WHSBATTEN3624




- · Install between adjacent cabinets.
- Exhaust system not included. Compatible with all blowers on page 151.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- $\bullet$  End rails, side stiles, and center stiles are 2 1/4" wide with a shaker profile.
- Grain runs vertical on center panels in upper section and horizontal on center panel in lower section.
- Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### **MODIFICATIONS** No modifications available for these products.

	•
Distressing	Heirlooming
•	•

# STRAIGHT BATTEN WOOD HOOD, 30", 36", or 42" WIDE, 36" HIGH

# 30" 29" 281/2"





### WHSBATTEN3036

### WHSBATTEN3636

### WHSBATTEN4236

- Install between adjacent cabinets.
- Exhaust system not included. Compatible with all blowers on page 151.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- End rails, side stiles, and center stiles are 2 1/4" wide with a shaker profile.
- Grain runs vertical on center panels in upper section and horizontal on center panel in lower section.
- Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


### MODIFICATIONS

No modifications available for these products.

### Finish Techniques

Distressing	Heirlooming
•	•

# TAPERED WOOD HOOD, 30" or 36" WIDE, 24" HIGH



### TWH30

### TWH36FW


- Install Wood Hood between adjacent cabinets.
- $\bullet\,$  Exhaust system not included. Compatible with all blowers on page 151.
- Check your local building code for installation heights above the range.
- Tapered design.
- Liner opening size: 10 1/4" deep x 19 1/2" wide.
- Silver metallic liner included, not available for order separately.
- $\bullet \ \ \text{Wood hoods ordered in Rustic Alder and Rustic Hickory will not feature Rustic characteristics}.$
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

### MODIFICATIONS

No modifications available for these products.

Distressing	Heirlooming
•	

### **WOOD HOOD BLOWER, 1100 CFM**




### BLOWER1100

- 1100 CFM.
- One year warranty.
- · Ventilator housing unit features stainless steel finish.
- Two 50 watt (120 volt) halogen lamps included.
- Satellite blower installs remotely in the interior of the home (i.e., unfinished attic area.)
- Designed to work independently from internal blowers.
- Installation instructions, warranty, and repair information included.
- External ventilation required.
- Professional installation required.
- Compatible with all Wood Hoods and Hearths.
- $\bullet$  Includes two in-line transitions (8" x 12" to 10" round).
- Includes two removable dishwasher safe grease filters.
- Designed for use in applications up to 110,000 BTUs.

### MODIFICATIONS

No modifications available for these products.

# WOOD HOOD BLOWER,




### **BLOWER600**

- 600 CFM.
- $\bullet\,$  Two 3 watt (300+ Lumens, 3 settings) LED lights included.
- Installation instructions and repair information included.
- Stainless Steel finish.
- · Four speed push button control.
- Includes removable dishwasher safe arease filter.
- WIFI Enabled, Auto-Sensing, and Heat Sentry technology included.
- Sound rating is 9.5 sones on highest setting.
- Vertical ducting requires either 6" or 8" diameter vent, or 3 1/4" x 10" vent. Horizontal ducting requires 3 1/4" x 10" vent.
- 1 year warranty
- Compatible with all Wood Hoods and Hearths.

### MODIFICATIONS

No modifications available for these products.

# WOOD HOOD BLOWER,




### **BLOWER400**

- 400 CFM, Energy Star rated.
- Two 2.8 watt (250+ Lumens) LED lights included.
- Installation instructions, warranty, and repair information included.
- Stainless Steel finish.
- Three speed rotary switch control.
- Includes removable dishwasher safe grease filter.
- Heat Sentry technology included.
- Sound rating is 7.0 sones on highest setting.
- Vertical ducting requires 7" diameter vent.
- 1 year warranty.
- Compatible with all Wood Hoods and Hearths.

### MODIFICATIONS

No modifications available for these products.

### WOOD HOOD BLOWER, 250 CFM



### **BLOWER250**

- 250 CFA
- Two 2.8 watt (250+ Lumens) LED lights included.
- Installation instructions and repair information included.
- Stainless Steel finish.
- Two speed rocker switch control.
- Includes removable dishwasher safe grease filter.
- Sound rating is 8.0 sones on highest setting.
- Vertical ducting requires 7" diameter vent.
- 1 year warranty.
- Compatible with all Wood Hoods and Hearths.

### MODIFICATIONS

No modifications available for these products.

5 DAY


# 152

### **WOOD HOOD INTERIOR** DUCTWORK CONVERSION KIT FILTERCHAR

# CONVERSION

### FILTER250/390

### FILTER 500




- CONVERSION includes: (1) 21" x 7" round pipe, (1) adjustable collar, (1) white metal soffit grille (11 3/8" x 3 5/8"), (1) angle boot, (1) 7" x 6" reducer, filter, and installation instructions.
- CONVERSION is compatible with BLOWER250, BLOWER400, and BLOWER600.
- FILTERCHAR is a replacement charcoal filter used to provide proper filtration for air recirculation when a conversion kit is used. The filter attaches to the inside of the removable mesh
- FILTER250/390 and FILTER500 are for use with previous blower units only. FILTER250/390 is required when CONVERSION is used with TWHBLOWER250/TWHBLOWER390. FILTER500 is required when CONVERSION is used with BLOWER500.

### MODIFICATIONS

No modifications available for these products.


### HEARTH (FLOATING), 36" HIGH, 21" DEEP



• Cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets or tall panels.

			Heart	h Width			
36" High		48"	54″	60"	66"		
	Pier (left)	HP93621	HP93621	HP93621	HP93621		
	Pier (right)	HP93621	HP93621	HP93621	HP93621		
_	Mantel	HM3023.5	HM3623.5	HM4223.5	HM4823.5		
₩	Valance	JRPV30 or JRCPV30	JRPV36 or JRCPV36	JRPV42 or JRCPV42	JRPV48 or JRCPV48		
	Corbel (2 Qty)	CORBELMIS9	CORBELMIS9	CORBELMIS9	CORBELMIS9		
ന	Shelf	HS48	HS54	HS60	HS66		
	Hood Liner	HL30	HL36	HL42	HL48		
	Blower		All blowers o	are compatible			

### HEARTH PIER, 9" WIDE, 36" HIGH



### HP93621

- Matching Interior Plywood (MIP) standard.
- Designed for use with a floating hearth application.
- Not available in Rustic Hickory.
- Recommended for use with 24" high Mantel and 9" high Corbels.

### **Custom Modifications**


ADDTK AUTH CBO CCO CFNTO CFRMO CND EXBK EX FB FFD FPEB ID INVFRM MIP P PFINBTMB RD TD TVR_V																					
ADDIN ACITI COO CCO CINIO CINIO CIO EADN EX TO TEO TO TIVE INTERNAL MILI I TITINOTINO NO TO TAX_Y	VUULK	AHTHA	CRO	rrn	CENTO	CERMO	CND	FYRK		FR	FFD	FPFR	IN	INVERM	MIP	Р	PEINIRTMR	ΡN	TN	TVP V	WLI
	ADDIK	AUIII	CDO	CCU	CINIO	CLIMIO	CIVD	LADIA	L/\	עו	עוו	IILD	Iυ	HAALIMA	/1111	- 1	טווווטווווו	IΛD	Iυ	1417_4	WLI
STD • • STD • STD • STD			STD		•	•		•				cm	•		STD			•			

### Construction Upgrades

CONSTRUCTION	i opgiuues
APC	PE

Doo	r Opi	tions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO

### HEARTH MANTEL, 23 1/2" HIGH



### HM3023.5

HM3623.5

HM4223.5

### HM4823.5

- Recommended for use with 36" high Hearth Piers and same width Raised or Recessed Panel Arched Valance (see page 153).
- Not available in Rustic Hickory.
- Doors for Hearth Mantel are included. Field installation required for attachment of outer doors to Hearth Piers.

MODIFICATIONS	
No modifications available for these products.	

### **Door Options**

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	MFO
				•				•

### Finish Techniques

Distressing	Heirlooming
•	•

### HEARTH SHELF, 4 1/2" DEEP





### **HS48**

HS54


HS<sub>6</sub>0

### HS66

- Shelves will install on top of corbels and will slightly overlay the Raised or Recessed Panel Arched Valance.
- Shelf width should match the overall hearth width (pier width + Mantel/valance width).
- $\bullet$  Actual shelf width is  $1/2^{\prime\prime}$  shorter than the dimension in the product code.
- Shelf finished on one long edge, two short edges, top, and bottom.
- Not available in Rustic Hickory.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.

MODIFICATIONS	
No modifications available for	
these products	

### **HEARTH LINER**



### HL30

HL36

HL42

### HL48

- Liner is metallic silver.
- Compatible with all blowers.
- Mounts to wall and adjoining cabinets.
- Recommended for use with Raised or Recessed Panel Arched Valance.

### MODIFICATIONS

No modifications available for these products.

### BASE CABINET NOMENCLATURE

All Base Cabinets are 34  $1/2^{\prime\prime}$  high and 24  $\!^{\prime\prime}$  deep unless otherwise noted.

Cabinet Type Cabinet Width Base Cabinets are shipped with an unfinished toekick. Finished toekicks in matching wood veneer or laminate must be ordered separately and field installed.

TOEKICKS

### MODIFICATIONS GRID KEY

STD


Available Standard on these cabinets



5 Day Express Response Item

		C	USTOM MODIFICATIONS				CONSTRUCTION UPGRADES		DOOR OPTIONS
Mod.	Description	Mod.	Description	Mod.	Description	Mod.	Description	Mod.	Description
AUTHB	Authentic Ends - Both	EXBKR	End Extended Back - Right	MIP	Matching Interior Plywood	APC	All-plywood Construction	DPSRR	Door Panel - Solid Reverse Raised
AUTHL	Authentic End - Left	EXL	Extended Stile - Left	P	Peninsula	ET	EasyTrax™		
AUTHR	Authentic End - Right	EXR	Extended Stile - Right	PTOWB	Push to Open Wastebasket	PE	Plywood Ends		
CBO	Cabinet Box Only	FB	Finished Ends	RD	Reduced Depth				
CCO	Cabinet Case Only	FD	Full Depth Shelf	RECTKALL	Recessed Island Toekick				
CFNTO	Cabinet Front Only	FFDL	Face Frame and Door	RECTKBK	Recessed Toekick - Back				
CFP	Cabinet False Panel		on End - Left	RECTKL	Recessed Toekick - Left				
CFRMO	Cabinet Frame Only	FFDR	Face Frame and Door	RECTKR	Recessed Toekick - Right				
CMAT	CabMat™		on End - Right	RT	Installed Roll Tray				
CND	Cabinet with No Door,	FPEB	Furniture Finished	SCPDRW	Scooped Drawer				
	with Drawer		Plywood Ends	TD	Tray Dividers				
DRT	Deep Roll Tray	FTK	Flush Toekick	TOTSSS	Tilt-out Tray, Stainless Steel Slim				
DRWPWR	PowerGlide <sup>™</sup> Compact	FTKAV	Flush Toekick Arch	TVRAV	Valance Top Rail, Arch				
	Drawer Outlet .	FTKFV	Flush Toekick Furniture	TVRFV	Valance Top Rail, Furniture				
DRWSEC	Biometric Secured Drawer	ID	Increased Depth	TVRVV	Valance Top Rail, Straight				
DRWTK	Toekick Drawer	INVFRM	Inverted Frame	VTK	Void Toekick				
EXBKL	End Extended Back - Left	LTI	Light Installed Battery Strip	WLI	White Laminate Interior				
			•						

### **BASE SINGLE DOOR**



B9 L or R B12 L or R

B15 L or R

B18 L or R

B21 L or R

B24 L or R

• Adjustable 15" deep shelves.

### **Custom Modifications**

AUT	CBC	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	B FD	FFD	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	Р	PTOWB	RD	RECTK_	RT	SCPDRW	TD TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•		•*	•*	•*	•	•	• •	•	•	•	•+	П	•	•+	•	•4		•	•	•4	•			•	•

\*Not available on 9", 12", and 15" wide \*Not available on 9" and 12" wide ANot available on 9" wide Not available on 9", 12", 15", and 18" wide



Door Options
DPSRR

# **BASE DOUBLE DOOR** 341/2

**B24** 

**B27** 

**B30** 

**B33** 

**B36** 


**B39** 

**B42** 

B45 **B48CS** 

**B48** 

• Adjustable 15" deep shelves.





### **Custom Modifications**

AUT	H CBC	) (((	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V I	D INVF	RM I	LTI /	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•		•	•*	•+	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•

COIISII	CIIOII O	pyruucs
APC	ET	PE
•		•

Door Options
DPSRR
•

### **BASE SINGLE DOOR with WOOD** TIERED CUTLERY DIVIDER DRAWER

15", 18", 21", or 24"



B15WTCD L or R

B18WTCD L or R

**B21WTCD L or R** 

**B24WTCD L or R** 

- Adjustable 15" deep shelf.
- $\bullet$  Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1 3/8".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 372.

### **Custom Modifications**

ΑU	JTH (	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
- [-	•	•	•	•	•	•		•				•*	•	•	•	•	•	•	•	•	П		•	•	•			•	•					•	•

\*Not available on 15" wide

### **Construction Upgrades**

APC	ET	PE
•		•

	Door Options
[	DPSRR
ſ	•


### **BASE DOUBLE DOOR with WOOD** TIERED CUTLERY DIVIDER DRAWER

### **B24WTCD**

### **B30WTCD B36WTCD**



- Adjustable 15" deep shelf.
- Exterior WTCD drawer box height is 3.3/4", interior height of top and bottom tier is 1.3/8".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 372.



### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•				•	•	•	• •	•	•	•	•			•	•	•			•	•					•	•

		. 9
APC	ET	PE
•		•

Door (	Options
--------	---------

DPSRR	

### **FULL HEIGHT BASE SINGLE DOOR,** 6" WIDE

### B6FH L or R

- $\bullet\,$  Frame opening is 3" wide.
- Cabinet has a full top panel.
- Utilizes a 5 1/2'' wide overlay filler as a hinged door. • When FFDL or FFDR modification is selected, the VTK modification will automatically be selected.



**Custom Modifications** 

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FFB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WU • • • • • •


\*Includes VTK

Constru	ction U	pgrades
APC	ET	PE

Door Options
DPSRR

### **FULL HEIGHT BASE SINGLE DOOR**

9", 12", 15", 18", 21", or 24" 341/2"



B9FH L or R B12FH L or R B15FH L or R B18FH L or R B21FH L or R

B24FH L or R

• Adjustable 15" deep shelf.

### **Custom Modifications**

Αl	JTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FI	D FFC	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
Г	•	•	•	•		•						•*	•	•	•	•	•	•	•+	•		•+	•	•		•	•	•4		•			•	•

\*Not available on 9", 12", and 15" wide \*Not available on 9" and 12" wide \*Not available on 9" wide

### **Construction Upgrades**

		3
APC	ET	PE
•		•



### **FULL HEIGHT BASE SINGLE DOOR,** 40 1/2" HIGH



B1240FH L or R B1540FH L or R B1840FH L or R B2140FH L or R B2440FH L or R • Two adjustable 15" deep shelves.

**Custom Modifications** 


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•		•						•*	•	•	• •	•	•	•	•+	•		•+	•	•		•	•	•					•	•


\*Not available on 12" and 15" wide 
\*Not available on 12" wide


COIISII U	ciioii o	pyruucs
APC	ET	PE
•		•

ITOT GVGIIGDIO OII 12
<b>Door Options</b>
DPSRR

### **FULL HEIGHT BASE DOUBLE DOOR**







B24FH

B27FH

B30FH

B33FH

B36FH

B39FH B42FH

B45FH

B48FHCS

### B48FH

• Adjustable 15" deep shelf.

### **Custom Modifications**

AU	TH CBC	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	B FD	FFD	FPEB	FTK	FTK V	ID	INVFRM	LTI	MIP	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSSS	TVR '	V VTK	( W	LI
•	•	•	•		•						•*	•	•		•	•	•	•	•		•	•	•		•	•	•		•*			•	•	,


\*Not available on 39", 42", 45", and 48" wide


### Construction Upgrades


APC	ET	PE
•		•

Door Options
DPSRR

# FULL HEIGHT BASE DOUBLE DOOR, 40 1/2" HIGH







B2440FH

B2740FH

B3040FH

B3340FH

B3640FH

B3940FH

B4240FH

B4540FH

**B4840FHCS** 

### B4840FH

• Two adjustable 15" deep shelves.

### **Custom Modifications**

AUTI	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P P	TOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•		•						•*	•	•	• •	•	•	•	•	•		•	•	•		•	•	•					•	•

\*Not available on 39", 42", 45", and 48" wide

		-
APC	ET	PE
•		•



WB12 L or R

WB15 L or R

WB18 L or R

WB21 L or R

WB24 L or R

- Two full depth shelves.
- Will have the same shelf hole drill pattern as a base cabinet.

### **Custom Modifications**

AUTH	CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_\	VTK	WLI
•	•	•	•		•							•	•	•	•	•	•	•*	•			•		•	•+			•			•	•

\*Not available on 12" wide  $^{+}$ RECTKALL and RECTKBK not available

**Construction Upgrades** 

APC ET PE **Door Options** DPSRR

**WALL BASE DOUBLE DOOR** 

24", 27", 30", 33", or 36" 341/2

**WB24 WB27** 

**WB30** 

**WB33** 

**WB36** 

**WB39** 

**WB42** 

WB45

WB48CS

**WB48** 

• Two full depth shelves.

• Will have the same shelf hole drill pattern as a base cabinet.





### **Custom Modifications**

ALIT	TI CDC	CCO	CENTO	CED	CFRMO	CMAT	CNID	DDT	DD/M/D/M/D	DRWSEC	DDWTV	EXBK	LA L	R FD	FFD	EDED	ГТИ	FTV V	ID	INVFRM	ITI	MIP	P PTOW	חם נ	RECTK	DT	CCDDDM	TD	TOTCCC	T\/D \	/ VITV	TAZET
AU	LI CRC	LLU	CFNIU	LTT	CFK/MU	CMAI	CND	UKI	UKWYYWK	DKW2FC	DRWTK	FYRY	LY L	R LN	עזז	FYFR	TIK	FTK V	ıυ	INVFK/W	LII	MIP	PIUWI	S KU	KEUIK	KI	SCPDRW	עו	TOTSSS	IVK 1	VVIK	WLI
																		_							-+			*				

\*Not available on 39", 42", 45", and 48" wide  $\,\,^{+}\!RECTKALL$  and RECTKBK not available

### Construction Unarados

COIISII	ciioii o	pyi uues
APC	ET	PE
•		•

Door Options
DPSRR
•

**BASE CABINETS** 

160

# 30" SUPERCABINET™ 30" Opening Opening Width 73/16" Width 177/6"

BSC30RP

BSC30PR

BSC30RS


BSC30SR


BSC30RP


### BSC30R

- 341/2" Opening Width 177/6" Width 779/16"
- Nomenclature represents left to right order of interior components. Example: BSC30RS =  $\underline{B}$ ase  $\underline{S}$ uper $\underline{C}$ abinet $\underline{\ }^{\text{\tiny{M}}}$   $\underline{\ }$ 00"  $\underline{R}$ 0ll-out  $\underline{S}$ helves.
- Shelves are adjustable and 20" deep.
- Roll trays are Full Extension side-mounted.
- Cabinets utilize 170° hinge. For sufficient pull-out clearance, 12" of adjacent space is required for door to open 170° when installed near a wall or corner.
- Each door features a chrome and wood three-tiered rack.
- Door rack width is 9 3/8".
- Door rack depth is 3".
- Integrated soft-close hinge not included. Premium door mechanism installed.

BSC30PR








### **Custom Modifications**

AUTH	CBO	((0)	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FI	) FFD	FPEB	FTK	FTK_V	l ID	INVFRM	LTI	MIP F	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•		•						•	•	•	•		•	•	•				•			•						•	•

## Construction Upgrades APC ET PE

Door Options
DPSRR



BV2SC30PR


BV2SC30RP


**BV2SC30RS** 

### BV2SC30SR

- Nomenclature represents left to right order of interior components. Example: BV2SC30RS =  $\underline{B}$ ase  $\underline{V}$ ersion  $\underline{2}$   $\underline{S}$ uper $\underline{C}$ abinet $\underline{m}$   $\underline{30}''$   $\underline{R}$ oll-out  $\underline{S}$ helves.
- Shelves are adjustable and 20" deep.
- Chrome Roll-out trays feature smart close.
- Cabinets utilize 170° hinge. For sufficient pull-out clearance, 12" of adjacent space is required for door to open 170° when installed near a wall or corner.
- Each door features a chrome and wood three-tiered rack.
- Door rack width is 9 3/8".
- Door rack depth is 3".
- Side pull-outs feature 3 adjustable chrome and wood baskets on frame with smart close.
- Integrated soft-close hinge not included. Premium door mechanism installed.







### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FFE	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOW	B RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V		WLI
•	•	•	•		•						•	•	•	•		•	•	•				•			•	П					•	•

APC	ET	PE
•		•

Door Options	
DPSRR	

### 36" SUPERCABINET™



# BSC36PRS

BSC36PRP

### BSC36SRP


### BSC36SRS


- $\bullet \ \, \text{Nomenclature represents left to right order of interior components.} \\ \text{Example: BSC36PRS} = \underline{\text{Base }} \underline{\text{Super}} \underline{\text{Cabinet}}^{\infty} \underline{36}'' \underline{\text{Pull-out }} \underline{\text{Roll-out }} \underline{\text{Shelves.}}$
- Shelves are adjustable and 20" deep.
- Roll trays are Full Extension side-mounted.
- Cabinets utilize 170° hinge. For sufficient pull-out clearance, 12" of adjacent space is required for door to open 170° when installed near a wall or corner.
- Each door features a chrome and wood three-tiered rack.
- $\bullet$  Door rack width is 12 3/8".
- Door rack depth is 3".
- Integrated soft-close hinge not included. Premium door mechanism installed.



BSC36PRP








**Custom Modifications** 

Αl	JTH C	BO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PT	TOWB	RD R	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
	•	•	•	•		•						•	•	•	•		•	•	•	П			•				•						•	•

		3
APC	ET	PE
•		•

Door	Options

DPSRR	
•	





**BV2SC36PRS** 


BV2SC36SRP

### BV2SC36SRS

- Nomenclature represents left to right order of interior components. Example: BV2SC36PRS =  $\underline{B}$ ase  $\underline{V}$ ersion  $\underline{2}$   $\underline{V}$ eursion  $\underline{V}$ eurs
- Shelves are adjustable and 20" deep.
- Chrome Roll-out trays feature smart close.
- Cabinets utilize 170° hinge. For sufficient pull-out clearance, 12" of adjacent space is required for door to open 170° when installed near a wall or corner.
- Each door features a chrome and wood three-tiered rack.
- Door rack width is 13 7/8".
- Door rack depth is 3".
- Side pull-outs feature 3 adjustable chrome and wood baskets on frame with smart close.
- Integrated soft-close hinge not included. Premium door mechanism installed.







### **Custom Modifications**

AUTH	CBO	CCO	CFNTO C	P CFRMO	CMAT	CND [	RT DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID I	INVFRM	LTI I	MIP P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•					•	•	• •	•		•	•	•				•			•						•	•


Constru	iction	Up	ogrades
100	FT	_	25

APC	ET	PE
•		•

	Door Options
	DPSRR
ſ	•

# **BASE CABINETS**

### **BASE with ROLL TRAYS**



B12RT L or R B15RT L or R

B18RT L or R

B21RT L or R

B24RT L or R

- 2 roll trays standard.
- Cabinet may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 377.

### **Custom Modifications**


AUT	'H CBI	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	B FD	FFD	FPEB	FTK	FTK_V I	D INVFRM	LTI	MIP F	PTOWB	RD	RECTK_	RT SCPD	W T	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•	•	•*	•*	•*	•	•	•		•	•	•+			•		•	•	•				•	•

\*Not available on 12" and 15" wide +Not available on 12" wide

COIISITO	CITOII OF	y uucs
APC	ET	PE
•	•	•

Door Options
DPSRR

### **BASE DOUBLE DOOR with ROLL TRAYS**



B24RT

B27RT

**B30RT** 

B33RT

B36RT

- 2 roll trays standard.
- Cabinet has butt doors, no center stile.
- Cabinet may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 377.

### **Custom Modifications**

A	UTH (	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	ЕХ	FB FE	) FFD	FPEB	FTK	FTK_V	/ ID	INVFRM	LTI	MIP	P P1	TOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	/ VTK	WLI
	•	•	•	•	•	•		•	•	•	•*	•	•	•	•		•	•	•				•			•	•		•				•	•


\*Available only on 24" wide

### **Construction Upgrades**

		· 9
APC	ET	PE
•	•	•

Door opnous
DPSRR
•

### **BASE DOUBLE DOOR with ROLL TRAYS**



B39RT


B42RT

B45RT

**B48CSRT** 

### B48RT

- 4 roll trays standard.
- Cabinet may accommodate up to 8 roll trays, which may be purchased separately for field installation. See page 377.



### **Custom Modifications**


AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT S	SCPDRW	TD TO	TSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•	•	•	•*		•	•	•		•	•	•			•		•	•	П	•				•	•

\*Available only on 42" and 48" wide

		•
APC	ET	PE
•	•	•

Door Options
DPSRR
•

### **BASE FULL HEIGHT with ROLL TRAYS**



B12FHRT L or R B15FHRT L or R

B18FHRT L or R

B21FHRT L or R

B24FHRT L or R

- 2 roll trays standard.
- Cabinet may accommodate up to 5 roll trays, which may be purchased separately for field installation. See page 377.

### **Custom Modifications**

AU	TH	CBO	CCO	CFNTO	CFP CFRM	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_V	/ ID	INVFRM	LTI	MIP	P PTOWE	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_\	VTK	WLI
-	•	•	•	•	•			•			•*	•	•	•		•	•	•				•		•	•						•	•


\*Not available on 12" and 15" wide

### Construction Ungrades

40113114		pg. aao3
APC	ET	PE
•	•	•

Door Options
DPSRR
•

### **BASE FULL HEIGHT with ROLL TRAYS**



**B24FHRT** 

**B27FHRT** 

**B30FHRT** 

**B33FHRT** 

**B36FHRT** 

- 2 roll trays standard.
- Cabinet has full height butt doors, no center stile.
- Cabinet may accommodate up to 5 roll trays, which may be purchased separately for field installation. See page 377.

### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP CFRM	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID I	INVFRM	LTI	MIP P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•			•			•	•	•	•		•	•	•				•		•	•						•	•

### Construction Upgrades

40113110		ppg. aao
APC	ET	PE
•	•	•



### **BASE FULL HEIGHT DOUBLE DOOR** with ROLL TRAYS



48"

**B39FHRT** 

**B42FHRT** 

**B45FHRT** 

**B48FHCSRT** 

### **B48FHRT**

- Cabinet may accommodate up to 10 roll trays, which may be purchased separately for field installation. See page 377.

# 341/2

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_V	/ ID	INVFRM	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_	VTK	W
•	•	•	•		•											•		•				•		•	•	П						

APC	ET	PE
•	•	•

Door Options								
DPSRR								

# BASE SINGLE DOOR with WOOD TIERED CUTLERY DIVIDER DRAWER and ROLL TRAYS

15", 18", or 21"
341/2"

B15RTWTCD L or R B18RTWTCD L or R B21RTWTCD L or R

**B24RTWTCD L or R** 

• 2 roll trays standard.

- Cabinet may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 377.
- $\bullet$  Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1 3/8".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 372.

### **Custom Modifications**

[	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD FFC	FPEB	FTK	FTK_V	ID INVFRM	LTI	MIP F	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
	•	•	•	•	•	•		•	•			•*	•	•	•		•	•	•			•			•						•	•


\*Not available on 15" wide

### Construction Upgrades

APC	ET	PE
•	•	•

Door Options
DPSRR
•

# BASE DOUBLE DOOR with WOOD TIERED CUTLERY DIVIDER DRAWER and ROLL TRAYS




### **B24RTWTCD**

### B30RTWTCD

### **B36RTWTCD**

- 2 roll trays standard.
- Cabinet may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 377.
- Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1 3/8".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 372.




### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID INVFRN	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•	•			•	•	•	•		•	•	•		П	•		П	•						•	•

APC	ET	PE
•	•	•

	Door Options
[	DPSRR
Г	

### **POTS & PANS ORGANIZER BASE** with DRAWER



B24PS L or R


B24PS

B30PS

B36PS

- Cabinet has butt doors, no center stile.
- Cabinet has bottom roll tray with double lid storage shelves above.
  Base Pan Storage unit is also available as an accessory for field installation. See page 370.

168



### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FF	D FPEI	FTK	FTK_	V ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•		•	•*	•	•	•	•		•	•	•				•			•	Г	•	П			•	•


\*Available only on 24" wide

COIISII	ciioii o	y uucs
APC	ET	PE
•		•

### **Door Options** DPSRR


### **BASE POTS & PANS PULL-OUT**

### BPPP24 L or R



### BPPP24

- Full Extension slide-out shelves pull out independently.
- Pots and Pans Pull-out is also available as an accessory for field installation. See page 373.
   For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.




### **Custom Modifications**

ALITH	CDO	CCO	CENTO	CED	CEDMO	CHAT	CND	DDT	DDMADMAD	DDMCLC	DDWTV	LADIA	LA L	п гп	LLD	LULU	ΓTΙ/	FTI/ V/	ID IMIV	EDM	ITI AA	n n	DTOMB	חח	DECTIV	DT	CCDDDW	TD	TOTCCC	TVD V	VITI	14/11
AUIT	CRO	LLU	CLMIO	LTT	CFK/MU	CMAI	CND	UKI	DRWPWR	DKM2FC	DKWIK	FYRV	LY L	R LN	עזז	LLFR	TIK	FIK_V	IU IIVV	FK/W	LII M	rr	LIOMR	ΚU	KECIK_	KI	SCPDRW	ועו	101222	IVK_V	VIK	WLI
																																-
	•		•		•				•	•	•					•	•	•							•		•				•	

Constru	iction Up	ogrades
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
•

### **BASE POTS & PANS PULL-OUT**



### BPPP30

- $\bullet\,$  Full Extension slide-out shelves pull out independently.
- Pots and Pans Pull-out is also available as an accessory for field installation. See page 373.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.

### **Custom Modifications**


A	UTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD F	FD FF	PEB	FTK	FTK_V	' ID	INVFRM	LTI	MIP P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
	•	•	•	•	•	•		•		•		•	•	•	•			•	•	•	Г			•			•		•				•	•

### **Construction Upgrades**

		· g
APC	ET	PE
•		•

Door	Options
0	PSRR

# BASE with FOOD STORAGE CONTAINER ORGANIZER



### B18FSCO L or R

### B24FSCO L or R

- Pull-out features natural finished hardwood dovetailed box with chrome rails on lower section with undermount smart close guides.
- Includes seven chrome "U" pegs to use on the pegboard bottom to customize the fit to container sizes.
- Adjustable clip-on lid dividers included to fit with a variety of lid shapes. 18" wide includes five dividers, 24" wide includes eight dividers.
- Front of pull-out is routed for easy access.


### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	ORT DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	D INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT SCP	DRW	TD TOTSSS	TVR_\	VTK	WLI
•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•			•			•		•			•	•

		•
APC	ET	PE
•		•

	Door Options
Γ	DPCPP

### **BASE with CAN and WINE BOTTLE PULL-OUTS**



### B18CWP18 L or R

- Pull-outs feature natural finished hardwood with side-mounted guides (smart close not included).
- One adjustable full depth shelf.
- Holds eighteen wine bottles.
  Insert not available as a field installed kit.

153/4" 31/8" Clearance Height

### **Custom Modifications**


AUTH	CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FI	D FF	D FPEB	FTK	FTK_V	ID	INVFRM	LTI A	AIP P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•		•	•	•	•	•	<ul> <li>ST</li> </ul>	D	•	•	•		•		•			•		•				•	•

### **Construction Upgrades**

		· g
APC	ET	PE
•		•

Door Options
DPSRR
•

# BASE FULL HEIGHT with CAN and WINE BOTTLE PULL-OUTS





### B18FHCWP18 L or R

- Pull-outs feature natural finished hardwood with side-mounted guides (smart close not included).
- One adjustable full depth shelf.
- Holds eighteen wine bottles.
- Insert not available as a field installed kit.

### **Custom Modifications**


LAUE	ru co		CENTO	CED	CEDITO	CHIT	CND	DDT	DDIMBIND	DDIMCEC	DDIATE	EVD1/	EV.	-	· D · I	rrn I	FDFD	ETI/	ETI/ 1	, ID	IND/EDIA	171	HID	D DTOUID	DD	DECTI	DT	CCDDDIII	TD	TOTOCO	TI/D I	LITH	14/11
ΑU	IH CRO	) ((U	CFNIU	CFP	CFKMU	CMAI	CND	DKI	DRWPWR	DKM2FC	DKWIK	FXRK	ŁΧ	-R F	י עי	ttu I	FLFR	FIK	FIK_\	עו	INVFRM	LII	MIP	L LIOMR	Kυ	KECIK_	KI	SCPURW	Iυ	101222	IVK_V	VIK	WLI
•	•	•	•	•	•		•				•	•	•	• S	TD	•	•	•	•				•			•						•	•


COIISII	CIIOII O	pyi uucs
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
•

### **BASE with ROLL-OUT TRAY DIVIDER**

### B12TDRO L or R








• 15" - 4 compartments.

Roll-out Tray Divider is also available as an accessory for field installation. See page 376.
 Tray divider utilizes smart close undermount guides.



### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD F	FD FPE	B FTH	FTK_	V	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_\	VTK	WLI
•	•	•	•	•	•		•					•	•	•		•	•	•*				•			•	Г	•				•	•

\*Not available on 12" wide

### Construction Upgrades

		· 9
APC	ET	PE
•		•

Door Option
DPSRR

### **BASE with TRAY DIVIDER**









### TD12 L or R TD15 L or R

• Tray Divider is chrome.

• Tray Divider is also available as an accessory for field installation. See page 375.

### **Custom Modifications**


AUTH	CBC	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD FFC	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD 1	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•					•	•	•		•	•	•*	П		•*	•			•+		•				•	•

\*Not available on 9" and 12" wide +RECTKALL not available on 9" wide

40113110		opg. aaos
APC	ET	PE
•		•

Do	or Option	s
	DPSRR	

# BASE FULL HEIGHT with TRAY DIVIDER




TD9FH L or R

# TD12FH L or R TD15FH L or R

- Tray Divider is chrome.
- Tray Divider is also available as an accessory for field installation. See page 375.

172



### **Custom Modifications**

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTO	)WB	RD RECTI	R	SCPDRW	TD TO	OTSSS	TVR_V	VTK	WLI
•	•	•	•		•							•	•			•	•	•*			•*	•			•+						•	•


\*Not available on 9" and 12" wide  $\,\,\,\,\,\,\,$  \*RECTKALL not available on 9" wide


### Construction Upgrades

Constitu	CIIOII O	pgiaucs
APC	ET	PE
•		•

Door Options
DPSRR

### **BASE CABINET with MIXER SHELF**





B18FHMIXSC L or R

B21FHMIXSC L or R
B24FHMIXSC L or R

### **B24FHMIXSC**

- $\bullet\,$  Includes mixer lift with smart close closing feature.
- Mixer shelf will be 3/4" thick natural finished veneer plywood, mixer shelf dimensions:

18" wide: 11 3/4" wide x 20" deep. 21" wide: 14 3/4" wide x 20" deep.

21" wide: 14 3/4" wide x 20" deep. 24" wide: 17 3/4" wide x 20" deep.

- Maximum Weight Capacity for Mixer Shelf: 60 lbs.
- Mixer shelf locks in the fully open position. Release brackets lower the mixer shelf back into the cabinet.
- When in closed position, clearance above shelf is 17.5/8"; clearance below shelf is 7.3/4".


### **Custom Modifications**


AU	TH C	BO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FFD	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•	•	•		•						•	•	•	•		•	•	•	П		П			П	•	П					•	•


COIISII	ciioii o	yı uucs
APC	ET	PE
STD		


<b>Door Options</b>
DPSRR
•

### **SINK BASE**









SB21 L or R

SB24 L or R

SB24

**SB27** 

**SB30** 

SB33

SB36

**SB39** 

**SB42** 

SB45

SB48CS

### **SB48**

Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.

### (FP) = False Panel

### **Custom Modifications**

AU <sup>*</sup>	TH (	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD F	FD FP	EB FT	K FTK	(_V I	D INVFRM	LTI	MIP	P	PTOWB	RD	RECTK_	RT	SCPDRW	TD TO	OTSSS	TVR_V	VTK WL
•			•	•	STD	•	•*	•				•+	•	•	•		• •	•	•	• •	•	•	•	•		•	•	•			•		


\*Available only on 30", 33", and 36" wide  $\,$  \*Not available on 39", 42", 45", and 48" wide

### Construction Upgrades

APC	ET	PE
•		•

# Door Options DPSRR

### SINK BASE with CABMAT™



### SB30CM

### SB33CM

### SB36CM

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- $\bullet$  CabMat  $^{\!\scriptscriptstyle\mathsf{TM}}$  is designed to capture spills and is removable for cleaning.

	Liquid Co	apacity	Cabin	et Size
Model	Gallons	Liters	Width	Depth
SB30CM	2.0	7.6	30″	24"
SB33CM	2.4	9.0	33″	24"
SB36CM	2.7	10.2	36"	24"


### **Custom Modifications**


					-																													
A	UTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P	PTOWB	RD	RECTK_	RT	SCPDRW 1	TD 1	TOTSSS	TVR_V	VTK	WLI
	•	•	•	•	STD	•	STD	•				•	•	•	•	•	•	•	•	П		•	•	•			•				•		•	•

COIISITO	ciioii o	y uucs
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
•

341/2\*





SB243427

SB243427 L or R

SB273427

SB303427

SB333427 SB363427

SB393427

SB423427 SB453427

SB483427CS

### SB483427

• Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.

(FP) = False Panel

341/2"


### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•	•	STD	•		•					•	•	•		•	•	•			•	•	•			•				•		•	•


		-
APC	ET	PE
•		•


	Door Options
	DPSRR
ſ	•


### **SINK BASE with TILT-OUT TRAYS**











SB21ST L or R SB24ST L or R

SB24ST SB27ST

SB30ST SB33ST

SB36ST

SB39ST SB42ST SB45ST SB48CSST

### SB48ST

- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
   Includes two till-out trays on 30"-48" wide.
- Tilt-out trays are also available as an accessory for field installation. See page 375.

### **Custom Modifications**


AUTH CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	Р	PTOWB	RD	RECTK_	RT	SCPDRW	TD T	OTSSS	TVR_V	VTK	WLI
•	•	•		•	•*	•				•+	•	•	•	•	•	•	•	•		•	•	•		•	•	•					•	•

Options

Constru	ction	Up	grades
APC	ET		PE

nstru	ction Up	ogrades	Door Optio
APC	ET	PE	DPSRR
•		•	•

### **SINK BASE with TILT-OUT TRAYS** and $CABMAT^{\text{TM}}$



SB30STCM

SB33STCM

### SB36STCM

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- $\bullet \ \mbox{CabMat}^{\mbox{\tiny IM}} \ \mbox{is designed to capture spills and is removable for cleaning.}$
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Includes two tilt-out trays.
- Tilt-out trays are also available as on accessory for field installation. See page 375.

	Liquid Co	apacity	Cabin	et Size
Model	Gallons	Liters	Width	Depth
SB30STCM	2.0	7.6	30″	24"
SB33STCM	2.4	9.0	33″	24"
SB36STCM	2.7	10.2	36"	24"

### **Custom Modifications**


AU	TH (	BO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD F	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOW	3 RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
ΙΓ	•	•	•	•		•	STD	•				•	•	•	•		•	•	•	•			•	•	•		•						•	•

### Construction Upgrades

		3
APC	ET	PE
•		•

	<b>Door Options</b>
	DPSRR
Г	

### SINK BASE with TILT-OUT TRAYS, 27" DEEP



SB243427ST L or R

SB243427ST SB273427ST

SB303427ST SB333427ST

SB363427ST

SB393427ST

SB423427ST

SB453427ST

SB483427CSST

24" or 27

341/2



### SB483427ST

- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Includes two tilt-out trays on 30"-48" wide.
- Tilt-out trays are also available as an accessory for field installation. See page 375.

### SB303427ST-SB363427ST






### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FFD	FPEB	FTK	FTK_	V ID	INVFRM	LTI	MIP	P PTOW	B RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_	V VTK	WLI
•		•	•		•		•					•	•	•		•	•	•			•	•	•	П	•	П					•	•

		_
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
•

### SINK BASE SUPERCABINET™



SB30S

SB33S

### **SB36S**

- Quarter Round Reversible Shelf for left or right applications will be constructed from 3/4" thick laminated furniture board. (Shelf shipped secure, can be positioned in left or right corner.)
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Each door features a chrome and wood two-tiered rack.
- Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".

### (FP) = False Panel


#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	' ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	STD	•		•				•	•	•	•	•	•	•	•	•		•	•			•				•		•	•

### **Construction Upgrades**

Door Options
DPSRR
•

### SINK BASE SUPERCABINET™ with $CABMAT^{TM}$



### SB30SCM

### SB33SCM

### SB36SCM

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- CabMat<sup>™</sup> is designed to capture spills and is removable for cleaning.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Each door features a chrome and wood two-tiered rack.
- Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".

	Liquid Co	apacity	Cabin	et Size
Model	Gallons	Liters	Width	Depth
SB30SCM	2.0	7.6	30″	24"
SB33SCM	2.4	9.0	33″	24"
SB36SCM	2.7	10.2	36"	24"

#### **Custom Modifications**

Αl	JTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	ЕХ	FB FI	D FF	D FPEB	FTK	FTK_V	' ID	INVFRM		MIP	PI	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
	•	•	•	•	STD	•	STD	•				•	•	•	•	•	•	•	•	П		•	•	•			•				•		•	•


#### Construction Upgrades

		3
APC	ET	PE
•		•

#### **Door Ontions**

	UDCDD	Ī
	אאכ זע	
		1
ı	•	

### SINK BASE SUPERCABINET™ with **TILT-OUT TRAYS**



### SB30STS

### SB33STS

#### SB36STS

- Quarter Round Reversible Shelf for left or right applications will be constructed from 3/4" thick laminated furniture board. (Shelf shipped secure, can be positioned in left or right corner.)
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Includes two tilt-out trays.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 375.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Each door features a chrome and wood two-tiered rack.
- Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•		•		•				•	•	•	•	•	•	•	•	•		•	•			•						•	•


		3
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR

### SINK BASE SUPERCABINET™ with TILT-OUT TRAYS and CABMAT™

### SB30STSCM SB33STSCM





- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- CabMat<sup>™</sup> is designed to capture spills and is removable for cleaning.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 375.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Each door features a chrome and wood two-tiered rack.
- Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".

	Liquid Co	apacity	Cabin	et Size
Model	Gallons	Liters	Width	Depth
SB30STSCM	2.0	7.6	30″	24"
SB33STSCM	2.4	9.0	33″	24"
SB36STSCM	2.7	10.2	36"	24"

#### **Custom Modifications**

AUT	H CE	30	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID INVFRA	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•		•	STD	•				•	•	•	•	•	•	•	•		•	•		П	•	П					•	•


Constru	ction U <sub>l</sub>	grades

APC	ET	PE
•		•


### **Door Options** DPSRR


### SINK BASE with DRAWER BELOW











SB24D

SB27D

SB30D

SB33D

SB36D

SB39D

SB42D

SB45D

SB48DCS

### SB48D

- Drawers are below full cabinet floor.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Verify that sink, garbage disposal and plumbing fit opening.
- Plumbing going through floor will interfere with drawer operation. 2 3/4" clearance from back of drawer to interior back of cabinet.
- Face frame opening height is 20 1/2".
- Face frame opening height for drawer is 4 1/2".

### **Custom Modifications**

[	AUTH	CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FI	FFD	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	P F	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WL
	•	•	•			•	•*	•				•+	•	•	•		•	•	•			•	•	•		•	•						•	•

\*Available only on 30", 33", and 36" wide  $\,\,$  \*Not available on 39", 42", 45", and 48" wide

Constru	iction U <sub>l</sub>	ogrades
APC	ET	PE
•		•

	<b>Door Options</b>
	DPSRR
ſ	

### **SINK FRONT BOTTOM**





### • Designed for use with Sink Bases ordered with CFNTO.

• 3/8" thick.

SFB48

• Trimmable.

### **Custom Modifications**


AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPEB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI


### **Construction Upgrades**

APC	ET	PE
•		

Door Options
DPSRR

### **SQUARE CORNER SINK BASE**





### CS36 L or R

### CS39 L or R

### CS42 L or R

- CS36: Wall width: 36" x 36". Frame 12" x 12".
- CS39: Wall width: 39" x 39". Frame 15" x 15".
- CS42: Wall width: 42" x 42". Frame 18" x 18".
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- For sufficient dishwasher door clearance and loading/unloading space, a 15" wide base cabinet is recommended for use between a corner sink base and dishwasher.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of CS.
- Integrated soft-close hinge not included.

### **Custom Modifications**

AUTI	CB0	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V I	D INVFR	W LTI	MIP	P PT	TOWB	RD R	ECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•											,	•		•					•				•						•	•


### **Construction Upgrades**


		•
APC	ET	PE
•		•

### **Door Options**

DPSRR

### ANGLED CORNER SINK BASE





Max. Sink Widths if cut-out is 4" back from face of front frame

### (FP) = False Panel

### **Custom Modifications**

AUTI	CB0	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD F	FD FI	PEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•	•	STD	•		•							•			•	•	•			•	•			•	П					•	•

### Construction Upgrades

APC	ET	PE
•		•



### ACS36 L or R

### ACS39 L or R


### ACS42<sup>†</sup>

- Edges beveled at 45°.
- $\bullet \ \ \text{Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.}$
- For sufficient dishwasher door clearance and loading/unloading space, a 15" wide base cabinet is recommended for use between a corner sink base and dishwasher.
- For ACS36, full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

 $^{\dagger}\text{ACS42}$  has butt doors.

Model	Wall Width	Frame	Maximum Sink Width	Maximum Sink Depth
ACS36	36" x 36"	17"	25 3/4"	27 11/32"
ACS39	39" x 39"	21 1/4"	30″	27 11/32"
ACS42	42" x 42"	25 1/2"	34 1/4"	27 11/32"

### ANGLED CORNER SINK FRONT without SINK FLOOR



Max. Sink Widths if cut-out is 4" back from face of front frame

### ACSF36 L or R ACSF39 L or R

### ACSF42<sup>†</sup>

- Edges beveled at 45°.
- Angled corner sink front bottom required for field installation. Order separately. See next item.
- Toekick and toekick retainer shipped unattached from the face frame.
- For ACSF36, full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.
   †ACSF42 has butt doors.

Model	Wall Width	Frame	Maximum Sink Width	Maximum Sink Depth
ACSF36	36" x 36"	17″	25 3/4"	27 11/32"
ACSF39	39" x 39"	21 1/4"	30″	27 11/32"
ACSF42	42" x 42"	25 1/2"	34 1/4"	27 11/32"

### (FP) = False Panel

### **Custom Modifications**

AUTH	CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FI	) FFD	FPEB	FTK	FTK_	V ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK W
			STD	STD	•		•										•	•			•			П							


Construction	Upgrades
--------------	----------

		•
APC	ET	PE

Door Options	
DPSRR	
•	

### ANGLED CORNER SINK FRONT BOTTOM





### ACSFB36

### ACSFB39

### ACSFB42

- Designed for use with Angled Corner Sink Front.
- Cabinet bottom is sized for use next to an adjacent wall or cabinet with flush ends.
- 3/8" thick.


### **Custom Modifications**

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPEB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI

		3
APC	ET	PE
•		



### **COUNTRY SINK BASE**





CNTYSB30 CNTYSB33 CNTYSB36

CNTYSB39 CNTYSB42 CNTYSB45 CNTYSB48CS

### CNTYSB48

- 13 1/2" panel can be trimmed up to 12".
- $\bullet \ \, \text{Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.}$
- For apron front sinks requiring smaller cut-out heights, see Country Sink Base with Short Apron on page 183 or Base Drop-in Range Cabinets on page 213.
- Refer to sink manufacturer's recommendations for additional support required for apron front sinks.





### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	' ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•	•		•	•*					•+	•	•	•	П	•	•	•	•		•	•		•	•	•					•	•

\*Available only on 30", 33", and 36" wide  $\,\,$  \*Not available on 39", 42", 45", and 48" wide


### **Construction Upgrades**

40113114		-P	g. uuo.
APC	ET		PE
•			•

#### **Door Options**



### COUNTRY SINK BASE with CABMAT™



### CNTYSB30CM

### CNTYSB33CM

### CNTYSB36CM

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- CabMat<sup>™</sup> is designed to capture spills and is removable for cleaning.
- 13 1/2" panel can be trimmed to 12".
- For apron front sinks requiring smaller cut-out heights, see Country Sink Base with Short Apron on page 183 or Base Drop-in Range Cabinets on page 213.
- Refer to sink manufacturer's recommendations for additional support required for apron front sinks.

	Liquid Co	apacity	Cabin	et Size	
Model	Gallons	Liters	Width	Depth	
CNTYSB30CM	2.0	7.6	30″	24"	_
CNTYSB33CM	2.4	9.0	33″	24"	
CNTYSB36CM	2.7	10.2	36″	24"	


### **Custom Modifications**

AUT	H CBC	CC0	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK V	ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSSS	TVR V	VTK	WLI
110																										***						
	•		•		•	STD					•	•	•	•		•	•	•			•	•			•						•	•

APC	ET	PE
•		•

Door Options
DPSRR
_

### COUNTRY SINK BASE, 27" DEEP





CNTYSB303427 CNTYSB333427 CNTYSB363427

CNTYSB393427 CNTYSB423427 CNTYSB453427 **CNTYSB483427CS** 

### CNTYSB483427

- 13 1/2" panel can be trimmed up to 12".
   Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- For apron front sinks requiring smaller cut-out heights, see Country Sink Base with Short Apron on page 183 or Base Drop-in Range Cabinets on page 213.
- Refer to sink manufacturer's recommendations for additional support required for apron front sinks.






### **Custom Modifications**

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	B FD	FFD	FPEB	FTK	FTK_V I	D INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•	•		•							•	•	•	П	•	•	•		•	•			•	Г					•	•

APC	ET	PE
•		•

Door Options
DPSRR
•


### COUNTRY SINK BASE with SHORT APRON



CNTYSB30SA CNTYSB33SA CNTYSB36SA

### CNTYSB39SA

- 10 1/2" panel can be trimmed up to 9".
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- For apron front sinks requiring a cut-out height of 6 1/2" or less, see Base Drop-in Range Cabinets on page 213.
- Refer to sink manufacturer's recommendations for additional support required for apron front sinks.



#### **Custom Modifications**

		_												_	_				_							_						
	AUTH CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK V	ID	INVFRM	LTI	MIP F	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSSS	TVR V	VTK	WLI
ı														_	_				_							_						
- 1	•	•	•		•	•*					•*	•	•	•		•	•	•	•		•	•		•	•	•					•	•

\*Not available on 39" wide


### Construction Upgrades

APC	ET	PE
•		•

	Door Options
[	DPSRR
Γ	


### COUNTRY SINK BASE with SHORT APRON, 27" DEEP

CNTYSB303427SA CNTYSB333427SA CNTYSB363427SA



### CNTYSB393427SA

- $\bullet$  10 1/2" panel can be trimmed up to 9".
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- $\bullet$  For apron front sinks requiring a cut-out height of 6 1/2" or less, see Base Drop-in Range Cabinets on page 213.
- Refer to sink manufacturer's recommendations for additional support required for apron front sinks.



### **Custom Modifications**

		•		-																												
AUTH (	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	ЕХ	FB FE	) FFD	FPEB	FTK	FTK_	V ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_'	V VTK	WLI
		•	•		•							•	•			•	•	•			•	•			•						•	•

		· g
APC	ET	PE
•		•


Door Options
DPSRR
•

**BASE CABINETS** 

### **Sink Base Corner Cabinets**

- SBCs use the wall space the nomenclature implies.
- Remember to use 3" filler on adjoining cabinets.
  The adjoining run of cabinets will cover the void.
- The L or R in the cabinet nomenclature indicates
- the location of the void to ensure clearance.

  It is not recommended to place SBC cabinets next to appliances where any face component is deeper than 27".



184

Model	A Recommended Space	B Max. Pull*	C Max. Space	D Face Frame Opening	Full ( At Min.**	E* )verlay * At Max.	F Actual Cabinet
SBC51	51″	4 1/2"	55 1/2"	21″	3 1/4"	7 3/4"	48″
SBC54	54"	4 1/2"	58 1/2"	24"	3 1/4"	7 3/4"	51″
SBC57	57″	4 1/2"	61 1/2"	27″	3 1/4"	7 3/4"	54″
SBC60	60"	4 1/2"	64 1/2"	30″	3 1/4"	7 3/4"	57″
SBC63	63″	4 1/2"	67 1/2"	33″	3 1/4"	7 3/4″	60″


\*Minimum/maximum space between inside edge of door and face of filler/adjoining cabinet. If cabinet is pulled to maximum stated dimension, filler will need to be cleated for proper attachment.
\*\*When using hardware on cabinet doors/drawers, additional clearance may be needed.

### **SINK BASE CORNER**

SBC51 L or R

SBC54 L or R SBC57 L or R SBC60 L or R SBC63 L or R

- On void side, do not install next to an appliance deeper than standard cabinet depth due to clearance needed for the door.
- Includes one 3" filler, shipped unattached.
- L or R indicates void. L (left) void shown.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.



				Full Over	lay	l
	Sink Base Frame	Sink Base Cabinet	# of	Door Siz	ze	l
	Opening Width	Equivalent Width	Doors	Width	Height	l
SBC51	21″	24"	1	23 1/2"	23"	l
SBC54	24"	27"	2	13 3/16"	23"	
SBC57	27"	30″	2	14 11/16"	23"	l
SBC60	30″	33"	2	16 3/16"	23"	l
SBC63	33″	36"	2	17 11/16"	23"	l

### **Custom Modifications**

AUTH	CB0	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_V	ID INVFRM	LTI	MIP P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•	•	STD	•		•					•	•	•	•*	•	•		•	•	•		•	•				•		•	•


\*Face Frame and Door on End modification not available on the void side of the cabinet.

		•
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
•

### **Base Corner Cabinets**


- BCs use the wall space the nomenclature implies.
   Remember to use 3" filler on adjoining cabinets.
   The adjoining run of cabinets will cover the void.
   BCFW specifies full width base corner cabinet.
   The L or R in the cabinet nomenclature indicates the location of the void to ensure clearance.
   It is not recommended to place BC cabinets next to appliances where any free component is
- to appliances where any face component is deeper than 27".



Model	A Recommended Space	B Max. Pull*	C Max. Space	D Face Frame Opening		.* verlay At Max.	F Actual Cabinet	Full Overlay Door Width
BC36	36"	6"	42″	7 1/2"	1 3/4"	7 3/4"	27″	10″
BC39	39″	4 1/2"	43 1/2"	9″	3 1/4"	7 3/4"	30″	11 1/2"
BC42	42"	6"	48″	13 1/2"	1 3/4"	7 3/4"	39″	16″
BC45/BC45P0	45"	4 1/2"	49 1/2"	15"	3 1/4"	7 3/4"	42"	17 1/2"
BC48/BC48PO	48"	3″	51″	16 1/2"	4 3/4"	7 3/4"	45"	19″
BCFW36/BCFW36FH	36"	5″	41″	7 1/2"	1 3/4"	6 3/4"	36″	10"
BCFW39/BCFW39FH	39″	3 1/2"	42 1/2"	9″	3 1/4"	6 3/4"	39″	11 1/2"
BCFW42/BCFW42FH	42"	9″	51″	13 1/2"	1 3/4"	10 3/4"	42"	16″
BCFW45/BCFW45FH/BCFW45PO	45"	7 1/2"	52 1/2"	15″	3 1/4″	10 3/4"	45"	17 1/2"
BCFW48/BCFW48CPO/BCFW48FH/BCFW48PO	48"	4 1/2"	52 1/2"	18"	3 1/4"	7 3/4"	48"	20 1/2"
BCFW48SP	48″	4 1/2"	52 1/2"	18″	3 1/4″	7 3/4″	48"	20 1/2"

<sup>\*</sup>Minimum/maximum space between inside edge of door and face of filler/adjoining cabinet. If cabinet is pulled to maximum stated dimension, filler will need to be cleated for proper attachment.
\*\*When using hardware on cabinet doors/drawers, additional clearance may be needed.

### **BASE CORNER**



BC36 L or R

BC39 L or R

BC42 L or R

BC45 L or R

BC48 L or R

- On void side, do not install next to an appliance deeper than standard cabinet depth due to clearance needed for the door and drawer.
- Includes one 3" filler, shipped unattached.
- L or R indicates void. L (left) void shown.
- Adjustable 15" deep shelves.

### **Custom Modifications**

AUTH	CDO	CCO	CENTO	CLD	CFRMO	CMAT	CND	DDT	DRWPWR	DDMCLC	DRWTK	LADA	ΓV	ΓD	ΓD	LLU	LDLD	ΓTV	ΓTI	W ID	INVFRM	ITI	AAID	DE	DTOMO	חמ	RECTK	DT	SCPDRW	TD	TOTSSS	TVR V	/ V/TV	WILL
IAUIN	LDU	LLU	CLINIO	LLL	CLKWIO	CMAI	CIND	ואט	UKWYFWK	DKWSEC	DKWIK		ĽΛ	ΓD	Γυ	LLN	LLED	LIV	LIV	V IU	IIV V F K/VI	LII	WIL		TUVVD	Kυ	KECIK	. KI	SCLNKAA	עו	101222	IVK V	VIN	WLI
														-		_				_		_		_				_		-			_	-
	_	_	_	_	_		_		-+	-+		_	_	_		- 4	_	_				_t	_			_	_						_	
	•	•	•	•	•		•		• "	•		•	•	•			•	•				•	•			•	•						•	•

\*Not available on 36", 39", and 42" wide \*Available only on 45" wide AFace Frame and Door on End modification not available on the void side of the cabinet. 1Not available on 36" and 39" wide

Constru	ction Up	ogrades
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
_


**BASE CABINETS** 

186

### **BASE CORNER with PULL-OUT**

### BC45PO L or R

### BC48PO L or R



- On pull-out side of cabinet, do not install next to a wall or appliance due to clearance needed for pull-out to come out of cabinet. On void side, do not install next to an appliance deeper than standard cabinet depth due to clearance needed for door to open fully to allow pull-out to be used and also for the drawer to open fully.
- Pull-out features four wood shelves with chrome surround. Smart close not available.
- Includes one 3" filler, shipped unattached.
- L or R indicates void. L (left) void shown.
- Adjacent cabinet hardware may interfere with shelf position on pull-out.
- Wire pull-out dimensions are 10 5/8" W x 17 1/8" D x 2 3/4" H.
- For pull-out to open, 10" of adjacent space is required with no obstruction beyond 1" in front of the cabinet face frame.

### **Custom Modifications**


AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI • • •

### **Construction Upgrades**

		· J
APC	ET	PE
•		•

Door Obitons
DPSRR
•

### **BASE CORNER FULL WIDTH**



BCFW36 L or R


BCFW39 L or R

BCFW42 L or R

BCFW45 L or R

BCFW48 L or R

- On void side, do not install next to an appliance deeper than standard cabinet depth due to clearance needed for the door and drawer.
- Includes one 3" filler, shipped unattached.
- L or R indicates void. L (left) void shown.
- Adjustable 15" deep shelves.



### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND D	RT DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID INVFR	M LT	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•	•	•		•	•*	•+		•	•	,	•4	•	•			•1	•		•	•	П		П			•	•

\*Not available on 36", 39", and 42" wide 'Available only on 45" and 48" wide 'Arace Frame and Door on End modification not available on the void side of the cabinet. 'Not available on 36" and 39" wide



Door Options
DPSRR
•

### BASE CORNER FULL WIDTH, FULL HEIGHT



BCFW36FH L or R BCFW39FH L or R BCFW42FH L or R

BCFW42FH L OF K

- BCFW45FH L or R
- BCFW48FH L or R
- On void side, do not install next to an appliance deeper than standard cabinet depth due to clearance needed for the door.
- Includes one 3" filler, shipped unattached.
- L or R indicates void. L (left) void shown.
- Adjustable 15" deep shelves.

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•	•		•							•	•	•	•	•*	•	•				•+	•			•	•						•	•


\*Face Frame and Door on End modification not available on the void side of the cabinet. +Not available on 36" and 39" wide


#### **Construction Upgrades**

Constru	iction u	graaes
APC	ET	PE
•		•

Door Options
DPSRR
•

### BASE CORNER FULL WIDTH with CURVED PULL-OUT





#### BCFW48CPO L or R

- On void side, do not install next to an appliance deeper than standard cabinet depth due to clearance needed for the door and drawer.
- Includes one 3" filler, shipped unattached.
- Includes two pull-out shelves with chrome wire surround and smart close closing mechanism. Shelf height can be adjusted in the field.
- When shelf is fully opened, it extends 27 3/4" from front edge of the face frame. Unit pulls out to the front only and can be installed next to a wall or appliance without side interference.
- $\bullet$  Distance from surface of shelf to top edge of wire surround is 1 11/16".
- L or R indicates void. L (left) void shown.
- Maximum Weight Capacity: 44 lbs. per shelf.

### **Custom Modifications**

AUTH CBD CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPB FTK FTK\_V ID INVFRM LIT MIP P FTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLL

### Construction Upgrades


		1.3
APC	ET	PE
•		•

Door Options
DPSRR
•

### BASE CORNER FULL WIDTH with PULL-OUT

### BCFW45PO L or R

#### BCFW48PO L or R



- On pull-out side of cabinet, do not install next to a wall or appliance due to clearance needed for pull-out to come out of cabinet. On void side, do not install next to an appliance
  deeper than standard cabinet depth due to clearance needed for door to open fully to allow pull-out to be used and also for the drawer to open fully.
- Includes one 3" filler, shipped unattached.
- $\bullet\,$  L or R indicates void. L (left) void shown.
- $\bullet\,$  Pull-out features four wood shelves with chrome surround. Smart close not available.
- $\bullet~$  Wire pull-out interior dimensions are 10 5/8" W x 17 1/8" D x 2 3/4" H.
- For pull-out to open, 10" of adjacent space is required with no obstruction beyond 1" in front of the cabinet face frame.
- Adjacent cabinet hardware may interfere with shelf position on pull-out.

#### **Custom Modifications**

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FFB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI

Constru	iction (	upgraaes
APC	ET	PE
•		



### BASE CORNER FULL WIDTH with ROLL TRAYS & SWING-OUT

### BCFW48SP L or R

- On swing-out side of cabinet, do not install next to a wall or appliance due to clearance needed for swing-out to come out of cabinet and allow full access to other contents inside of cabinet. On void side, do not install next to an appliance deeper than standard cabinet depth due to clearance needed for door to open fully to allow swing-out to be used and also for the drawer to open fully.

  Includes one 3" filler, shipped unattached.
- L or R indicates void. L (left) void shown.
- Swing-out hinged opposite door.
- Roll trays and swing-outs installed.
  Insert swing on a base corner full width cabinet is 17".
  Swing-out is 3/4" laminated furniture board.

188 **Custom Modifications** 


AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FFB FTK FTK_V ID INVFRM LTI MIP P PTOWB RD RECTK_ RT SCPDRW TD TOTSSS TVR_V VTK WL	_					-																												
	Al	ITH	CRO	m	CENTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSFC	DRWTK	FXRK	FX F	3 FD	FFD	FPFR	FTK	FTK V	ID I	NVFRM	ITI	MIP P	PTOWR	RD	RFCTK	RT	SCPDRW	TD	TOTSSS	TVR V	VTK	WLI
			CDO		CITITO		CI IUIIO	CITIE II	CITE	D.1.1	Dittill trit	Dittioned	Dittititi	EALDIN	-/-	, , ,									110111	110		-111	o ci oitii		101000			
		•	•	•	•	•	•		•		•	•		•				•	•					•			•						•	

Construction	Upgrades
--------------	----------

APC	ET	PE
•		•

Door Option
DPSRR

### **BASE LAZY SUSAN CORNER with FULL HEIGHT DOOR and LAZY SUSAN (With Center Hinge Door)**





### BLS36 L or R

- $\bullet\,$  BLS36 L or R wall width is 36" x 36".
- Cabinet is drum-shaped; adjoining cabinets create sides.
- BLS white plastic shelves are 28" diameter with a chrome pole.
- See Panels & Skins section for BLS BEP if used at end of cabinet run.
- If ordered with PE or APC, construction and price will not change.
- $\bullet$  Drum diameter is 31 1/8" and composed of 1/8" thick hardboard.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of BLS.
- Integrated soft-close hinge not included.

### **Custom Modifications**

AUT	CB0	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	ЕХ	FB FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_\	/ VTK	WLI
	•	•																														


### **Construction Upgrades** ET


Door Options
DPSRR
•

### **DIAGONAL BASE with FULL HEIGHT DOOR**

### DAB36FS L or R

- One fixed 1/2" thick shelf.
- Full overlay styles use  $14 \frac{1}{2}$  wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.





### **Custom Modifications**

AUTH CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	' ID	INVFRM	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•		•								•	•		•	•	•			•	•			•						•	•

### Construction Unarados

COMSTITU	CIIOII O	pgiuucs
APC	ET	PE
•		





190

### **DIAGONAL BASE with FULL HEIGHT DOOR & SUPER LAZY SUSAN**

### DAB36SLS L or R

- Features two 28" plywood susans with a 1" plywood lip. Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2" thick laminated furniture board.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.





Due to fixed shelf mounting, susans cannot be retrofitted.

### **Custom Modifications**

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPEB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI


### **Construction Upgrades**

APC	ET	PE
•		•

### **Door Options** DPSRR

### **BASE EASY REACH**

## 33" or 36" 341/2



### BER33 L or R

### BER36 L or R

- BER33 L or R wall width is 33" x 33". BER36 L or R wall width is 36" x 36".
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of BER.
- Fixed shelf is 1/2" thick laminated furniture board.
- Integrated soft-close hinge not included.

### **Custom Modifications**


AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPEB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI . . .


		3
APC	ET	PE
•		•



### **BASE EASY REACH with ADJUSTABLE SHELVES**







### BERAS33 L or R BERAS36 L or R

- BERAS33 L or R wall width is 33" x 33". BERAS36 L or R wall width is 36" x 36".
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of BERAS.
- Adjustable crisscross shelves.
- Integrated soft-close hinge not included.

**BASE CABINETS** 

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	/ ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD 1	TOTSSS	TVR_	V VTK	WLI
•	•	•														•			Г		•	•			•						•	•

#### **Construction Upgrades**

		•
APC	ET	PE
•		•

33" or 36"

341/2"

### **Door Options**



### **ASYMMETRICAL BASE EASY REACH**

33" or 36"

### BER3336 L or R


### BER3633 L or R



- BER3633 L or R wall width is 36" x 33".
- $\bullet$  Legs at the front frames are 9" on 33" and 12" on 36" leg.
- Nomenclature for asymmetrical cabinets reads as follows: First set of numbers = left side of cabinet dimensions.

Second set of numbers = right side of cabinet dimensions.

- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of BER.
- $\bullet$  Fixed shelf is 1/2'' thick laminated furniture board.
- Integrated soft-close hinge not included.



### **Custom Modifications**

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPEB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI

COIISITO	CHOIL	opgrades
APC	ET	PE
•		

<b>Door Options</b>
DPSRR
•

192

### **ASYMMETRICAL BASE EASY REACH** with ADJUSTABLE SHELVES


### BERAS3336 L or R BERAS3633 L or R 33" or 36' \_33" or 36"

• BERAS3336 L or R wall width is 33" x 36".

- BERAS3633 L or R wall width is 36" x 33".
- Legs at the front frames are 9" on 33" and 12" on 36" leg.
- Nomenclature for asymmetrical cabinets reads as follows: First set of numbers = left side of cabinet dimensions.

Second set of numbers = right side of cabinet dimensions.

- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of BERAS.
- Adjustable crisscross shelves.
- Integrated soft-close hinge not included.



### **Custom Modifications**

341/2"

AUTI	CB0	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD F	FFD F	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V		WLI
•	•	•												•			•			П		•	•			•			П			•	•


### **Construction Upgrades**

		. 3
APC	ET	PE
•		•

Door Options
DPSRR
•

### **SUPER LAZY SUSAN**

# 33" or 36" 33" or 36"



Due to fixed shelf mounting, susans cannot be retrofitted.

### SLS33 L or R

### SLS36 L or R

- SLS33 L or R wall width is 33" x 33".
- SLS36 L or R wall width is 36" x 36".
- SLS33 Susans are 28" diameter.
- SLS36 Susans are 32" diameter.
- Features two plywood susans with a 1" plywood lip. Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2" thick laminated furniture board.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of SLS.
- Integrated soft-close hinge not included.


### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FE	) FFD	FPEB	FTK	FTK_V	/ ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD T	TOTSSS	TVR_V	VTK	WLI
	•															•			П		•	•			•						•	•

Collatio	ciioii o	y uucs
APC	ET	PE
•		•



### **SOLID-WOOD SUPER LAZY SUSAN**





Due to fixed shelf mounting, susans cannot be retrofitted.

### SLSW33 L or R

### SLSW36 L or R

- SLSW33 L or R wall width is 33" x 33".
- SLSW36 L or R wall width is 36" x 36".
- SLSW33 L or R Susans are 28" diameter.
- SLSW36 L or R Susans are 32" diameter.
- $\bullet \ \ \text{Features two hardwood susans with a 3/16'' lip. Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2'' thick laminated furniture board. } \\$
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of SLS.
- Integrated soft-close hinge not included.

### **Custom Modifications**


AUT	Н СВО	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	ID I	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
	•													•		•					•	•			•						•	•


### **Construction Upgrades**

		•
APC	ET	PE
•		•

Door	Options
0	)PSRR

### SUPER LAZY SUSAN with CHROME RAIL





Due to fixed shelf mounting, susans cannot be retrofitted.

### SLSCR33 L or R SLSCR36 L or R

- SLSCR33 L or R wall width is 33" x 33". SLSCR36 L or R wall width is 36" x 36".
- SLSCR33 Susans are 28" diameter. SLSCR36 Susans are 32" diameter.
- ullet Features two plywood susans with a 1" plywood lip. Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2" thick laminated furniture board.
- Chrome rail surrounds both susans. Chrome rail height is 2 13/16".
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of SLSCR.
- Integrated soft-close hinge not included.


### **Custom Modifications**


AUTH	H CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_	V VTK	WLI
	•													,		•					•	•			•						•	•





### ASYMMETRICAL SUPER LAZY SUSAN





Due to fixed shelf mounting, susans cannot be retrofitted.

### SLS3336 L or R SLS3633 L or R

- SLS3336 L or R wall width is 33" x 36".
- SLS3633 L or R wall width is 36" x 33".
- All Asymmetrical Super Susan shelves are 28" diameter.
- Features two plywood susans with a 1" plywood lip. Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2" thick laminated furniture board.
- Nomenclature for asymmetrical cabinets reads as follows:
   First set of numbers = left side of cabinet dimensions.
   Second set of numbers = right side of cabinet dimensions.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of SLS.
- Integrated soft-close hinge not included.

### **Custom Modifications**


AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D F	FD F	FPEB	FTK	FTK_V	ID	INIV/EDAA	LTI	MIP	PTOW	B RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
	•													•			•					•	•			•	Г					•	•


### **Construction Upgrades**

APC	ET	PE
•		•

Door Options	
DPSRR	
•	

### ASYMMETRICAL SOLID-WOOD SUPER LAZY SUSAN





Due to fixed shelf mounting, susans cannot be retrofitted.

### SLSW3336 L or R SLSW3633 L or R

- SLSW3336 L or R wall width is 33" x 36".
- SLSW3633 L or R wall widths is 36" x 33".
- All Asymmetrical Super Susan shelves are 28" diameter.
- Features two hardwood susans with a 3/16" lip. Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2" thick laminated furniture board.
- Nomenclature for asymmetrical cabinets reads as follows:

First set of numbers = left side of cabinet dimensions.

Second set of numbers = right side of cabinet dimensions.

- $\bullet \ \ \text{Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of SLS.}$
- Integrated soft-close hinge not included.


#### **Custom Modifications**


AUT	H CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PTOW	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
	•												•			•					•	•			•						•	•

		· J
APC	ET	PE
•		•

Door Options
DPSRR

### ASYMMETRICAL SUPER LAZY SUSAN with CHROME RAIL





Due to fixed shelf mounting, susans cannot be retrofitted.

### SLSCR3336 L or R SLSCR3633 L or R

- SLSCR3336 L or R wall width is 33" x 36".
- SLSCR3633 L or R wall width is 36" x 33".
- All Asymmetrical Super Susan shelves are 28" diameter.
- Features two plywood susans with a 1" plywood lip. Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2" thick laminated furniture board.
- Chrome rail surrounds both susans. Chrome rail height is 2 13/16".
- Nomenclature for asymmetrical cabinets reads as follows:
- First set of numbers = left side of cabinet dimensions.
- Second set of numbers = right side of cabinet dimensions.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of SLS.
- Integrated soft-close hinge not included.

### Custom Modifications


AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI

### **Construction Upgrades**

		•
APC	ET	PE
•		•

### Door Options DPSRR

### **BASE ROTATING DEEP BIN**



#### BRDB36 L or R

- BRDB36 wall width is 36" x 36".
- BRDB36 susans are 30" diameter. Bins are 6" deep.
- $\bullet\,$  Not available in asymmetrical applications.
- $\bullet\,$  Inside bottom of lower deep susan to the fixed shelf is 10" high.
- $\bullet$  Inside bottom of upper deep susan to the bottom of face frame cross rail is 14 1/8" high.
- $\bullet \ \ \text{Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2" thick laminated furniture board.$
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of BRDB.
- Integrated soft-close hinge not included.

### Due to fixed shelf mounting, susans cannot be retrofitted. Custom Modifications

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPEB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI


		-
APC	ET	PE
•		•




### **LAZY SUSAN PULL-OUT**

### LSP36 L or R

- LSP36 L or R wall width is 36" x 36".
- Features four half-moon bins (8 3/8" x 25 1/2" each) with plywood shelves and chrome rail sides.
- Center pull-outs have smart close guides and operate independently. Entire unit rotates when center pull-outs are in closed position.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of LSP.
- Integrated soft-close hinge not included.





#### **Custom Modifications**

AUT	H CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FFD	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
	•	•										•		•		•						•		П	•						•	•

### Construction Ungrados


Collatio	CIIOII O	pgiaacs
APC	ET	PE
•		•

Door Options
DPSRR
•

### THREE DRAWER CORNER CABINET

### **3CDB36**

- Must be installed between 2 cabinets.
- Allow for proper clearance of drawer head when specifying corner drawer cabinets next to appliances.
- $\bullet$  Will have less than  $3/4^{\prime\prime}$  overlay side reveal for clearance purposes.
- Cabinet sides will always be Natural Maple laminate. If PE or APC is specified, cabinet sides will be unfinished.
- Exterior height of bottom 2 drawer boxes is 7 3/8".



4	
	36"
285/32"	36"

A Dimension	B Dimension
24"*	0"
25"	3/4"
26"	1 3/4"
27"	2 3/4"
28"	3 3/4"
29"	4 3/4"
30"	5 3/4"

- A indicates depth of adjacent appliance or cabinet.

  B indicates minimum space needed between appliance/deeper cabinet and corner drawer base to ensure proper operation of drawers.

  \*Standard depth cabinet (24") does not require filler.


### **Custom Modifications**


ALITI	CDO	CCO	CENTO	CED	CEDMO	CALAT	CNID	DDT	DDMADMD	DDMCLC	DDWITI	EVDV	ΓV	LD L	ח ררח	EDED	LIN	LTI/	V ID	INIVEDIA	ITI	AAID	D DTOWD	חח	DECTI	DT	CCDDDM	TD	TOTCCC	T\/D	V V/TV	14/11
AUTH	CRO	LLU	CHNIO	UTT	LFK/MU	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	FYRV	Ĺλ	LR L	עזז וע	FFEB	FTK	LIK_	V IV	IIVVFK/W	LIII	MIP	P PTOWB	ΙKU	KELIK	KI	SCPDRW	ועו	TOTSSS	IVK_	V VIK	WLI
_	-			_	-		_	_				_		_	_		_				_			-		-		_				-
	_	_																													_	

		· g
APC	ET	PE
•		•

Door Options	
DPSRR	
•	1

### **BASE TRANSITION CABINET**





• One adjustable shelf.

BTC12LL

BTC12RL BTC12LR BTC12RR

- Cabinets constructed with top.
- Specify door hinging. RR shown.
- Depth can be reduced to a minimum of 18".
- RECTKBK, RECTKL and RECTKR cannot be ordered when RD is specified. RECTKL and RECTKR cannot be specified on the same cabinet.
- Full overlay styles use 14 1/2" wide doors with 38NPOHINGE to allow for proper door clearance with adjacent cabinets.

Hinging Options Custom Modifications

ı																													_				
-	AUTH	CBO	((0)	CFNTO	CFP	CFRMO	CMAT	CND	DRI	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	■ FFD	FPEB	FIK	FIK V	IID	INVFRM	LII	MIP	P PTOWB	RD	RECTK	RT	SCPDRW	ID	TOTSSS	TVR V	VTK	W
Ì	-4-															- 4-																	Г
- 1	•^	•	•	•		•									•	•^	•^	•				•	•		•	•						•	


\*Available only on 12" deep side of cabinet +RECTKALL not available

### **Construction Upgrades**

APC	ET	PE
•		•

Door Options
DPSRR
•

### 135° CORNER OUTSIDE BASE





### **BFH6COA**

### **BFH9COA**

### BFH12COA

- $\bullet\,$  Doors are hinged on outside of frame.
- Adjustable shelves cannot be removed from the cabinet.

Model	A Dimension	B Dimension
BFH6COA	6"	15 15/16"
BFH9COA	9″	18 15/16"
BFH12COA	12"	21 15/16"

A indicates back width of cabinet and wall space. B indicates face frame width.

### **Custom Modifications**


_																_						_			_		_						
l A	UTH	CBO	rrn	CFNTO	CED	CFRMO	CMAT	CND	DRT	DRWPWR	DDMCEC	DRWTK	EVDV	EX F	D EN	EED	FPEB	FTK	FTK V	IN	INVFRM	LTI	MIP	PTOWB	DN	RECTK	DT	SCPDRW	TD	TOTSSS	TVD V	VTK	WLI
A	UIII	CDU	LLU	CLIMIO	CLL	CLKWIO	CIVIAI	CIVU	DVI	DVAALAAV	DVANDEC	DVAAIV	EVDIV	ΓV	D LA	LLA	LLED	LIV	LIK_A	Iυ	IIA A L LYAI	LII	IIIIVI	LIOAAD	Vυ	VECIV"	I/I	SCLDKAA	Iυ	101333	111/	VIN	WLI
	•	•	•												•		•					•	•									•	

### Construction Unarados

COMSTITU		agi uuca
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
•

### 198



### BFH21CIA

### BFH24CIA

### BFH27CIA

- Doors are hinged on outside of frame.
- Adjustable shelves cannot be removed from the cabinet.

Model	A Dimension	B Dimension
BFH21CIA	21"	11 3/32"
BFH24CIA	24"	14 3/32"
BFH27CIA	27"	17 3/32"

A indicates back width of cabinet and wall space. B indicates face frame width.

### **Custom Modifications**

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX FE	FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•											•			•					•*	•										•	•


\*Not available on 21" and 24" wide


### **Construction Upgrades**

		ha
APC	ET	PE
•		•

	Door Options
	DPSRR
ſ	

### **BASE END CABINET**





### BEC24

- Wall width is 24" x 24".
- 24" W x 24" D x 34 1/2" H.
- 24" from outside corner point to frame face.
- Cabinets constructed with top.
- One adjustable shelf.
- Cabinet may be installed against either end of a run.

### **Custom Modifications**

_																																	
Ι.Α	UTH	CBO	CCO	CENTO	CED	CFRMO	CMAT	CNID	DDT	DRWPWR	DDMCLC	DDWTV	LADA	ΓV	LD LD	LLD	EDED	ГТИ	FTV V	ID	INVFRM	ITI	MIP	P PTOWB	חמ	RECTK	DT	SCPDRW	Th	TOTSSS	TVR V	VTV	WLI
H	NU I II	CDU	LLU	CLINIO	LLL	CLKMO	C/VIAI	CIVID	UKI	DKWYFWK	DKM2EC	DKWIK	EVDV	ĽΛ	LD LN	LLN	LLED	LIV	LIV_A	IИ	IIN A L K/M	LII	MIL	L LIOMD	Kυ	KECIK_	ΚI	SCLNKM	עו	101222	IVK_V	VIN	WLI
Г																																	
		•	•															•				•	•									•	•

### Construction Upgrades

Collegii	ciion of	grades
APC	ET	PE
•		

<b>Door Options</b>
DPSRR
•

Effective March 14, 2022

### 199

# **BASE CABINETS**

### TWO DRAWER BASE with FILE DRAWER

### 2DB24FD 2DB30FD



- Includes Filing System Hardware Kit, which accommodates letter and legal filing.
- Drawers utilize 125 lb. full extension progressive side-mount guide, does not feature soft-close guide.
- Depth can be reduced to a minimum of 21".
- Exterior drawer box height is 10".

#### **Custom Modifications**


341/2

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FFEB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI

### APC ET PE

<b>Door Options</b>
DPSRR

### **TWO DRAWER BASE**



2DB18

2DB21

2DB24

2DB27

LUUL

2DB30

2DB33

2DB36

2DB42

2DB48

• Exterior drawer box height is 10".

- When SCPDRW is selected, the top drawer will utilize a 6 3/8" high drawer box instead of the current 10" high drawer box, creating a clearance of 6 5/8" for the cooktop.
- When 2DB48 is ordered in Door 46 with DFF5PC, drawer fronts will have a vertical cross rail with two center panels.

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_V	ID I	INVFRM	LTI	MIP	PTOW	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK WLI
•	•	•			•						•*	•	•	•		•	•	•						•+	•	Г	•				•


\*Not available on 42" and 48" wide \*Depth can be reduced to a minimum of 21" on 42" and 48" wide cabinets

### **Construction Upgrades**

Constru	iction up	graaes
APC	ET	PE
•		•

Door Options	
DPSRR	]
	1

### TWO DRAWER BASE with PEGGED DISH ORGANIZER



### 2DB36PDO

- Includes 8 wooden posts.
- $\bullet$  Includes 19/32" thick removable pegged board in top drawer.
- Exterior drawer box height is 10".
- Additional posts available as an accessory. See page 373.
- $\bullet$  Posts and pegged board available as accessories for field installation. See page 373.
- When SCPDRW is selected, the top drawer will utilize a 6 3/8" high drawer box instead of the current 10" high drawer box, creating a clearance of 6 5/8" for the cooktop.

### **Custom Modifications**

				-																												
AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_	V VTK	WLI
	_	_			_							_				_	_	_													_	

		•
APC	ET	PE
•		•

Door Options
DPSRR

### **TWO DRAWER BASE with ROLL TRAY**

**2DB18RT 2DB21RT** 

18", 21", 24", 27", 30", 33", or 36"

**2DB24RT** 

**2DB27RT** 

**2DB30RT** 

**2DB33RT** 

**2DB36RT** 

• Includes a roll tray above the top drawer box.

• Exterior height for bottom drawer box is 6 3/8".

### 200

### **Custom Modifications**

341/2

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PTOW	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•			•						•	•	•	•		•	•	•	П					•	•	П					•	


### **Construction Upgrades** ET

<b>Door Options</b>
DPSRR

### TWO DRAWER BASE with ROLL TRAY and PEGGED DISH ORGANIZER • Includes a roll tray above the top drawer box.

### 2DB36RTPDO

- Includes 8 wooden posts.
- Includes 19/32" thick removable pegged board in top drawer.
- Additional posts available as an accessory. See page 373.
- Posts and pegged board available as accessories for field installation. See page 373.



### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D F	FD FPEB	FTK	FTK_V	' ID	INVFRM	LTI	MIP	P PTO	WB I	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK W	ΙĪ
•	•	•			•						•	•	•	•		•	•	•	П							•						•	٦

Constru	ction U	pgrades
APC	ET	PE

Door Options
DPSRR

### TWO DRAWER BASE, DROP-IN **RANGE**

### **2DB30DR** 2DB36DR



• Exterior height of drawer boxes is 6 3/8".

### **Custom Modifications**

AUTH	CDO	rrn	CFNTO	CED I	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	LA LI	LU C	LLU	FPEB	FTK	FTV V	ID I	NVFRM	ITI	MIP P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSSS	TVD V	VTK \
IAUIN	LDU	LLU	CLIMIO	ULL II	LLK/MO	CMAT	CIND	UKI	DKVVFVVK	DKWSEC	DKWIK	LVDV	EV L	ט דע	ΓΓυ	LLED	LIV	LIV_A	וו עו	IN A L K/AI	LII	/VIII I	LIOAAD	Kυ	KECIN	ΙΛΙ	SCLNKAA	TD	101222	IVK V	VIV V
				_															_		_					_					
																•															•

Constru	iction up	graaes
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR

### **THREE DRAWER BASE** 12", 15", 18", or 21"



3DB15 3DB18 3DB21 3DB24 3DB27 3DB30 3DB33 3DB36

3DB12



• Exterior height of bottom 2 drawer boxes is 6 3/8".

### **Custom Modifications**

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FFB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI

\*Not available on 12" and 15" wide 
\*Available only on 18", 21", and 24" wide 
ANot available on 12" wide


### **Construction Upgrades**

APC	ET	PE
•		•

Door Options

DPSRR

### THREE DRAWER BASE BUFFET



**3DBB30** 

3DBB33

**3DBB36** 

• Exterior height of bottom 2 drawer boxes is 6 3/8".

### **Custom Modifications**

AUTU	CDO	CCO	CENTO	CED	CEDMO	CHAT	CND	DDT	DDMADMD	DDMCEC	DDIA/TI/	LADIA	LV L	D LD	LLD	EDED	LTI/	ETI/ 1/	ID	INIVEDIA	ITI	AAID	DTOWN	nn	DECTI	DT	CCDDDM	TD	TOTCCC	TVD V	I MIN MILL
IAUIN	CRO	LLU	CHNIU	LLL	CFK/MU	CMAI	CND	UKI	DRWPWR	DKW2FC	DKWIK	FYRV	LY L	R LN	עזז	LLFR	LIV	FIK V	ו עו	INVFK/W	LII	MIP	LIOMR	Kυ	KECIK	KI	SCPURW	עו ו	101222	. IVK V	/ VTK WLI
								_						_	_				_		_			-		_		-			
	_	_		_	_				-*	-+	_	_				_	_	_							_		_				
	•	•		•	•				•	•	•	•		•		•	•	•						•	•		•				•

\*Not available on 30" and 33" wide


40113114		pg. aaos
APC	ET	PE
•		•

	Door Options
ſ	DPSRR

15", 18", 21", or 24" 341/2

3DB30WTCD 3DB36WTCD

- Exterior height for lower drawer boxes is 6 3/8".
   Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1 3/8".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 372.



### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FF	D FPEE	FTK	FTK_\	l ID	INVFRM	LTI	MIP P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK W	J
•	•	•			•						•*	•	•	•		•	•	•							•						•	


\*Not available on 15" wide

**Construction Upgrades** PE APC

**Door Options** DPSRR

202

### THREE DRAWER BASE, WARMING **DRAWER**



3DB24WD

3DB27WD

3DB30WD

3DB36WD

- ullet Exterior height of bottom drawer box is 6 3/8".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep warming drawer cabinets (see page 373 for details), but will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.

Model	Opening Width	Maximum Width	Opening Height	Maximum Height
3DB24WD	21"	22 1/2"	9 3/8"	11 3/8"
3DB27WD	24"	25 1/2"	9 3/8"	11 3/8"
3DB30WD	27"	28 1/2"	9 3/8"	11 3/8"
3DB36WD	33″	34 1/2"	9 3/8"	11 3/8″

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FI	FFD	FPEB	FTK	FTK_V	/ ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_	V VTK	į
•	•	•		•	•				•		•					•		•	П						•		•					ľ

### Construction Upgrades

40113114		ba. aaos
APC	ET	PE
•		•

Door Options
DPSRR

### THREE DRAWER BASE with DEEP **DRAWER**



**3DBDD24** 

3DBDD27

**3DBDD30** 

**3DBDD33** 

3DBDD36

• Exterior height of bottom drawer box is 10".

### **Custom Modifications**

AU	ITH (	BO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID IN	NVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK WLI
					•	•				•																						


### **Construction Upgrades**

COIISITO	CHOIL O	rpyi uucs
APC	ET	PE
•		•

Door (	Options
--------	---------

DPSRR

### THREE DRAWER BASE BUFFET with **DEEP DRAWER**



3DBBDD30

3DBBDD33

**3DBBDD36** 

• Exterior height of bottom drawer box is 10".

### **Custom Modifications**

AUTH	CB0	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	B FD	FFD	FPEB	FTK	FTK_V	ID I	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD TOTSS	S TV	R_V	VTK \	VLI
•	•	•		•	•				•*	•*	•	•	•	•		•	•	•						•	•		•				•	П

\*Not available on 30" and 33" wide

		· g
APC	ET	PE
•		•

	<b>Door Options</b>
ſ	DPSRR
Γ	

### **FOUR DRAWER BASE**



4DB12

4DB15

4DB18

4DB21

4DB24

4DB27 4DB30

4DB33

4DB36

 $\bullet$  Exterior height of bottom drawer box is 6 3/8".



### **Custom Modifications**

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_V I	D INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT SCPI	IRW T	D TOTSSS	TVR_V	VTK	WLI
•	•	•		•	•				•*	•+	•*	•	•	•		•	•	•4					•	•					•	

\*Not available on 12" and 15" wide \*Available only on 18", 21", and 24" wide  $$^{\blacktriangle}$$  Not available on 12" wide

### **Construction Upgrades**

PE

**Door Options** DPSRR

### **FOUR DRAWER BASE with WOOD** TIERED CUTLERY DIVIDER DRAWER



4DB15WTCD


4DB18WTCD

4DB21WTCD 4DB24WTCD

4DB30WTCD

4DB36WTCD

- Exterior WTCD drawer box height is  $3 \frac{3}{4}$ ", interior height of top and bottom tier is  $1 \frac{3}{8}$ ".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 372.
- Exterior height of bottom drawer box is 6 3/8".



### **Custom Modifications**


A	UTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID I	INVFRM	LTI	MIP	PTOWE	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK WI	LI.
	•	•	•			•						•*	•	•	,		•	•	•							•	П					•	٦

\*Not available on 15" wide

		J
APC	ET	PE
•		•

	<b>Door Options</b>
1	DPSRR

### **BASE WASTEBASKET**



### BWB15

### BWB152

### BWB18

### **BWB21**

- BWB15 includes one 35 quart gray wastebasket and one trash bag storage area.
- BWB152 includes two 27 quart gray wastebaskets.
- BWB18 and BWB21 include two 35 quart gray wastebaskets.
- BWB15 and BWB18 can be reduced in depth to 21". When reduced, BWB15 includes one wastebasket. When reduced, BWB18 includes one wastebasket and one trash bag storage
- Wastebasket lid available for purchase separately, see page 370. BWBLID fits 35 quart wastebaskets.
- BWBLID can only be used on the front wastebasket of BWB18 and BWB21.
- Pull-out features undermount smart close guides.

### 205

### **Custom Modifications**

341/2

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT [	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FE	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•		•	•				•*	•*	•*	•	•	•		•	•	•				•	•	•+	•	П					•	•


\*Not available on 15" wide +Not available on BWB152 and BWB21


### **Construction Upgrades**

APC	ET	PE
•		•

	Door Option
ſ	DPSRR

### **BASE PAPER TOWEL CABINET with WASTEBASKET**





### BPT15WB

### BPT18WB

- Upper section of cabinet features an open cubby area with veneer finished interior sides and fixed shelf, a clear and brushed stainless steel paper towel holder, and a storage area behind the paper towel roll for an additional three to four paper towel rolls. Maximum paper towel diameter is 6".
- Cabinet back and lower section of cabinet has standard interior.
- BPT15WB includes one 35 quart gray wastebasket and one trash bag storage area.
- BPT18WB includes two 35 quart gray wastebaskets.
- Can be reduced in depth to 21". When reduced, BPT15WB includes one wastebasket. When reduced, BPT18WB includes one wastebasket and one trash bag storage area.
- BWBLID will not fit due to interference with the cubby area.
- Pull-out features undermount smart close guides.

#### **Custom Modifications**

Α	UTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_\	V ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_\	VTK	WLI
	•	•	•									•*	•				•	•	•				•	•	•	•						•	•

\*Not available on 15" wide


Constru	ction U	pgrades
VDC.	ET	DE

Collette	iciion u	igi aaes
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR

206

### **BASE WASTEBASKET FULL HEIGHT**



BWB15FH BWB18FH


BWB15FH2

BWB18FH2

BWB15FHRT2




BWB15FH2





BWB18FHRT2


### BWB21FH

- ullet BWB15FH and BWB18FH include one 50 quart gray wastebasket and one trash bag storage area.
- BWB15FH2 includes two 27 quart gray wastebaskets.
- BWB18FH2 includes two 35 quart gray wastebaskets.
- BWB15FHRT2 includes two 27 quart gray wastebaskets and one roll tray.
- BWB18FHRT2 includes two 35 quart gray wastebaskets and one roll tray.
- BWB21FH has two 50 quart gray wastebaskets.
- Wastebasket lid available for purchase separately, see page 370. BWBLID fits 35 quart wastebaskets. BWBFHLID fits 50 quart wastebaskets.
   BWBLID can only be used on the front wastebasket of BWB18FH2 and BWB18FHRT2.
- BWBFHLID can only be used on the front wastebasket of BWB21FH.
- Pull-out features undermount smart close guides.









### **Custom Modifications**

AUTH	CBO	CCO	CFNTO C	P CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID INV	VFRM LT	I MI	P P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•	•	•		•						•*	•	•	•		•	•	•			•		•		•						•	•


\*Not available on 15" wide


### Construction Unarados

COIISIT	iciioii o	y uues
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
•

### **BASE PAPER TOWEL CABINET with** WASTEBASKET, FULL HEIGHT





### BPT15WBFH

### **BPT18WBFH**

- Upper section of cabinet features a cubby area with veneer finished interior sides and fixed shelf, a clear and brushed stainless steel paper towel holder, and a storage area behind the paper towel roll for an additional three to four paper towel rolls. Maximum paper towel diameter is 6".
- Cabinet back and lower section of cabinet has standard interior.
- BPT15WBFH includes one 35 quart gray wastebasket and one trash bag storage area.
- BPT18WBFH includes two 35 quart gray wastebaskets.
- Can be reduced in depth to 21". When reduced, BPT15WBFH includes one wastebasket. When reduced, BPT18WBFH includes one wastebasket and one trash bag storage area.

• Door mounted pull-out features smart close guides with chrome rails, gray 35 quart wastebasket with lid, gray bin, and two gray plastic trays. All items can be removed for cleaning.

- BWBLID will not fit due to interference with the cubby area.
- Pull-out features undermount smart close guides.

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FC	FFD	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	P F	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_	V VTK	WLI
•	•	•									•*	•			П	•	•	•	Г			•	П	•	•	•						•	•

\*Not available on 15" wide

### **Construction Upgrades**


APC	ET	PE
•		•

### **Door Options**

•
DPSRR
•

### **BASE BIN TRAY PULL-OUT**





C	usto	m N	lodif	ication	s																													
Α	UTH (	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FI	) FFD	FPEB	FTK	FTK_	V ID	INVFRM	LTI	MIP	P P1	TOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_	V VTK	WLI
	•		•		•	•				•	•	•	•	•	•		•	•	•				•				•	П	•				•	•

### **Construction Upgrades**

APC	ET	PE
•		•

### **Door Options** DPSRR

208

### BASE BIN TRAY PULL-OUT with PET FEEDING DRAWER



### BBTP24PFD

- Door mounted pull-out features smart close guides with chrome rails, gray 35 quart wastebasket with lid, gray bin, and two gray plastic trays. All items can be removed for cleaning.
   See BBTP24 for pull-out drawing.
- Bottom of pull-out has a removable gray plastic liner.
- Pet feeding drawer in the toekick area features push-to-open guides with a removable gray plastic drawer insert.

Custom Modifications


AUT	H CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_	V ID	INVFRM	LTI	MIP F	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•		•	•				•	•	STD	•	•	•		•						•					•					•

### Construction Upgrades

		-
APC	ET	PE
•		•

Door Obitons
DPSRR
•

### BASE BIN TRAY PULL-OUT FULL HEIGHT



### BBTP24FH

- Door mounted pull-out features smart close guides with chrome rails, gray 50 quart wastebasket with lid, gray bin, and two gray plastic trays. All items can be removed for cleaning.
   See BBTP24 for pull-out drawing.
- Bottom of pull-out has a removable gray plastic liner.

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO CF	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
•		•		•						•	•	•	•		•	•	•				•			•						•	•

### Construction Upgrades


		-
APC	ET	PE
•		•

### **Door Options**DPSRR

### BASE BIN TRAY PULL-OUT FULL HEIGHT with PET FEEDING DRAWER

### BBTP24FHPFD

- Door mounted pull-out features smart close guides with chrome rails, gray 50 quart wastebasket with lid, gray bin, and two gray plastic trays. All items can be removed for cleaning. See BBTP24 for pull-out drawing.
- Bottom of pull-out has a removable gray plastic liner.
- Pet feeding drawer in the toekick area features push-to-open guides with a removable gray plastic drawer insert.




### **Custom Modifications**

																																_
AHTH	CDO	rrn	CENTO	CEP	CEDMO	CMAT	CND	DDT	DRWPWR	DRWSEC	DDW/TV	LADA	ΓV	ED ED	LLD	FPFR	ГТИ	FTV V	ID	INIVED M	ITI	AAID	D DTOWD	חמ	DECTV	DT	SCPDRW	Th	TOTCCC	TVR \	/ V/TK	ï
AUTH	CBO	LLU	CLMIO	LLL	CFRMO	CMAT	CND	DKI	UKWYYWK	DKW2FC	DRWTK	EXBK	Ĺλ	LR LN	עזז	LLFR	FTK	LIK_A	ID	INVFRM	LII	MIP	P PTOWB	Kυ	RECTK	KI	SCPUKW	TD	TOTSSS	IVK	/ VIK	v
																																i
											CTD	_				_																

		•
APC	ET	PE
•		•

	<b>Door Options</b>
	DPSRR
ſ	•

### BASE WINE CUBBY, 24" DEEP



### BWC6

- Vertical application only.
- Matching interior.
- Frameless drilled and doweled construction.
- ullet Veneer on 3/4" furniture board core.
- Reduced Depth only available in 3" increments down to 12".

### **Custom Modifications**


_																																	
- 17	HITH	CDO	CCO	CENTO	CED	CEDMO	CMAT	CNID	DDT	DRWPWR	DDMCEC	DDWITI	LADIA	ΓV	FR	FD FFD	EDED	LTI/	ETIV V	ID	INIVEDIA	ITI	AAID	DTOWN	חח	DECTI	DT	CCDDDM	TD	TOTSSS	TVD V	VITI	14/11
- 1/	<b>UTH</b>	CRO	LLU	CHNIO	LTT	CFRMO	CMAI	UND	DRT	UKWYWK	DRWSEC	DRWTK	EXBK	Ĺλ	LR I	עזז עז	LLFR	FTK	FTK_V	ID	INVFRM	LII	MIP	PTOWE	Kυ	RECTK	KI	SCPURW	ΙÜ	101222	TVR_V	VIK	WLI
-	_				_			_	_				_		_					_		_			_		_						
															CTD																	_	
															STD										•								


### Construction Upgrades

		•
APC	ET	PE

	<b>Door Options</b>
	DPSRR
ſ	

### BASE SPICE DRAWER, 24" DEEP





### BSD6

- See BWC6 (Base Wine Cubby without Drawers).
- Frameless drilled and doweled construction.
- Veneer on a 3/4" furniture board core.
- Vertical application only.
- Matching interior.
- Includes five 1/2" hardwood drawers with rabbet joint, 21 13/16" deep.
- Drawer opening is 4 1/2" wide x 5 1/8" high.
- Features flush end panels which cannot be skinned.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Reduced Depth only available in 3" increments down to 12".
- Drawer front is unique to item and will not match profile chosen.
- All styles use standard drawer front profile except Door 15, Door 16, Door 18, Door 19, Door 26, Door 28, Door 32, Door 38, Door 41, Door 44, Door 45, Door 46, and Door 47, which use the shaker profile.
- Door 25, Door 33, Door 36, and Door 37 drawer fronts will match doors and drawer fronts.

### **Custom Modifications**

AUT	Н СВО	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	P PTO	WB F	D REC	CTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
														STD					П						•							•	П

		•
APC	ET	PE

Door Options
DPSRR

210

### **BASE PANTRY PULL-OUT**

### BPP9

### BPP12

9" or 12" Widths
4" or 7"

Pull-out Interior Depth 211/4"

All styles feature a natural finish smart close wood pull-out with adjustable shelves and chrome rail sides. The adjustable rear wall of the pull-out prevents items from falling behind the
unit

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP (	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FFE	FPEB	FTK	FTK_V	' ID	INVFRM	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_\	/ VTK	WLI
•	•	•			•							•	•	•		•	•		Г						•*						•	

\*RECTKALL not available on 9" wide

### **Construction Upgrades**


40113114		.g. aaos
APC	ET	PE
•		•

<b>Door Options</b>
DPSRR
•

### BASE TRAY DIVIDER PANTRY PULL-OUT

### BTDPP12

- All styles feature a natural finish smart close wood pull-out with two removable center dividers and two snap on T-bars.
- Tray dividers are chrome plated steel.



### **Custom Modifications**


_	_				_				_				_	_	_	_				-		_	_		_		_						_
- 17	UTH	CBO	rrn	CFNTO	CEP	CFRMO	CMAT	CND	NPT	DRWPWR	DBM/CEC	DRWTK	EXBK	FY F	S EU	FFD	FPFR	FTK	FTK V	ID.	INVFRM	ITI	MIP	P PTOWB	ΒU	RECTK	PT	SCPDRW	TD	TOTSSS	TVR V	VTK	WII
	MUIII	CDU	CCU	CINIO	CII	CLIVIIO	CITIAL	CIVD	ואט	DIVAMI ANV	DIVIVALC	NIMIN	LVDIV	L/\ I	טו כ	עוו	IILU	LIIV	111171	עו	114 4 1 17/47	LII	//////	IIIOWD	IΛD	KLCIK_	IVI	JCI DKW	Iυ	101333	1 4 17 7	VIIV	VYLI
	•	•	•			•							•				•	•					•			•*						•	

\*RECTKALL and RECTKL/RECTKR not available





# BASE CONTAINER ORGANIZER PANTRY PULL-OUT



#### BCOPP12

- Full extension, smart close wood pull-out with natural finish and two fixed shelves.
- Includes seven OXO<sup>™</sup> Good Grips POP containers (BPA Free): three 1.7 quart, three 4.3 quart, and one 2.6 quart.

Custom Modifications

AUTH CBO CCO CFNTO CFP CFRMO CMAT CND DRT DRWPWR DRWSEC DRWTK EXBK EX FB FD FFD FPEB FTK FTK\_V ID INVFRM LTI MIP P PTOWB RD RECTK\_ RT SCPDRW TD TOTSSS TVR\_V VTK WLI


# Construction Upgrades APC ET PE

Door Options
DPSRR
•

#### **BASE UTENSIL PANTRY PULL-OUT**

#### **BUPP9**

#### BUPP12



- All styles feature a natural finish smart close wood pull-out with two adjustable shelves (including canister shelf) and one fixed shelf with chrome rail sides. Top adjustable shelf features three stainless steel canisters for utensils. The adjustable rear wall of the pull-out prevents items from falling behind the unit.
- BUPP9 canisters are 5.85" tall and have an inside diameter of 4.3".
- $\bullet$  BUPP12 canisters are 6.7" tall and have an inside diameter of 5".

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	B FD	FFD	FPEB	FTK	FTK_V	D INVFRM	LTI	MIP	P PTO	VB RI	D RECTK_	_ RT	SCPDRW	TD	TOTSSS	TVR_V	/ VTK WLI
•	•	•			•							•	•	•		•	•							•*						•

\*RECTKALL not available on 9" wide

#### Construction Upgrades


		3
APC	ET	PE
•		•

#### Door Options

	poor Options
	DPSRR
ſ	


### BASE UTENSIL PANTRY PULL-OUT with KNIFE BLOCK

#### BUPPKB12



### BUPPKB15

- Full extension, smart close wood pull-out with natural finish and one fixed shelf.
- BUPPKB12 features an adjustable shelf with two knife blocks, one stainless steel canister, four cutting boards, and one fixed shelf with chrome rails. Canister is 6.7" tall and has an inside diameter of 5".
- BUPPKB15 features an adjustable shelf with two knife blocks, four stainless steel canisters, four cutting boards, and one fixed shelf with chrome rails. Three canisters are 5.85" tall and have an inside diameter of 4.3", and one is 6.7" tall with an inside diameter of 5".
- Knife block features movable flex rods that adjust to hold a multitude of knives.
- Includes adjustable rear wall for extra strength and stability.
- Adjustable shelf is easily reversible for placement of knife blocks in the front or rear.



#### **Custom Modifications**

A	UTH	CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK	WLI
Г	•	•	•			•							•	•	•			•	•	•*	Г						•						•	

\*Not available on 12" wide

#### Construction Upgrades


		3
APC	ET	PE
•		•



#### **BASE BOX COLUMN PULL-OUT**




BBCPO6 (Plain)



#### BBCPO3OL (Overlay)

#### BBCPO6OL (Overlay)

- Recommend installation between two cabinets. Can be installed on the end of a run or adjacent to an appliance with a 3/4" thick end panel.
- Filler is included but unattached.
- Install unit before removing shipping brace and attaching filler.
- Overlay application includes profiled full overlay filler.
- Decorative hardware required on base units.
- Modifications not available.
- Toekick not included; must be built up in the field.
- If installed next to an appliance an End Panel must be installed onto the pull out adjacent to the appliance.
- $\bullet \ \, \text{All styles feature a natural finish smart close wood pull-out with adjustable shelves and chrome rail sides}.$
- $\bullet \ \ \mathsf{BBCPO3} \ \ \mathsf{and} \ \ \mathsf{BBCPO6} \ \ \mathsf{will} \ \mathsf{not} \ \mathsf{feature} \ \mathsf{sand-through} \ \mathsf{characteristics} \ \mathsf{if} \ \mathsf{ordered} \ \mathsf{with} \ \mathsf{Heirlooming} \ \mathsf{Technique}.$
- In order to allow proper clearance for opening and closing, allow an additional 1/8" space between adjacent cabinet face frames. The 3" wide pull-outs require 3 1/8" space and the 6" wide pull-outs require 6 1/8" space. Spaces are included with the pull-outs to allow for proper installation.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.



#### MODIFICATIONS


No modifications available for these products.

#### Finish Techniques

	•
Distressing	Heirlooming
•	•*

<sup>\*</sup>Not available on Plain

#### **BASE MESSAGE CENTER**



#### BMC24 L or R

- Includes magazine holder, bulletin board, and mail holder.
- Not recommended for use next to a Peninsula cabinet due to the additional 1/4'' cabinet depth.
- $\bullet$  Door will open 90° without decorative hardware.
- Cabinet should be hinged on wall side.
- For proper installation, adjacent cabinet must have FPEB or 1/4" skin applied.
- Overlay fillers can be used on side of cabinet to add a decorative touch.

#### **Custom Modifications**


AUTH	CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD FF	FPEB	FTK	FTK_\	/ 10	INVFRM	MIP F	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_\	VTK	WLI
	•	•														STD					•				П						•

#### **Construction Upgrades**

COIISITO	ciioii o	yı uucs
APC	ET	PE
•		

	Door Options
	DPSRR
ı	

#### **BASE DROP-IN RANGE CABINET**



B30DR

B33DR


B36DR

B39DR

B42DR


B45DR

**B48CSDR** 



#### B48DR

- $\bullet$  8" panel can be trimmed up to 6 1/2".
- Adjustable 15" deep shelf.
- Can also be used with apron front sinks, refer to manufacturer's dimension requirements.



#### **Custom Modifications**

_																																	
- 1	\UTH	CRN	rrn	CENTO	CED	CEBWU	CMAT	CND	NPT	<b>DB/Mb/Mb</b>	DB/WCEC	DB/WLK	FYRK	FY	FR FI	) FFD	FPFR	FTK	FTK 1	V ID	INIVEDM	ITI	MIP	P PTOWB	PN	RECTK	PT	CCBUBM	TN	222TNT	TVP \	/ VTK	WH
- 1	10111	CDO	CCU	CHITO	CII	CIKMO	CMAI	CIVD	DIVI	DIVITI WIN	DIVIVALC	DIMMIN	LVDIV	LΛ	ID IL	יווי י	IILD	TIK	1111/_	V ID	HAALIVAI	LII	/1111	I IIOWD	ΝD	KLCIK_	IVI	JCI DKW	Iυ	101333	I VIV_	AIII	WLI
												_*																					_


\*Available only on 30", 33", and 36" wide

Constru	ıction	Up	grades
ADC	ГТ		DE




#### RTBFH3028.5

#### RTBFH3628.5



RTBFH4828.5CS

- One full depth shelf.
- Aligns with standard base cabinet door. Door height is 23".
- Top cross rail is 2" high, can be trimmed up to 1".
  Installed Roll Trays may interfere with gas line, see chart on page 46 for clearance depth behind roll tray.
- For use with rangetops with front controls.



#### **Custom Modifications**

I	UTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB	FD	FFD	FPEB	FTK	FTK_	V ID	INVFRM	LTI	MIP F	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_	VTK	WLI
L	•	•	•	•		•							•	•	•	STD		•	•	•	•		•	•		•	•	•					•	•

Construction	Upgrades
--------------	----------


		3
APC	ET	PE
•		•

	Door Obitons
Γ	DPSRR
Γ	•

214

# **BASE CABINETS**

#### **BASE OVEN CABINET**



#### **BO30**

#### **BO33**

#### **BO36**

- Oven cabinet has laminated interior.
- May not hold cooktop and slide-in oven combination. Refer to cooktop and slide-in oven manufacturer specifications.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details), but will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.

Model	Opening Width	Maximum Width	Opening Height	Maximum Height*
B030	24"	28 1/2"	19 1/2"	27 1/2"
B033	27"	31 1/2"	19 1/2"	27 1/2"
B036	30"	34 1/2"	19 1/2"	27 1/2"

\*Top frame cross rail can be removed during field installation if cabinet is properly installed between two adjacent cabinets, increasing the maximum height to 28 1/4".

#### **Custom Modifications**


AU	TH CB	000	<b>CFNTO</b>	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FFD	FPEB	FTK	FTK_V	/ ID	INVFRM	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK WLI	ĺ
•					•						•	•	•	•		•	•	•	•					•	•						•	ı

#### **Construction Upgrades**

		•
APC	ET	PE
•		•

Door Option:
DPSRR

# BASE BUILT-IN MICROWAVE CABINET with DRAWER



#### BBMWD24

#### BBMWD27

#### BBMWD30

- Standard interior.
- For built-in appliance support, OCINSTALLKIT is included in 24" deep cabinets (see page 373 for details), but will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- The usable cabinet face height between top of drawer front and top of cabinet is 19 3/4". Be sure to verify overall appliance height, gap requirements, and cut-out dimensions with cabinet specifications.

Model	Opening Width	Maximum Width	Opening Height	Maximum Height
BBMWD24	21"	22 1/2"	13 7/8"	16 7/8"
BBMWD27	24"	25 1/2"	13 7/8"	16 7/8"
BBMWD30	27"	28 1 /2"	13 7/8"	167/8"

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT [	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_V	D INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK WLI
•	•	•			•						•	•	•	•		•	•	•		П			•	•	П					•


#### Construction Upgrades

		•
APC	ET	PE
•		•

Door O	ptions
--------	--------

•	
NPCRR	
DIJKK	

# BASE MICROWAVE CABINET with DRAWER



#### BMWD24

#### BMWD27

#### BMWD30

- Matching Interior Plywood (MIP) standard.
- · Reinforced plywood floor.
- The usable cabinet face height between top of drawer front and top of cabinet is 23 1/2". Be sure to verify overall appliance height, gap requirements, and cut-out dimensions with cabinet specifications.

Model	Opening Width	Maximum Width	Opening Height	Maximum Height
BMWD24	21"	22 1/2"	17"	20"
BMWD27	24"	25 1/2"	17"	20"
BMWD30	27"	28 1/2"	17"	20"

#### **Custom Modifications**


AUT	H CBC	CCU	CFNTO	CED	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX FE	En	CED	FPFR	FTK	FTK V	ID I	NVFRM	ITI	MIP	PTOWB	DN	RECTK	DT	SCPDRW	TN	TOTSSS	TV/D V	VTK WILL
AUI	II CDU	LLU	CLIMIO	CFT	CLKWIO	CIVIAI	CIVU	ואט	DVAALAAV	DVAADEC	DVAAIV	EVDI	LV L	רט פ	LLA	LLED	LIV	LIK_A	IU I	IIV V F K/VI	LII	IIIIV	LIOAAD	ΚD	VECIV"	ΝI	2CL DV AA	ועו	101333	TVR_V	VIK WLI
	•				•						•	•	•			•	•	•				STD		•	•						•

Collette	iciion u	grades
APC	ET	PE

Door Options
DPSRR

216

# BASE MICROWAVE CABINET with DEEP DRAWER



#### BMWD24DD

#### BMWD27DD

#### BMWD30DD

- Matching Interior Plywood (MIP) standard.
- Reinforced plywood floor.
- The usable cabinet face height between top of drawer front and top of cabinet is 18 3/8". Be sure to verify overall appliance height, gap requirements, and cut-out dimensions with cabinet specifications.

Model	Opening Width	Maximum Width	Opening Height	Maximum Height
BMWD24DD	21"	22 1/2"	16"	16"
BMWD27DD	24"	25 1/2"	16"	16"
BMWD30DD	27"	28 1/2"	16"	16"

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB FD	FFD	FPEB	FTK	FTK_	V ID	INVFRM	LTI	MIP	PTOWB	RD	RECTK_	RT	SCPDRW	TD TOTSSS	TVR_\	VTK \	WLI
•	•	•			•						•	•	•			•	•	•				STD		•	•					•	

#### Construction Upgrades


construction opgrades											
APC	ET	PE									

Door Options
DPSRR

# BASE MICROWAVE CABINET, SINGLE or DOUBLE DOOR, 46 1/2" HIGH

#### BMW2448 L or R

#### BMW2448 BMW2748





#### BMW3048

- Matching Interior Plywood (MIP) standard.
- · Reinforced plywood floor.

Model	Opening Width	Maximum Width	Opening Height	Maximum Height
BMW2448 L or R	21"	22 1/2"	16"	16"
BMW2448	21"	22 1/2"	16"	16"
BMW2748	24"	25 1/2"	16"	16"
BMW3048	27″	28 1/2"	18 1/2"	21 1/2"








#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO (	CFP (	CFRMO	CMAT	CND	RT DRWPW	R DRWSEC	DRWTK	EXBK	EX FE	FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP P	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_V	VTK V	VLI
•	•	•	•		•					•	•	•			•	•	•	•		•	STD		•	•			П			•	

		J
APC	ET	PE

<b>Door Options</b>
DPSRR
•

#### **BASE CORNER PENINSULA**



#### BCP24 L or R

#### BCP24

- Cabinet width is 24".
- Adjustable full depth shelf.
- Includes two 3" fillers, shipped unattached. Fillers are required for drawer and door opening clearance of adjacent cabinets.
- Unfinished toekick on front (B24) and back (BCP) of cabinet.
- Will not accept roll trays.
- Peninsula base cabinets are 1/4" deeper to allow back paneling application on adjacent cabinets in a run with standard 24" deep cabinets.

#### **Custom Modifications**

AUTI	H CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX F	B FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	Р	PTOWB	RD	RECTK_	RT	SCPDRW	TD	TOTSSS	TVR_\	VTK	WLI
•	•	•	•	•	•					•			•	•		•	•	•			•	•	STD		•	STD/•*	Г					•	•

 ${\rm *RECTKALL}$  not available, RECTKBK is standard, and RECTKL/RECTKR are available

#### **Construction Upgrades**


# PE

	Door Obtions
	DPSRR
Ī	

#### **BASE CORNER PENINSULA with FULL HEIGHT DOOR**







#### BCP24FH L or R

#### BCP24FH

- Cabinet width is 24".
- · Adjustable full depth shelf.
- Includes two 3" fillers, shipped unattached. Fillers are required for drawer and door opening clearance of adjacent cabinets.
- Unfinished toekick on front (B24) and back (BCP) of cabinet.
- Will not accept roll trays.
- Peninsula base cabinets are 1/4" deeper to allow back paneling application on adjacent cabinets in a run with standard 24" deep cabinets.

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX	FB F	D FF	D FPEE	FTK	FTK_	V ID	INVFRM	LTI	MIP	Р	PTOWB	RD	RECTK_	RT	SCPDRW	TD TOTS	SS T	VR_V	VTK	WLI
•	•	•	•		•								•	•		•	•	•			•	•	STD		•	STD/•*						•	•

\*RECTKALL not available, RECTKBK is standard, and RECTKL/RECTKR are available









**BQRES** 

- Reversible.
- 12" wide x 23 1/4" deep x 11" radius.
- Separate pedestal base included.
- Angled pedestal design allows easier application of matching toeboard.
- Veneer construction finished to match cabinet face frame.
- Veneer on a 3/4" furniture board core.
- · Matching interior.
- Cabinet is to be installed behind the face frame of the adjacent 24" deep base cabinet, features two unfinished back panels.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.


#### MODIFICATIONS

No modifications available for these products.

#### **Construction Upgrades**

	APC	ET	PE
Γ	•		

#### **BASE OPEN CABINET with PLAIN BACK**



BOCP15

BOCP18

**BOCP24** 

**BOCP30** 

**BOCP36** 

- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

#### **Custom Modifications**

AU	TH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	DRWTK	EXBK	EX FB	FD	FFD	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	P PTOWB	RD	RECTK_	RT	SCPDRW	TD TO	OTSSS	TVR_V	VTK	WLI
•	•	STD				•						•*	•	•	STD		•	•	•	•			STD	•	•	•					•	•	

\*Not available on 15" wide

40113110		opg. aaos
APC	ET	PE

Door	Option
1	DCDD

All Universal Access Cabinets are 32 1/2" high unless

#### 219

# **UNIVERSAL ACCESS CABINETS**


Cabinet Ty		2432.5 Cabinet Width	
	CONSTRU	UCTION UPGRADES	
Mod.	Descrip	ption	

otherwise noted.

	CUCTOU	HODIFICATION	ue.
	COZION	MODIFICATIO	N2
Mod.	Description	Mod.	Description
ACS	Appliance Cut-out, Single	EXL	Extended Stile - Left
CBO	Cabinet Box Only	EXR	Extended Stile - Right
CCO	Cabinet Case Only	FB	Finished Ends
CFNTO	Cabinet Front Only	FD	Full Depth Shelf
CFP	Cabinet False Panel	FPEB	Furniture Finished Plywood Ends
CFRMO	Cabinet Frame Only	ID	Increased Depth
CMAT	CabMat™	INVFRM	Inverted Frame
CND	Cabinet with No Door,	LTI	Light Installed Battery Strip
	with Drawer	MIP	Matching Interior Plywood
DRT	Deep Roll Tray	RD	Reduced Depth
DRWPWR	PowerGlide <sup>™</sup> Compact	RT	Installed Roll Tray
	Drawer Outlet	SCPDRW	Scooped Drawer
DRWSEC	Biometric Secured Drawer	TOTSSS	Tilt-out Tray, Stainless Steel Slim
EXBKL	End Extended Back - Left	VTK	Void Toekick
EXBKR	End Extended Back - Right	WLI	White Laminate Interior

	CONSTRUCTION UPGRADES		DOOR OPTIONS
Mod.	Description	Mod.	Description
APC PE	All-plywood Construction Plywood Ends	DPSRR MFO	Door Panel - Solid Reverse Raised Modified Full Overlay

#### UNIVERSAL ACCESS BASE, **SINGLE DOOR**



B1232.5 L or R

B1532.5 L or R

B1832.5 L or R

B2132.5 L or R

• Adjustable 15" deep shelf.

#### **Custom Modifications**

ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	EX	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
	•	•	•	•	•		•		•*	•*	•	•	•	•	•		•	•+	•	•	•	•		•	•


\*Not available on 12" and 15" wide \*Not available on 12" wide

#### **Construction Upgrades**

APC	PE
•	•

#### **Door Options** DPSRR MFO

#### **UNIVERSAL ACCESS BASE, DOUBLE DOOR**



B2432.5

B3032.5

B3632.5

• Adjustable 15" deep shelf.

#### **Custom Modifications**

ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	EX	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
	•	•	•	•	•		•		•	•*	•	•	•	•	•		•	•	•	•	•	•		•	•

\*Available only on 24" wide


#### **Construction Upgrades**

CONSTRUCTION	i opgiuues
APC	PE
•	•

#### **Door Options**

Door Obilons										
DPSRR	MFO									
•										

#### **UNIVERSAL ACCESS SINK BASE**



(FP) = False Panel

#### SB3032.5

#### SB3632.5

• Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.

#### **Custom Modifications**


ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	EX	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
		•	•	STD	•	•	•				•	•	•		•			•	•	•			•	•	•

	1-3
APC	PE
•	•

Door Op	tions
DPSRR	MFO
•	

220

# UNIVERSAL ACCESS SINK BASE with TILT-OUT TRAYS



#### SB3032.5ST

#### SB3632.5ST

- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Includes two tilt-out trays.
- Tilt-out trays are also available as an accessory for field installation. See page 375.

#### **Custom Modifications**


ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	EX	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
		•	•		•	•					•	•	•		•			•	•	•				•	•

#### Construction Upgrades

APC	PE
•	•

Door Op	tions
DPSRR	MFO
•	

### UNIVERSAL ACCESS SUPER LAZY SUSAN



#### SLS3632.5 L or R

- SLS3632.5 L or R wall width is 36" x 36".
- Features two plywood susans with a 1" plywood lip. Lower susan is mounted to floor. Upper susan is mounted to fixed shelf. Fixed shelf is 1/2" thick laminated furniture board.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of SLS.
- Integrated soft-close hinge not included.

#### **Custom Modifications**

ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	EX	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
	•												•		•			•	•					•	•

#### **Construction Upgrades**


APC	PE
•	•

#### **Door Options**

DPSRR	MFO
•	

### Due to fixed shelf mounting, susans cannot be retrofitted.

### UNIVERSAL ACCESS THREE DRAWER BASE



3DB1532.5

3DB1832.5

3DB2432.5

• 1 shallow and 2 deep drawers.

#### **Custom Modifications**

ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	EX	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
	•	•		•	•				•*	•*	•	•	•		•					•		•		•	

\*Not available on 15" wide


#### Construction Upgrades

	13
APC	PE
•	•

#### **Door Options**

DPSRR	MFO

# UNIVERSAL ACCESS BASE MICROWAVE with DEEP DRAWER



#### BMWD2732.5DD

#### BMWD3032.5DD

- 1 deep drawer below microwave.
- $\bullet \ \ \text{Matching Interior Plywood (MIP) standard}.$

#### **Custom Modifications**


ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	EX	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
	•	•	•		•						•	•			•				STD	•				•	

CONSTRUCTION	i opgrades
APC	PE

Door Op	tions
DDCDD	MEO

#### **UNIVERSAL ACCESS DESK LEG**





#### VDL32.5WD

- $\bullet\,$  VDL32.5WD in Stains:  $3/4^{\prime\prime}$  thick veneered furniture board.
- VDL32.5WD in Paints: 3/4" thick veneered or solid furniture board.
- All panels are finished two sides and front edge.

MODIFICATIONS
No modifications available for these products.
No modifications available for

Finish Tech	
Distressing	Heirlooming

#### Species Availability (Wood)


				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **VANITY WALL SINK**





#### VWS2723

VWS3023

VWS3323

#### VWS3923

- Matching Interior Plywood (MIP) standard.
- Recommended installation height of 32" high with 9" of clearance below.
- Front panel is attached with clips for easy removal for access to plumbing.
- Finished veneer plywood exterior and interior.
- For proper installation, cabinet must be secured on each side through both the top and bottom of the back panel into wall studs. Installation instructions and required 3 1/2" installation screws included, standard 2 1/2" installation screws are not sufficient in this application.
- Features a full cabinet top that can be routed for sink installation.
- Approximate weight limit is 400 lbs. per cabinet (includes weight of the cabinet, countertop and contents). Proper installation is required and additional bracing may be required.
- Includes connector clips to mount the sink base to the Removable Vanity Sink Base (RVWS..32). RVWS..32 not included, see below.

#### **Custom Modifications**


ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	EX	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
															STD				STD						


Construction	Upgrades
--------------	----------

APC	PE

Door Op	TIONS					
DPSRR	MFO					

# REMOVABLE VANITY SINK BASE, 21" DEEP





#### **RVWS3032**

**RVWS3332** 

**RVWS3632** 

#### **RVWS4232**

- Must be ordered with Vanity Wall Sink (VWS..23), not designed to be a stand-alone unit.
- RVWS3032 is compatible with VWS2723
- RVWS3332 is compatible with VWS3023
- RVWS3632 is compatible with VWS3323
- RVWS4232 is compatible with VWS3923
- Cabinet is able to be removed for handicap accessible use.
- $\bullet$  Includes connector clips to mount the sink base to the Vanity Wall Sink (VWS..23).
- Available with AUTHL, AUTHR, and AUTHB modifications.

#### **Custom Modifications**

ACS	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRT	DRWPWR	DRWSEC	EXBK	ЕХ	FB	FD	FPEB	ID	INVFRM	LTI	MIP	RD	RT	SCPDRW	TOTSSS	VTK	WLI
		•	•	STD	•	•									STD			•	•						•

	13
APC	PE
STD	

Door Up	tions
DPSRR	MFO
•	

NOTE:

Any included shelves on tall cabinets are packaged separately.


		(	CUSTOM MODIFICATIONS		
Mod.	Description	Mod.	Description	Mod.	Description
ACS	Appliance Cut-out, Single	EXBKL	End Extended Back - Left	FTKFV	Flush Toekick Furniture
ADDTK	Add Toekick	EXBKR	End Extended Back - Right	ID	Increased Depth
AUTHB	Authentic Ends - Both	EXL	Extended Stile - Left	INVFRM	Inverted Frame
AUTHL	Authentic End - Left	EXR	Extended Stile - Right	MIP	Matching Interior Plywood
AUTHR	Authentic End - Right	FB	Finished Ends	RD	Reduced Depth
CBO	Cabinet Box Only	FD	Full Depth Shelf	RECTKL	Recessed Toekick - Left
CCO	Cabinet Case Only	FFDL	Face Frame and Door	RECTKR	Recessed Toekick - Right
CFNTO	Cabinet Front Only		on End - Left	RT	Installed Roll Tray
CFRMO	Cabinet Frame Only	FFDR	Face Frame and Door	TD	Tray Dividers
CND	Cabinet with No Door,		on End - Right	TKP	Loose Toekick
	with Drawer	FPEB	Furniture Finished Plywood Ends	VTK	Void Toekick
DRT	Deep Roll Tray	FTK	Flush Toekick	WLI	White Laminate Interior
DRWTK	Toekick Drower	FTKAV	Flush Toekick Arch		

	CONSTRUCTION UPGRADES
Mod.	Description
APC	All-plywood Construction
ET	EasyTrax™
PF	Plywood Ends

DOOR OPTIONS								
Mod.	Description							
CG.TOP	Cut-for-glass Doors							
DPSRR	Door Panel - Solid Reverse Raised							
MFO	Modified Full Overlay							

#### UTILITY, 66" TALL, 12" DEEP





U96612 L or R

U126612 L or R

U156612 L or R

U186612 L or R

U216612 L or R

U246612 L or R

U246612

U276612

U306612

U336612

#### U366612

- Recommended for stacking with wall cabinets to create tall utility cabinets for designs greater than 96".
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.
- · Because of exposed seam when stacking, FPEB is not recommended.
- Be sure to use an end panel skin to connect the seam on the side of the stacked cabinets.

#### **Custom Modifications**

_				_				_												_		_		_	_	
ACS	<b>ADDTK</b>	AUTH	CBO	CCO	CENTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK V	ID	INVFRM	MIP	RD	RECTK	RT	TD	TKP	VT	K
nes	ADDIK	AOTTI	CDO	cco	CITTO	CITUTIO	CITD	DIKI	DICHTIC	LADIC	L/\	10	110	TILD	1 110	1111_1	IU	III IIII	/*****	IND	KECIK_	141	10	11(1	****	ê
																*										


\*Not available on 9" and 12" wide

Construction Upgrades										
APC	ET	PE								
•		•								


Door O	ptions	
CG.TOP	DPSRR	MFO
	•	•

#### UTILITY, 66" TALL, 24" DEEP

9", 12", 15", 18", 21", or 24"



24", 27", 30", 33", or 36"



U96624 L or R U126624 L or R U156624 L or R U186624 L or R U216624 L or R

U246624 L or R

U246624 U276624 U306624 U336624

#### U366624

- Recommended for stacking with wall cabinets to create tall utility cabinets for designs greater than 96".
- ullet Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.
- Because of exposed seam when stacking, FPEB is not recommended.
- Be sure to use an end panel skin to connect the seam on the side of the stacked cabinets.

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	ССО	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•			•*	•	•	•		•	•	•+	•		•	•	•	•4		•	•	•

\*Not available on 9", 12", and 15" wide  $\,$  \*Not available on 9" and 12" wide  $\,$  \*Not available on 9" wide

#### **Construction Upgrades**


		-
APC	ET	PE
•		•


#### Door Options





# TALL CABINETS

# UTILITY, 84", 87", or 90" TALL, 12" DEEP









U98412 L or R

U128412 L or R

U158412 L or R

U188412 L or R

U218412 L or R

U248412 L or R

U98712 L or R

U128712 L or R

U158712 L or R

U188712 L or R

U218712 L or R

U248712 L or R

U248412

U278412

U308412

U338412

U368412

U248712

U278712

U308712

U338712

U368712

U99012 L or R

U129012 L or R

U159012 L or R

U189012 L or R

U219012 L or R

U249012 L or R

U249012

U279012

U309012

U339012

#### U369012

- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- $\bullet \ \ \text{Depth can be reduced to a minimum of } 6\text{''}. \ \text{For depths of } 6\text{''}-8\text{''}, \ \text{cabinet will not include toekick/pedestal}.$
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•				•	•	•	•	•	•	•*		•	•	•	•		•	•	•	•


\*Not available on 9" and 12" wide

APC	ET	PE
•		•


ptions	
DPSRR	MFO
•	•
	DPSRR •

#### UTILITY, 93" or 96" TALL, 12" DEÉP


9", 12", 15", 18", 21", or 24"




24", 27", 30", 33", or 36"



9", 12", 15", <u>18"</u>, 21", or 24"



24", 27", 30", 33", or 36"



U99312 L or R

U129312 L or R

U159312 L or R

U189312 L or R

U219312 L or R

U249312 L or R

U249312

U279312

U309312

U339312

U369312

U99612 L or R

U129612 L or R

U159612 L or R

U189612 L or R

U219612 L or R

U249612 L or R

U249612

U279612

U309612

U339612

#### U369612

- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.

#### **Custom Modifications**

AC	S ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•				•	•	•	•	•	•	•*		•	•	•	•		•			•

<sup>\*</sup>Not available on 9" and 12" wide

#### Construction Upgrades


	•• •р	3
APC	ET	PE
•		•


#### **Door Options**


CG.TOP	DPSRR	MF
•	•	•

#### UTILITY, 84", 87", or 90" TALL, **24" DEEP**

9", 12", 15", 18", 21", or 24" 15" or 18" Frame Opening Height 581/2" Frame Opening Height







U98424 L or R

U128424 L or R

U158424 L or R

U188424 L or R

U218424 L or R

U248424 L or R

U98724 L or R

U128724 L or R

U158724 L or R

U188724 L or R

U218724 L or R

U248724 L or R

U248424

U278424

U308424

U338424

U368424

U248724

U278724

U308724

U338724

U368724

U99024 L or R

U129024 L or R

U159024 L or R

U189024 L or R

U219024 L or R

U249024 L or R

U249024

U279024

U309024

U339024

#### U369024

- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•			•*	•	•	•	•	•	•	•+	•	•	•	•	•	•4	•	•	•	•

\*Not available on 9", 12", and 15" wide 

+Not available on 9" and 12" wide 

◆Not available on 9" wide


#### **Construction Upgrades**

#### ET PE •


Door O	ptions	
CG.TOP	DPSRR	MFO
•	•	•

#### UTILITY, 93" or 96" TALL, 24" DEÉP


9", 12", 15", 18", 21", or 24"




24", 27", 30", 33", or 36"



9", 12", 15", 18", 21", or 24"



24", 27", 30", 33", or 36"



U99324 L or R

U129324 L or R

U159324 L or R

U189324 L or R

U219324 L or R

U249324 L or R

U249324

U279324

U309324

U339324

U369324

U99624 L or R

U129624 L or R

U159624 L or R

U189624 L or R

U219624 L or R

U249624 L or R

U249624

U279624

U309624

U339624

#### U369624

- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•				•	•	•	•	•	•	•*	•	•	•	•	•	•+	•			•

\*Not available on 9" and 12" wide \*Not available on 9" wide

#### **Construction Upgrades**

PE
•

#### **Door Options**

CG.TOP	DPSRR	MF0
•	•	

# TALL CABINETS

# UTILITY with ROLL TRAYS, 66" TALL, 24" DEEP

12", 15", 18", 21", or 24"

66"

581/2"
Frame
Opening
Height

24", 27", 30", 33", or 36"



U126624RT L or R U156624RT L or R U186624RT L or R U216624RT L or R U246624RT L or R

U246624RT

U276624RT

U306624RT

U336624RT

#### U366624RT

- ullet Recommended for stacking with wall cabinets to create tall utility cabinets for designs greater than 96".
- Four roll trays are included, installed in cabinet.
- Depth can be reduced to a minimum of 12".
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.
- Because of exposed seam when stacking, FPEB is not recommended.
- Be sure to use an end panel skin to connect the seam on the side of the stacked cabinets.

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•		•	•*	•	•	•		•	•	•			•	•	•			•	•	•

<sup>\*</sup>Not available on 12" and 15" wide

#### **Construction Upgrades**

APC	ET	PE
•	•	•

#### Door Options

200. 0	P	
CG.TOP	DPSRR	MFO
	•	


#### **UTILITY** with ROLL TRAYS, 84", 87", or 90" TALL, 24" DEEP

12", 15", 18", 21", or 24" - 15" or 18" Frame Opening Height 84' or 87' 58<sup>1</sup>/<sub>2</sub>" Frame Opening Height

-15" or 18" Frame Opening Height 84" or 87" 58<sup>1</sup>/2" Frame Opening Height

24", 27", 30", <u>33", or</u> 36"

# 12", 15", 18", 21", or 24" 21" Frame Opening Height 90' 581/2" Frame Opening Height



U128424RT L or R U158424RT L or R U188424RT L or R U218424RT L or R U248424RT L or R U128724RT L or R U158724RT L or R U188724RT L or R U218724RT L or R U248724RT L or R

U248424RT U278424RT U308424RT U338424RT U368424RT U248724RT U278724RT U308724RT U338724RT U368724RT

U129024RT L or R U159024RT L or R U189024RT L or R U219024RT L or R U249024RT L or R

U249024RT U279024RT U309024RT U339024RT U369024RT

- Four roll trays are included, installed in cabinet.
- Depth can be reduced to a minimum of 12".
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.

#### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	ССО	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•		•	•*	•	•	•		•	•	•			•	•	•		•	•	•	•

\*Not available on 12" and 15" wide

		•
APC	ET	PE
•	•	•

Door O	ptions	
CG.TOP	DPSRR	MFO
•	•	•


# UTILITY with ROLL TRAYS, 93" or 96" TALL, 24" DEEP




24", 27", 30", 33", or 36"

24" Frame Opening Height

581/2" Frame Opening Height





U129324RT L or R U159324RT L or R U189324RT L or R U219324RT L or R U249324RT L or R

U249324RT U279324RT U309324RT U339324RT U369324RT

U129624RT L or R U159624RT L or R U189624RT L or R U219624RT L or R U249624RT L or R

U279624RT U309624RT U339624RT U369624RT

U249624RT

- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- Four roll trays are included, installed in cabinet.
- Depth can be reduced to a minimum of 12".
- $\bullet\,$  Tall non-mitered doors will have two center panels with cross rail.
- $\bullet\,$  Door 33 doors greater than 48" high will be two doors doweled together.

#### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•		•		•	•	•		•	•	•*			•	•	•		•			•


\*Not available on 12" wide


Constru	ction up	graaes
APC	ET	PE
•	•	•

Door O	ptions	
CG.TOP	DPSRR	MFO
•	•	•

#### UTILITY ORGANIZER CABINET, 84", 87", 90", 93", or 96" TALL, 6" DEEP, 24" WIDE







UOC24846 UOC24876

UOC24906 UOC24936

#### UOC24966

• Includes adjustable shelves and broom clip packaged separately (not installed):

84"-87" tall - four shelves

90"-93" tall - five shelves

96" tall - six shelves

- Designed to be installed onto an adjacent 24" deep tall cabinet.
- For proper installation, adjacent cabinet must have FPEB or 1/4" skin applied.
- 6" overlay fillers can be used on the side to add a decorative touch (Full overlay door styles only).
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Does not include toeboard or pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.

#### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	rrn	CENTO	CFRMO	CND	DDT	DRWTK	EXBK	EX	FR	FFD	FPEB	FTK	ETV V	ID	INVFRM	MIP	RD	DECTV	DT	TD	TVD	VTK	WLI
ACO	AUUIN	AUIII	CDU	LLU	CLIMIO	CLIVINO	CIVU	ואט	DVAAIV	EVDIV	ĽΛ	ΓD	LLA	LLED	LIV	LIV_A	עו	HAALKW	IIIVI	Vυ	VECTY_	NI	Iυ	IM	VIIV	VV LI
			•		•	•								CTD				•	•							
			-	-	_	-								210					-							-


Constru	ction Up	grades
ADC	FT	DE

APC	ET	PE
•		

# Door Options CG.TOP DPSRR MFO

### **UTILITY ORGANIZER DROP ZONE** CABINET, 84", 87", 90", 93", or 96" HIGH, 9" DEEP, 24" WIDE





UOCDZ24849AEL/AER UOCDZ24879AEL/AER

UOCDZ24849AEL UOCDZ24849AER UOCDZ24879AEL UOCDZ24879AER

UOCDZ24909AEL UOCDZ24909AER UOCDZ24939AEL UOCDZ24939AER

#### UOCDZ24969AEL

#### UOCDZ24969AER


- Features magnetic whiteboards on back of lower doors, one magnetic black mesh pencil holder, charging station with power strip, black plastic grommet for power cord, key hooks, and coat hooks. Accessories are field installed.
- Charging station functions as an adjustable shelf, features five cord cut-out areas and includes a UL listed power strip with three standard 110-volt plug-ins and one USB charging port.
- One adjustable shelf in upper section on 90" and 93", two adjustable shelves for 96", and three adjustable shelves in lower section.
- Authentic Ends are standard on one side. Specify AEL model for installation on the right side of a tall cabinet. Specify AER model for installation on the left side of a tall cabinet. Opposite end panel will feature FPEB construction (if decorative doors are desired on both sides of cabinet, order No Hinge Route doors for a Tall Pantry Pull-out).
- Designed to be installed onto an adjacent 24" deep tall cabinet.
- For proper installation, adjacent cabinet must have FPEB or 1/4" skin applied.
- Utility cabinets with depths of 12" or less must be installed to wall study or onto the end of another tall cabinet.
- Does not include toeboard or pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.


#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		STD	•	•	•	•								STD					•							•

Constru	ction Up	grades
APC	ET	PE







UOCDZ24909AEL/AER UOCDZ24939AEL/AER



0) 2"






**Power Strip** 


Grommet

Key Hooks Coat Hooks

#### PANTRY TOP UNIT with SHELVES, SINGLE DOOR, 24" DEEP



15", 18", 21", or 24"



PTUS154924 L or R

PTUS184924 L or R

PTUS214924 L or R

PTUS244924 L or R

PTUS156124 L or R

PTUS186124 L or R

PTUS216124 L or R

PTUS246124 L or R

- Three adjustable shelves included with 49 1/2'' high, and four adjustable shelves included with 61 1/2'' high.
- Sets on any 15", 18", 21", or 24" wide base (B15 shown). No countertop is needed.
  Can be reduced in depth to 6".
- Because of exposed seam when stacking, FPEB is not recommended.
- Be sure to use an end panel skin to connect the seam on the side of the stacked cabinets.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors will be two doors doweled together.

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
	•	•*	•	•	•	•				•	•	•		•					•	•*						•


 $^{\star}$ RD12 is not compatible with AUTHL, AUTHR, or AUTHB


#### **Construction Upgrades**

APC	ET	PE
•		•

#### **Door Options** CG.TOP DPSRR MFO

#### PANTRY TOP UNIT with SHELVES, DOUBLE DOOR, 24" DEEP





PTUS244924

PTUS304924

PTUS364924

PTUS246124

PTUS306124

PTUS366124

- Three adjustable shelves included with 49 1/2'' high, and four adjustable shelves included with 61 1/2'' high.
- Sets on any 24", 30", or 36" wide base (B30 shown). No countertop is needed.
- Can be reduced in depth to 6".
- Because of exposed seam when stacking, FPEB is not recommended.
- Be sure to use an end panel skin to connect the seam on the side of the stacked cabinets.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors will be two doors doweled together.

#### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
	•	•*	•	•	•	•				•	•	•		•					•	•*						•

\*RD12 is not compatible with AUTHL, AUTHR, or AUTHB

		3
APC	ET	PE
•		•

Door O	ptions	
CG.TOP	DPSRR	MFO
		_

#### PANTRY TOP UNIT, SINGLE DOOR, 24" DEEP



611/2"

PTU154924 L or R

PTU184924 L or R

PTU214924 L or R

PTU244924 L or R

PTU156124 L or R

PTU186124 L or R

PTU216124 L or R

PTU246124 L or R

- One 15" deep adjustable shelf included with 49 1/2" high, and two 15" deep adjustable shelves included with 61 1/2" high.
- Three roll trays are included, installed in cabinet.
- Sets on any 15", 18", 21", or 24" wide base (B15 shown). No countertop is needed.
- Can be reduced in depth to 12".
- Because of exposed seam when stacking, FPEB is not recommended.
- Be sure to use an end panel skin to connect the seam on side of stacked cabinets.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors will be two doors doweled together.

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
	•	•*	•	•	•	•		•		•	•	•	•		•					•	•*						•


\*RD12 is not compatible with AUTHL, AUTHR, or AUTHB


#### **Construction Upgrades**

		J
APC	ET	PE
•		•

# Door Options CG.TOP DPSRR MFO • •

#### PANTRY TOP UNIT, DOUBLE DOOR, 24" DEEP





PTU244924

PTU304924

PTU364924

PTU246124

PTU306124

#### PTU366124

- $\bullet \ \ \text{One 15'' deep adjustable shelf included with 49 1/2'' high, and two 15'' deep adjustable shelves included with 61 1/2'' high.}$
- Three roll trays are included, installed in cabinet.
- $\bullet$  Sets on any 24", 30", or 36" wide base. (B30 shown.) No countertop is needed.
- Can be reduced in depth to 12".
- Because of exposed seam when stacking, FPEB is not recommended.
- Be sure to use an end panel skin to connect the seam on side of stacked cabinets.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors will be two doors doweled together.

#### Custom Modifications


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FD	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
	•	•*	•	•	•	•		•		•	•	•	•		•					•	•*						•

 ${}^{\star}\text{RD12}$  is not compatible with AUTHL, AUTHR, or AUTHB


40113110	ciioii op	y
APC	ET	PE
•		•

Door O	ptions	
CG.TOP	DPSRR	MFO

#### TALL PANTRY PULL-OUT, 84", 87", or 90" TALL, 24" DEEP



9", 12", 15", or 18"



**TPP98424 L or R** TPP128424 L or R TPP158424 L or R TPP188424 L or R TPP98724 L or R TPP128724 L or R TPP158724 L or R TPP188724 L or R

TPP99024 L or R TPP129024 L or R TPP159024 L or R TPP189024 L or R

- Three adjustable shelves and one fixed bottom shelf with metallic finish wire rail sides. Natural finish wood pull-out shelves are 20 11/16" deep. Pull-out features top/bottom mounted soft-close full extension guides.
- 84" and 87" high do not include shelves in upper section. Upper section 15" or 18".
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Pull-out mechanism not available for order for field installation, only available factory installed.

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•		•			•*	•	•	•		•	•	•+			•		•		•	•	•	•


\*Available only on 18" wide \*Not available on 9" and 12" wide


#### **Construction Upgrades**

		-
APC	ET	PE
•		•

Door U	ptions	
CG.TOP	DPSRR	MFO
•	•	•

#### TALL PANTRY PULL-OUT, 93" or 96" TALL, 24" DEEP





TPP99324 L or R

TPP129324 L or R

TPP159324 L or R

TPP189324 L or R

**TPP99624 L or R** 

TPP129624 L or R

TPP159624 L or R

TPP189624 L or R

- Three adjustable shelves and one fixed bottom shelf with metallic finish wire rail sides. Natural finish wood pull-out shelves are 20 11/16" deep. Pull-out features top/bottom mounted soft-close full extension guides.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Pull-out mechanism not available for order for field installation, only available factory installed.

#### **Custom Modifications**

Α	CS ADD	TK A	UTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
			•	•	•		•				•	•	•		•	•	•*			•		•		•			•

\*Not available on 9" and 12" wide


#### Construction Unavados

Constru	ction up	graaes
APC	ET	PE
•		•

**Door Options** CG.TOP DPSRR MFO

#### **PANTRY UNIT,** 84", 87", or 90" TALL, 24" DEEP

#### PY368424 PY368724



#### PY369024


- Shelves on swing-out units, mounting rails, and door racks have a furniture board core with natural finish wood fronts and metallic finish wire rails. Door mounted rack includes 6 adjustable shelves and one fixed shelf. Swing-outs include 4 adjustable shelves and 3 fixed shelves. Swing-out and door racks included but shipped separately for field installation, includes mounting screws and installation instructions. Adjustable shelves for use in back of cabinet are 4.1/2'' deep, six included.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.


#### **Custom Modifications**

Α	S ADDT	K AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•			•	•	•	•		•	•	•			•		•		•	•	•	•

#### **Construction Upgrades** PE APC ET

Door O	ptions					
CG.TOP	DPSRR	MFC				
•	•	•				






FRONT OF CABINET

#### Wood inserts for all styles:

- Top view of wood inserts positioning and size.
- Wood inserts are 56" high.

#### **PANTRY UNIT,** 93" or 96" TALL, 24" DEEP





#### PY369624


- Shelves on swing-out units, mounting rails, and door racks have a furniture board core with natural finish wood fronts and metallic finish wire rails. Door mounted rack includes 6 adjustable shelves and one fixed shelf. Swing-outs include 4 adjustable shelves and 3 fixed shelves. Swing-out and door racks included but shipped separately for field installation, includes mounting screws and installation instructions. Adjustable shelves for use in back of cabinet are 4 1/2" deep, six included.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.


#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•	•	•				•	•	•		•	•	•			•		•		•			•

Constru	ction Up	grades
APC	ET	PE
•		•

Door O	ptions	
CG.TOP	DPSRR	MFO
•	•	•







FRONT OF CABINET

#### Wood inserts for all styles:

- Top view of wood inserts positioning and size.
  Wood inserts are 56" high.

#### PANTRY WALK-THROUGH, 84", 87", 90", 93", or 96" TALL, 24" DEEP





PWT308424 PWT338424 PWT368424 PWT308724 PWT338724 PWT368724

PWT309024 PWT339024 PWT369024 PWT309324 PWT339324 PWT369324 PWT309624 PWT339624

- Cabinet does not have a bottom. 84" and 87" high do not have a back, 90".96" high only have a back in the upper section. Doors are braced together, are 1/4" shorter than the cabinet for floor clearance, and use standard 107° smart close hinges.
- Not available in Door 37 and Door 44.
- Can be reduced in depth to 9" or increased in depth to 27".
- CG and glass inserts only available on upper doors of 90"-96" tall.
- Authentic Ends uses the standard tall door configuration by height and will not align with the front doors. A tall end panel skin can be used to conceal door attachment screws on the interior of the cabinet end panel (see TEPS\_\_WD on page 313).
- Height of ceiling needs to be considered for installation, 96" high cabinet requires 99" of height for 24" deep and 100" of height for 27" deep to stand unit upright.
- Cabinet will be shipped with additional attached supports to be removed during installation.
- ICM8 (Inside Corner Moulding) can be used to conceal staples behind the face frame.
- SCRIBE8 (Small Scribe Moulding) can be used to conceal exposed back edges of the end panels, which are not edgebanded.
- End panels will not be drilled for shelves.

		FO Door Heigh	t		MFO Door Heig	ht
	Top Door	Middle Door	Bottom Door	Top Door	Middle Door	Bottom Door
PWT308424	22 1/2"	N/A	61"	21 3/4"	N/A	61"
PWT338424	22 1/2"	N/A	61"	21 3/4"	N/A	61″
PWT368424	22 1/2"	N/A	61"	21 3/4"	N/A	61"
PWT308724	25 1/2"	N/A	61"	24 3/4"	N/A	61″
PWT338724	25 1/2"	N/A	61"	24 3/4"	N/A	61″
PWT368724	25 1/2"	N/A	61"	24 3/4"	N/A	61"
PWT309024	11 1/2"	43 1/2"	34"	10 3/4"	43 1/2"	34"
PWT339024	11 1/2"	43 1/2"	34"	10 3/4"	43 1/2"	34"
PWT369024	11 1/2"	43 1/2"	34"	10 3/4"	43 1/2"	34"
PWT309324	14 1/2"	43 1/2"	34"	13 3/4"	43 1/2"	34"
PWT339324	14 1/2"	43 1/2"	34"	13 3/4"	43 1/2"	34"
PWT369324	14 1/2"	43 1/2"	34"	13 3/4"	43 1/2"	34"
PWT309624	17 1/2"	43 1/2"	34"	16 3/4"	43 1/2"	34"
PWT339624	17 1/2"	43 1/2"	34"	16 3/4"	43 1/2"	34"
PWT369624	17 1/2"	43 1/2"	34"	16 3/4"	43 1/2"	34"

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•									•			STD			•		•	•						•

#### **Construction Upgrades**

		J
APC	ET	PE
STD		


Door O	ptions	
CG.TOP	DPSRR	MFO
•†	•	•


<sup>†</sup>Available only on 90"-96" high

238


# TALL CABINETS

#### SINGLE OVEN CABINET, 84", 87", or 90" TALL, 24" DEEP





 $OSB\_\_\_\_24$ 



OSB278424(N)

OSB308424(N)

OSB31.58424(N)

OSB338424(N)

OSB278724(N)

OSB308724(N)

OSB31.58724(N)

OSB338724(N)

OSB279024(N) OSB309024(N)

OSB31.59024(N)

#### OSB339024(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Base section will utilize a full depth shelf.
- $\bullet$  All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A	[	В	(		Door Height
	Frame Opening	Cut-out	t Width	Cut-out	Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OSB278424	15"	21"	25 1/2"	22 1/2"	31 1/2"	17 1/2"
OSB308424	15"	24"	28 1/2"	22 1/2"	31 1/2"	17 1/2"
OSB31.58424	15"	25 1/2"	30"	22 1/2"	31 1/2"	17 1/2"
OSB338424	15"	27"	31 1/2"	22 1/2"	31 1/2"	17 1/2"
OSB278724	18"	21"	25 1/2"	22 1/2"	31 1/2"	20 1/2"
OSB308724	18"	24"	28 1/2"	22 1/2"	31 1/2"	20 1/2"
OSB31.58724	18"	25 1/2"	30"	22 1/2"	31 1/2"	20 1/2"
OSB338724	18"	27"	31 1/2"	22 1/2"	31 1/2"	20 1/2"
OSB279024	21"	21"	25 1/2"	22 1/2"	31 1/2"	23 1/2"
OSB309024	21"	24"	28 1/2"	22 1/2"	31 1/2"	23 1/2"
OSB31.59024	21"	25 1/2"	30"	22 1/2"	31 1/2"	23 1/2"
OSB339024	21"	27"	31 1/2"	22 1/2"	31 1/2"	23 1/2"

	A Frame Opening	E Cut-out (stan			B Cut-out Width ACS modifica		Cut-out	C Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OSB278424N	15"	24"	25 1/2"	21"	24"	25 1/2"	22 1/2"	31 1/2"	17 1/2"
OSB308424N	15"	27"	28 1/2"	24"	27"	28 1/2"	22 1/2"	31 1/2"	17 1/2"
OSB31.58424N	15"	28 1/2"	30"	25 1/2"	28 1/2"	30"	22 1/2"	31 1/2"	17 1/2"
OSB338424N	15"	30″	31 1/2"	27"	30"	31 1/2"	22 1/2"	31 1/2"	17 1/2"
OSB278724N	18"	24"	25 1/2"	21"	24"	25 1/2"	22 1/2"	31 1/2"	20 1/2"
OSB308724N	18"	27"	28 1/2"	24"	27"	28 1/2"	22 1/2"	31 1/2"	20 1/2"
OSB31.58724N	18"	28 1/2"	30″	25 1/2"	28 1/2"	30"	22 1/2"	31 1/2"	20 1/2"
OSB338724N	18"	30″	31 1/2"	27"	30″	31 1/2"	22 1/2"	31 1/2"	20 1/2"
OSB279024N	21"	24"	25 1/2"	21"	24"	25 1/2"	22 1/2"	31 1/2"	23 1/2"
OSB309024N	21"	27"	28 1/2"	24"	27"	28 1/2"	22 1/2"	31 1/2"	23 1/2"
OSB31.59024N	21"	28 1/2"	30″	25 1/2"	28 1/2"	30"	22 1/2"	31 1/2"	23 1/2"
OSB339024N	21"	30"	31 1/2"	27"	30"	31 1/2"	22 1/2"	31 1/2"	23 1/2"

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•	•	•	•		•	•	•	•		•	•	•			•	•	•	•	•	•	•	•


<sup>\*</sup>Only available on Narrow Stile (N) cabinets


# Construction Upgrades APC ET PE • •


Door O	ptions	
CG.TOP	DPSRR	MFO
•†	•	•

<sup>†</sup>Only available on Narrow Stile (N) cabinets

# SINGLE OVEN CABINET, 93" or 96" TALL, 24" DEEP







OSB279324(N) OSB309324(N)

OSB31.59324(N)

OSB339324(N)

OSB279624(N)

OSB309624(N)

OSB31.59624(N)

#### OSB339624(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Base section will utilize a full depth shelf.
- Includes adjustable shelves in upper section:
   93" tall one shelf

96" tall - two shelves

- $\bullet$  All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A		В			Door Height
	Frame Opening	Cut-out	t Width	Cut-out	Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OSB279324	24"	21"	25 1/2"	22 1/2"	31 1/2"	26 1/2"
OSB309324	24"	24"	28 1/2"	22 1/2"	31 1/2"	26 1/2"
OSB31.59324	24"	25 1/2"	30"	22 1/2"	31 1/2"	26 1/2"
OSB339324	24"	27"	31 1/2"	22 1/2"	31 1/2"	26 1/2"
OSB279624	27"	21"	25 1/2"	22 1/2"	31 1/2"	29 1/2"
OSB309624	27"	24"	28 1/2"	22 1/2"	31 1/2"	29 1/2"
OSB31.59624	27"	25 1/2"	30"	22 1/2"	31 1/2"	29 1/2"
OSB339624	27"	27"	31 1/2"	22 1/2"	31 1/2"	29 1/2"

	A Frame Opening	Cut-out	B t Width dard)		B Cut-out Width ACS modifica		Cut-out	C Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OSB279324N	24"	24"	25 1/2"	21"	24"	25 1/2"	22 1/2"	31 1/2"	26 1/2"
OSB309324N	24"	27"	28 1/2"	24"	27"	28 1/2"	22 1/2"	31 1/2"	26 1/2"
OSB31.59324N	24"	28 1/2"	30"	25 1/2"	28 1/2"	30"	22 1/2"	31 1/2"	26 1/2"
OSB339324N	24"	30"	31 1/2"	27"	30"	31 1/2"	22 1/2"	31 1/2"	26 1/2"
OSB279624N	27"	24"	25 1/2"	21"	24"	25 1/2"	22 1/2"	31 1/2"	29 1/2"
OSB309624N	27"	27"	28 1/2"	24"	27"	28 1/2"	22 1/2"	31 1/2"	29 1/2"
OSB31.59624N	27"	28 1/2"	30"	25 1/2"	28 1/2"	30"	22 1/2"	31 1/2"	29 1/2"
OSB339624N	27"	30"	31 1/2"	27"	30"	31 1/2"	22 1/2"	31 1/2"	29 1/2"

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•	•	•	•			•	•	•		•	•	•			•	•	•	•	•			•

<sup>\*</sup>Only available on Narrow Stile (N) cabinets

#### **Construction Upgrades**


		3
APC	ET	PE
•		•


# CG.TOP DPSRR MFO

 $^{\dagger}$ Only available on Narrow Stile (N) cabinets


# TALL CABINETS

# OVEN MICROWAVE COMBO CABINET, 84", 87", or 90" TALL, 24" DEEP





OCS\_\_\_\_24



OCS278424(N)

OCS308424(N)

OCS31.58424(N)

OCS338424(N)

OCS278724(N)

OCS308724(N)

OCS31.58724(N)

OCS338724(N)

OCS279024(N)

OCS309024(N)

OCS31.59024(N)

#### OCS339024(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges and have a consistent 1/4" width reveal.
- Upper section on 90" tall has one full depth adjustable shelf.
- All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- ullet Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cobinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors for trim kit face clearance.

	A		3	(	<u> </u>	Door Height
	Frame Opening	Cut-out	t Width	Cut-out	Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OCS278424	15"	21"	25 1/2"	28 1/2"	43 1/2"	17 1/2"
OCS308424	15″	24"	28 1/2"	28 1/2"	43 1/2"	17 1/2"
OCS31.58424	15"	25 1/2"	30"	28 1/2"	43 1/2"	17 1/2"
OCS338424	15″	27"	31 1/2"	28 1/2"	43 1/2"	17 1/2"
OCS278724	18"	21"	25 1/2"	28 1/2"	43 1/2"	20 1/2"
OCS308724	18"	24"	28 1/2"	28 1/2"	43 1/2"	20 1/2"
OCS31.58724	18"	25 1/2"	30"	28 1/2"	43 1/2"	20 1/2"
OCS338724	18"	27"	31 1/2"	28 1/2"	43 1/2"	20 1/2"
0CS279024	21"	21"	25 1/2"	28 1/2"	43 1/2"	23 1/2"
OCS309024	21"	24"	28 1/2"	28 1/2"	43 1/2"	23 1/2"
OCS31.59024	21"	25 1/2"	30"	28 1/2"	43 1/2"	23 1/2"
OCS339024	21"	27"	31 1/2"	28 1/2"	43 1/2"	23 1/2"

	A Frame Opening	Cut-out	B t Width idard)	(with	B Cut-out Width ACS modifice		Cut-out	C Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OCS278424N	15"	24"	25 1/2"	21"	24"	25 1/2"	28 1/2"	43 1/2"	17 1/2"
OCS308424N	15"	27"	28 1/2"	24"	27"	28 1/2"	28 1/2"	43 1/2"	17 1/2"
OCS31.58424N	15"	28 1/2"	30"	25 1/2"	28 1/2"	30"	28 1/2"	43 1/2"	17 1/2"
OCS338424N	15"	30"	31 1/2"	27"	30"	31 1/2"	28 1/2"	43 1/2"	17 1/2"
OCS278724N	18"	24"	25 1/2"	21"	24"	25 1/2"	28 1/2"	43 1/2"	20 1/2"
OCS308724N	18"	27"	28 1/2"	24"	27"	28 1/2"	28 1/2"	43 1/2"	20 1/2"
OCS31.58724N	18"	28 1/2"	30"	25 1/2"	28 1/2"	30"	28 1/2"	43 1/2"	20 1/2"
OCS338724N	18"	30"	31 1/2"	27"	30"	31 1/2"	28 1/2"	43 1/2"	20 1/2"
OCS279024N	21"	24"	25 1/2"	21"	24"	25 1/2"	28 1/2"	43 1/2"	23 1/2"
OCS309024N	21"	27"	28 1/2"	24"	27"	28 1/2"	28 1/2"	43 1/2"	23 1/2"
OCS31.59024N	21"	28 1/2"	30"	25 1/2"	28 1/2"	30"	28 1/2"	43 1/2"	23 1/2"
OCS339024N	21"	30"	31 1/2"	27"	30"	31 1/2"	28 1/2"	43 1/2"	23 1/2"

#### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMU	CND	DKI	DRWTK	FXRK	ŁХ	FR	FFD	FLFR	FIK	FIK_\	ID	INVFRM	MIP	ΚD	RECTK_	KI	Iυ	TKP	VTK	WLI
•*		•	•+	•	•	•			•	•	•	•		•	•	•	•		•	•	•		•	•	•	•


\*Only available on Narrow Stile (N) cabinets 
\*Not available on 84" and 87" tall

APC	ET	PE
•		•


Door O	ptions	
CG.TOP	DPSRR	MFO
	•	•

#### **OVEN MICROWAVE COMBO** CABINET, 93" or 96" TALL, 24" DEEP





OCS\_\_\_\_24



OCS\_\_\_\_24N

OCS279324(N)

OCS309324(N)

OCS31.59324(N)

OCS339324(N)

OCS279624(N)

OCS309624(N)

OCS31.59624(N)

OCS339624(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges and have a consistent 1/4" width reveal.
- Includes adjustable shelves in upper section:

93" tall - one shelf

96" tall - two shelves

- All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors for trim kit face clearance.

	A		В		[	Door Height
	Frame Opening	Cut-out	t Width	Cut-out	Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OCS279324	24"	21"	25 1/2"	28 1/2"	43 1/2"	26 1/2"
OCS309324	24"	24"	28 1/2"	28 1/2"	43 1/2"	26 1/2"
OCS31.59324	24"	25 1/2"	30"	28 1/2"	43 1/2"	26 1/2"
OCS339324	24"	27"	31 1/2"	28 1/2"	43 1/2"	26 1/2"
OCS279624	27"	21"	25 1/2"	28 1/2"	43 1/2"	29 1/2"
OCS309624	27"	24"	28 1/2"	28 1/2"	43 1/2"	29 1/2"
OCS31.59624	27"	25 1/2"	30"	28 1/2"	43 1/2"	29 1/2"
OCS339624	27"	27"	31 1/2"	28 1/2"	43 1/2"	29 1/2"

	A Frame Opening		3 † Width dard)	(with	B Cut-out Width ACS modifica		( Cut-out	: Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OCS279324N	24"	24"	25 1/2"	21"	24"	25 1/2"	28 1/2"	43 1/2"	26 1/2"
OCS309324N	24"	27"	28 1/2"	24"	27"	28 1/2"	28 1/2"	43 1/2"	26 1/2"
OCS31.59324N	24"	28 1/2"	30"	25 1/2"	28 1/2"	30"	28 1/2"	43 1/2"	26 1/2"
OCS339324N	24"	30"	31 1/2"	27"	30"	31 1/2"	28 1/2"	43 1/2"	26 1/2"
OCS279624N	27"	24"	25 1/2"	21"	24"	25 1/2"	28 1/2"	43 1/2"	29 1/2"
OCS309624N	27"	27"	28 1/2"	24"	27"	28 1/2"	28 1/2"	43 1/2"	29 1/2"
OCS31.59624N	27"	28 1/2"	30"	25 1/2"	28 1/2"	30"	28 1/2"	43 1/2"	29 1/2"
OCS339624N	27"	30"	31 1/2"	27"	30"	31 1/2"	28 1/2"	43 1/2"	29 1/2"

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•	•	•				•	•	•		•	•	•	•		•	•	•		•			•

<sup>\*</sup>Only available on Narrow Stile (N) cabinets


#### **Construction Upgrades**


APC

U	ction Up	grades	Door O	ptions	
	ET	PE	CG.TOP	DPSRR	MFO
		•		•	•


# TALL CABINETS

#### OVEN MICROWAVE COMBO CABINET, DEEP DRAWER, 84", 87", or 90" TALL, 24" DEEP





OCS\_\_\_\_24DD



OCS\_\_\_\_24DDN

OCS278424DD(N)

OCS308424DD(N)

OCS31.58424DD(N)

OCS338424DD(N)

OCS278724DD(N)

OCS308724DD(N)

OCS31.58724DD(N)

OCS338724DD(N)

OCS279024DD(N)

OCS309024DD(N)

OCS31.59024DD(N)

#### OCS339024DD(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Upper section on 90" tall has one full depth adjustable shelf.
- $\bullet$  All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	А	[	3	(		Door Height
	Frame Opening	Cut-out	t Width	Cut-out	Height	(Upper Section)
	Height	Min.	Max.	Min.	Мах.	Full Overlay
OCS278424DD	15"	21"	25 1/2"	27 3/4"	42 3/4"	17 1/2"
OCS308424DD	15"	24"	28 1/2"	27 3/4"	42 3/4"	17 1/2"
OCS31.58424DD	15"	25 1/2"	30"	27 3/4"	42 3/4"	17 1/2"
OCS338424DD	15"	27"	31 1/2"	27 3/4"	42 3/4"	17 1/2"
OCS278724DD	18"	21"	25 1/2"	27 3/4"	42 3/4"	20 1/2"
OCS308724DD	18"	24"	28 1/2"	27 3/4"	42 3/4"	20 1/2"
OCS31.58724DD	18"	25 1/2"	30"	27 3/4"	42 3/4"	20 1/2"
OCS338724DD	18"	27"	31 1/2"	27 3/4"	42 3/4"	20 1/2"
OCS279024DD	21"	21"	25 1/2"	27 3/4"	42 3/4"	23 1/2"
OCS309024DD	21"	24"	28 1/2"	27 3/4"	42 3/4"	23 1/2"
OCS31.59024DD	21"	25 1/2"	30"	27 3/4"	42 3/4"	23 1/2"
OCS339024DD	21"	27"	31 1/2"	27 3/4"	42 3/4"	23 1/2"

	A Frame Opening		3 † Width dard)		B Cut-out Width ACS modifica		Cut-out	C Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OCS278424DDN	15"	24"	25 1/2"	21"	24"	25 1/2"	27 3/4"	42 3/4"	17 1/2"
OCS308424DDN	15"	27"	28 1/2"	24"	27"	28 1/2"	27 3/4"	42 3/4"	17 1/2"
OCS31.58424DDN	15"	28 1/2"	30"	25 1/2"	28 1/2"	30"	27 3/4"	42 3/4"	17 1/2"
OCS338424DDN	15"	30"	31 1/2"	27"	30″	31 1/2"	27 3/4"	42 3/4"	17 1/2"
OCS278724DDN	18"	24"	25 1/2"	21"	24"	25 1/2"	27 3/4"	42 3/4"	20 1/2"
OCS308724DDN	18"	27"	28 1/2"	24"	27"	28 1/2"	27 3/4"	42 3/4"	20 1/2"
OCS31.58724DDN	18"	28 1/2"	30″	25 1/2"	28 1/2"	30"	27 3/4"	42 3/4"	20 1/2"
OCS338724DDN	18"	30"	31 1/2"	27"	30″	31 1/2"	27 3/4"	42 3/4"	20 1/2"
OCS279024DDN	21"	24"	25 1/2"	21"	24"	25 1/2"	27 3/4"	42 3/4"	23 1/2"
OCS309024DDN	21"	27"	28 1/2"	24"	27"	28 1/2"	27 3/4"	42 3/4"	23 1/2"
OCS31.59024DDN	21"	28 1/2"	30″	25 1/2"	28 1/2"	30"	27 3/4"	42 3/4"	23 1/2"
OCS339024DDN	21"	30"	31 1/2"	27"	30″	31 1/2"	27 3/4"	42 3/4"	23 1/2"

#### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•		•	•	•	•		•	•	•			•	•	•		•	•	•	•


\*Only available on Narrow Stile (N) cabinets

Constru	ction Up	grades
APC	ET	PE
•		•


Door O	ptions	
CG.TOP	DPSRR	MFO
	•	•

#### OVEN MICROWAVE COMBO CABINET, DEEP DRAWER, 93" or 96" TALL, 24" DEEP





OCS\_\_\_\_24DD



OCS279324DD(N)

OCS309324DD(N)

OCS31.59324DD(N)

OCS339324DD(N)

OCS279624DD(N)

OCS309624DD(N)

OCS31.59624DD(N)

#### OCS339624DD(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Includes adjustable shelves in upper section:

93" tall - one shelf

96" tall - two shelves

- All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	А		3		C	Door Height
	Frame Opening	Cut-out	t Width	Cut-out	Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OCS279324DD	24"	21"	25 1/2"	27 3/4"	42 3/4"	26 1/2"
OCS309324DD	24"	24"	28 1/2"	27 3/4"	42 3/4"	26 1/2"
OCS31.59324DD	24"	25 1/2"	30"	27 3/4"	42 3/4"	26 1/2"
OCS339324DD	24"	27"	31 1/2"	27 3/4"	42 3/4"	26 1/2"
OCS279624DD	27"	21"	25 1/2"	27 3/4"	42 3/4"	29 1/2"
OCS309624DD	27"	24"	28 1/2"	27 3/4"	42 3/4"	29 1/2"
OCS31.59624DD	27"	25 1/2"	30"	27 3/4"	42 3/4"	29 1/2"
OCS339624DD	27"	27"	31 1/2"	27 3/4"	42 3/4"	29 1/2"

	A Frame Opening	E Cut-out (stan	3 † Width dard)	(with	B Cut-out Width ACS modifica		Cut-out	: Height	Door Height (Upper Section)
	Height	Min.	Мах.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OCS279324DDN	24"	24"	25 1/2"	21"	24"	25 1/2"	27 3/4"	42 3/4"	26 1/2"
OCS309324DDN	24"	27"	28 1/2"	24"	27"	28 1/2"	27 3/4"	42 3/4"	26 1/2"
OCS31.59324DDN	24"	28 1/2"	30″	25 1/2"	28 1/2"	30"	27 3/4"	42 3/4"	26 1/2"
OCS339324DDN	24"	30″	31 1/2"	27"	30"	31 1/2"	27 3/4"	42 3/4"	26 1/2"
OCS279624DDN	27"	24"	25 1/2"	21"	24"	25 1/2"	27 3/4"	42 3/4"	29 1/2"
OCS309624DDN	27"	27"	28 1/2"	24"	27"	28 1/2"	27 3/4"	42 3/4"	29 1/2"
OCS31.59624DDN	27"	28 1/2"	30"	25 1/2"	28 1/2"	30"	27 3/4"	42 3/4"	29 1/2"
OCS339624DDN	27"	30″	31 1/2"	27"	30"	31 1/2"	27 3/4"	42 3/4"	29 1/2"

#### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•			•	•	•		•	•	•			•	•	•		•			•


<sup>\*</sup>Only available on Narrow Stile (N) cabinets


		3
APC	ET	PE
•		•

Door O	ptions	
CG.TOP	DPSRR	MFO
	•	•

#### OVEN MICROWAVE COMBO CABINET, WARMING DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP







\*Minimum rail height between oven and warming drawer is 11/2" OCS278424WD

OCS308424WD

OCS31.58424WD

OCS338424WD

OCS278724WD

OCS308724WD

OCS31.58724WD

OCS338724WD

OCS279024WD

OCS309024WD

OCS31.59024WD

OCS339024WD

OCS279324WD

OCS309324WD

OCS31.59324WD

OCS339324WD

OCS279624WD

OCS309624WD

OCS31.59624WD

#### OCS339624WD

• Includes adjustable shelves in upper section:

 $90^{\prime\prime}$  and  $93^{\prime\prime}$  tall - one shelf

96" tall - two shelves

- ullet Uses face mount hinges, doors and drawer fronts have a consistent 1/4'' width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- $\bullet$  Maximum cut-out dimension will allow  $1/4^{\prime\prime}$  reveal for doors and drawer fronts for trim kit face clearance.

	A	I	3	(	-		D	Door Height
	Frame Opening	Cut-out	t Width	Cut-out	Height	Warming Draw	er Cut-out Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Min.	Max.	Full Overlay
OCS278424WD	15"	21"	25 1/2"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	17 1/2"
OCS308424WD	15"	24"	28 1/2"	27 3/4"	42 3/4"	9 1/4"	163/4"	17 1/2"
OCS31.58424WD	15"	25 1/2"	30"	27 3/4"	42 3/4"	9 1/4"	163/4"	17 1/2"
OCS338424WD	15"	27"	31 1/2"	27 3/4"	42 3/4"	9 1/4"	163/4"	17 1/2"
OCS278724WD	18"	21"	25 1/2"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	20 1/2"
OCS308724WD	18"	24"	28 1/2"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	20 1/2"
OCS31.58724WD	18"	25 1/2"	30"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	20 1/2"
OCS338724WD	18"	27"	31 1/2"	27 3/4"	42 3/4"	9 1/4"	163/4"	20 1/2"
OCS279024WD	21"	21"	25 1/2"	27 3/4"	42 3/4"	9 1/4"	163/4"	23 1/2"
OCS309024WD	21"	24"	28 1/2"	27 3/4"	42 3/4"	9 1/4"	163/4"	23 1/2"
OCS31.59024WD	21"	25 1/2"	30"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	23 1/2"
OCS339024WD	21"	27"	31 1/2"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	23 1/2"
OCS279324WD	24"	21"	25 1/2"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	26 1/2"
OCS309324WD	24"	24"	28 1/2"	27 3/4"	42 3/4"	9 1/4"	163/4"	26 1/2"
OCS31.59324WD	24"	25 1/2"	30"	27 3/4"	42 3/4"	9 1/4"	163/4"	26 1/2"
OCS339324WD	24"	27"	31 1/2"	27 3/4"	42 3/4"	9 1/4"	163/4"	26 1/2"
OCS279624WD	27"	21"	25 1/2"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	29 1/2"
OCS309624WD	27"	24"	28 1/2"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	29 1/2"
OCS31.59624WD	27"	25 1/2"	30″	27 3/4"	42 3/4"	9 1/4"	16 3/4"	29 1/2"
OCS339624WD	27"	27"	31 1/2"	27 3/4"	42 3/4"	9 1/4"	16 3/4"	29 1/2"

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•	•		•	•		•*	•	•	•		•	•	•	•		•	•	•		•	•*	•*	•


\*Not available on 93" and 96" tall


#### **Construction Upgrades**

APC	ET	PE
•		•


### **Door Options**CG.TOP DPSRR MFO

#### DOUBLE OVEN CABINET, 84", 87", or 90" TALL, 24" DEEP





OCD\_\_\_\_24



OCD\_ \_ \_ \_24N

OCD278424(N)

OCD308424(N)

OCD31.58424(N)

OCD338424(N)

OCD278724(N)

OCD308724(N)

OCD31.58724(N)

OCD338724(N)

OCD279024(N)

OCD309024(N)

OCD31.59024(N)

#### OCD339024(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Upper section on 90" tall has one full depth adjustable shelf.
- $\bullet$  All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cobinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A	[	3		С	Door Height
	Frame Opening	Cut-out	Width	Cut-out	t Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OCD278424	15"	21"	25 1/2"	39"	60"	17 1/2"
OCD308424	15"	24"	28 1/2"	39"	60"	17 1/2"
OCD31.58424	15"	25 1/2"	30″	39"	60"	17 1/2"
OCD338424	15"	27"	31 1/2"	39"	60"	17 1/2"
OCD278724	18"	21"	25 1/2"	39"	60"	20 1/2"
OCD308724	18"	24"	28 1/2"	39"	60"	20 1/2"
OCD31.58724	18"	25 1/2"	30"	39"	60"	20 1/2"
OCD338724	18"	27"	31 1/2"	39"	60"	20 1/2"
OCD279024	21"	21"	25 1/2"	39"	60"	23 1/2"
OCD309024	21"	24"	28 1/2"	39"	60"	23 1/2"
OCD31.59024	21"	25 1/2"	30"	39"	60"	23 1/2"
OCD339024	21"	27"	31 1/2"	39"	60"	23 1/2"

	A Frame Opening		3 t Width dard)	1	B Cut-out Width n ACS modifice		Cut-out	C Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OCD278424N	15"	24"	25 1/2"	21"	24"	25 1/2"	39"	54"	17 1/2"
OCD308424N	15"	27"	28 1/2"	24"	27"	28 1/2"	39"	54"	17 1/2"
OCD31.58424N	15"	28 1/2"	30"	25 1/2"	28 1/2"	30"	39"	54"	17 1/2"
OCD338424N	15"	30"	31 1/2"	27"	30"	31 1/2"	39"	54"	17 1/2"
OCD278724N	18"	24" 25 1/2" 27" 28 1/2" 28 1/2" 30" 30" 31 1/2" 24" 25 1/2" 27" 28 1/2" 30" 31 1/2" 28 1/2" 30" 30" 31 1/2" 24" 25 1/2" 28 1/2" 30" 32" 32 1/2" 24" 25 1/2" 24" 25 1/2"		21"	24"	25 1/2"	39"	54"	20 1/2"
OCD308724N	18"	27"	28 1/2"	24"	27"	28 1/2"	39"	54"	20 1/2"
OCD31.58724N	18"	28 1/2"	30"	25 1/2"	28 1/2"	30"	39"	54"	20 1/2"
OCD338724N	18"	30"	31 1/2"	27"	30"	31 1/2"	39"	54"	20 1/2"
OCD279024N	21"	24"	25 1/2"	21"	24"	25 1/2"	39"	54"	23 1/2"
OCD309024N	21"	27"	28 1/2"	24"	27"	28 1/2"	39"	54"	23 1/2"
OCD31.59024N	21"	28 1/2"	30"	25 1/2"	28 1/2"	30"	39"	54"	23 1/2"
OCD339024N	21"	30"	31 1/2"	27"	30"	31 1/2"	39"	54"	23 1/2"

#### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•		•	•	•	•		•	•	•	•		•	•	•		•	•	•	•

\*Only available on Narrow Stile (N) cabinets


Construction Upgrades								
APC	ET	PE						
•		•						


Door Options								
CG.TOP	DPSRR	MFO						
	•	•						

246


# TALL CABINETS

#### DOUBLE OVEN CABINET, 93" or 96" TALL, 24" DEEP





OCD\_\_\_\_24



OCD\_\_\_\_24N

OCD279324(N)

OCD309324(N)

OCD31.59324(N)

OCD339324(N)

OCD279624(N)

OCD309624(N)

OCD31.59624(N)

#### OCD339624(N)

- N represents Narrow Stile cobinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Includes adjustable shelves in upper section:

93" tall - one shelf

96" tall - two shelves

- All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	А			C	Door Height	
	Frame Opening	Cut-out Width		Cut-out	t Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OCD279324	24"	21"	25 1/2"	39"	60"	26 1/2"
OCD309324	24"	24"	28 1/2"	39"	60"	26 1/2"
OCD31.59324	24"	25 1/2"	30"	39"	60"	26 1/2"
OCD339324	24"	27"	31 1/2"	39"	60"	26 1/2"
OCD279624	27"	21"	25 1/2"	39"	60"	29 1/2"
OCD309624	27"	24"	28 1/2"	39"	60"	29 1/2"
OCD31.59624	27"	25 1/2"	30"	39"	60"	29 1/2"
OCD339624	27"	27"	31 1/2"	39"	60"	29 1/2"

	A Frame Opening		B t Width dard)		B Cut-out Width ACS modifica		Cut-out	C t Height	Door Height (Upper Section)	
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay	
OCD279324N	24"	24"	25 1/2"	21"	24"	25 1/2"	39"	54"	26 1/2"	
OCD309324N	24"	27"	28 1/2"	24"	27"	28 1/2"	39"	54"	26 1/2"	
OCD31.59324N	24"	28 1/2"	30"	25 1/2"	28 1/2	30"	39"	54"	26 1/2"	
OCD339324N	24"	30"	31 1/2"	27"	30"	31 1/2"	39"	54"	26 1/2"	
OCD279624N	27"	24"	25 1/2"	21"	24"	25 1/2"	39"	54"	29 1/2"	
OCD309624N	27"	27"	28 1/2"	24"	27"	28 1/2"	39"	54"	29 1/2"	
OCD31.59624N	27"	28 1/2"	30"	25 1/2"	28 1/2"	30"	39"	54"	29 1/2"	
OCD339624N	27"	30″	31 1/2"	27"	30″	31 1/2"	39"	54"	29 1/2"	

#### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•			•	•	•		•	•	•	•		•	•	•	П	•			•


<sup>\*</sup>Only available on Narrow Stile (N) cabinets

		3
APC	ET	PE
•		•


Door Options								
CG.TOP	DPSRR	MFO						
	•	_						

### **DOUBLE OVEN CABINET,** DEEP DRAWER, 84", 87", or 90" TALL, 24" DEEP





OCD\_\_\_\_24DD



OCD\_\_\_\_24DDN

OCD278424DD(N)

OCD308424DD(N)

OCD31.58424DD(N)

OCD338424DD(N)

OCD278724DD(N)

OCD308724DD(N)

OCD31.58724DD(N) OCD338724DD(N)

OCD279024DD(N) OCD309024DD(N)

OCD31.59024DD(N)

### OCD339024DD(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A		3	(	[	Door Height
	Frame Opening	Cut-out	Width	Cut-out	Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OCD278424DD	12"	21"	25 1/2"	37 1/4"	52 1/4"	14 1/2"
OCD308424DD	12"	24"	28 1/2"	37 1/4"	52 1/4"	14 1/2"
OCD31.58424DD	12"	25 1/2"	30"	37 1/4"	52 1/4"	14 1/2"
OCD338424DD	12"	27"	31 1/2"	37 1/4"	52 1/4"	14 1/2"
OCD278724DD	15"	21"	25 1/2"	37 1/4"	52 1/4"	17 1/2"
OCD308724DD	15"	24"	28 1/2"	37 1/4"	52 1/4"	17 1/2"
OCD31.58724DD	15"	25 1/2"	30"	37 1/4"	52 1/4"	17 1/2"
OCD338724DD	15"	27"	31 1/2"	37 1/4"	52 1/4"	17 1/2"
OCD279024DD	18"	21"	25 1/2"	37 1/4"	52 1/4"	20 1/2"
OCD309024DD	18"	24"	28 1/2"	37 1/4"	52 1/4"	20 1/2"
OCD31.59024DD	18"	25 1/2"	30"	37 1/4"	52 1/4"	20 1/2"
OCD339024DD	18"	27"	31 1/2"	37 1/4"	52 1/4"	20 1/2"

	A Frame Opening	E Cut-out (stan	•		B Cut-out Width ACS modifica		( Cut-out	: Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OCD278424DDN	12"	24"	25 1/2"	21"	24"	25 1/2"	37 1/4"	52 1/4"	14 1/2"
OCD308424DDN	12"	27"	28 1/2"	24"	27"	28 1/2"	37 1/4"	52 1/4"	14 1/2"
OCD31.58424DDN	12"	28 1/2"	30"	25 1/2"	28 1/2"	30"	37 1/4"	52 1/4"	14 1/2"
OCD338424DDN	12"	30"	31 1/2"	27"	30″	31 1/2"	37 1/4"	52 1/4"	14 1/2"
OCD278724DDN	15"	24"	25 1/2"	21"	24"	25 1/2"	37 1/4"	52 1/4"	17 1/2"
OCD308724DDN	15″	27"	28 1/2"	24"	27"	28 1/2"	37 1/4"	52 1/4"	17 1/2"
OCD31.58724DDN	15"	28 1/2"	30"	25 1/2"	28 1/2"	30″	37 1/4"	52 1/4"	17 1/2"
OCD338724DDN	15"	30″	31 1/2"	27"	30"	31 1/2"	37 1/4"	52 1/4"	17 1/2"
OCD279024DDN	18"	24"	25 1/2"	21"	24"	25 1/2"	37 1/4"	52 1/4"	20 1/2"
OCD309024DDN	18"	27"	28 1/2"	24"	27"	28 1/2"	37 1/4"	52 1/4"	20 1/2"
OCD31.59024DDN	18"	28 1/2"	30″	25 1/2"	28 1/2"	30"	37 1/4"	52 1/4"	20 1/2"
OCD339024DDN	18"	30″	31 1/2"	27"	30″	31 1/2"	37 1/4"	52 1/4"	20 1/2"

### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•		•	•	•	•		•	•	•	•		•	•	•		•+	•	•	•


 $^{*}$ Only available on Narrow Stile (N) cabinets  $^{+}$ Not available on 84" tall

# Co


onstru	ction Up	grades
APC	ET	PE
•		•

Door O	ptions	
CG.TOP	DPSRR	MFO
	•	•





OCD\_\_\_\_24DD



OCD\_\_\_\_24DDN

OCD279324DD(N)

OCD309324DD(N)

OCD31.59324DD(N)

OCD339324DD(N)

OCD279624DD(N)

OCD309624DD(N)

OCD31.59624DD(N)

### OCD339624DD(N)

- N represents Narrow Stile cobinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- One full depth adjustable shelf included, but packaged separately.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A	1	В	(	[	Door Height
	Frame Opening	Cut-out	t Width	Cut-out	Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
OCD279324DD	21"	21"	25 1/2"	37 1/4"	52 1/4"	23 1/2"
OCD309324DD	21"	24"	28 1/2"	37 1/4"	52 1/4"	23 1/2"
OCD31.59324DD	21"	25 1/2"	30"	37 1/4"	52 1/4"	23 1/2"
OCD339324DD	21"	27"	31 1/2"	37 1/4"	52 1/4"	23 1/2"
OCD279624DD	24"	21"	25 1/2"	37 1/4"	52 1/4"	26 1/2"
OCD309624DD	24"	24"	28 1/2"	37 1/4"	52 1/4"	26 1/2"
OCD31.59624DD	24"	25 1/2"	30"	37 1/4"	52 1/4"	26 1/2"
OCD339624DD	24"	27"	31 1/2"	37 1/4"	52 1/4"	26 1/2"

	A Frame Opening	Cut-out	3 † Width dard)	(with	B Cut-out Width ACS modifica		Cut-out	C Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
OCD279324DDN	21"	24"	25 1/2"	21"	24"	25 1/2"	37 1/4"	52 1/4"	23 1/2"
OCD309324DDN	21"	27"	28 1/2"	24"	27"	28 1/2"	37 1/4"	52 1/4"	23 1/2"
OCD31.59324DDN	21"	28 1/2"	30"	25 1/2"	28 1/2"	30"	37 1/4"	52 1/4"	23 1/2"
OCD339324DDN	21"	30"	31 1/2"	27"	30″	31 1/2"	37 1/4"	52 1/4"	23 1/2"
OCD279624DDN	24"	24"	25 1/2"	21"	24"	25 1/2"	37 1/4"	52 1/4"	26 1/2"
OCD309624DDN	24"	27"	28 1/2"	24"	27"	28 1/2"	37 1/4"	52 1/4"	26 1/2"
OCD31.59624DDN	24"	28 1/2"	30"	25 1/2"	28 1/2"	30"	37 1/4"	52 1/4"	26 1/2"
OCD339624DDN	24"	30"	31 1/2"	27"	30″	31 1/2"	37 1/4"	52 1/4"	26 1/2"

### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•			•	•	•		•	•	•	•		•	•	•		•			•


<sup>\*</sup>Only available on Narrow Stile (N) cabinets


### **Construction Upgrades**


APC	ET	PE
•		•

# Door Options CG.TOP DPSRR MFO

### DOUBLE OVEN CABINET, WARMING DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP







\*Minimum rail height between oven and warming drawer is 11/2"

OCD308424WD
OCD31.58424WD
OCD338424WD
OCD278724WD
OCD308724WD
OCD31.58724WD
OCD338724WD
OCD279024WD
OCD309024WD
OCD31.59024WD
OCD339024WD

OCD278424WD

OCD279324WD
OCD309324WD
OCD31.59324WD
OCD339324WD
OCD279624WD
OCD309624WD
OCD31.59624WD
OCD339624WD

- Includes one adjustable shelf in upper section of 93" and 96" tall.
- Uses face mount hinges, doors have a consistent 1/4" width reveal.
- All top and bottom cross rails are 1 1/2" wide.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- $\bullet$  Maximum cut-out dimension will allow 1/4" reveal for doors for trim kit face clearance.

	A		3	(	-		D	Door Height
	Frame Opening	Cut-out	Width	Cut-out	Height	Warming Draw	er Cut-out Height	(Upper Section)
	Height	Min.	Max.	Min.	Мах.	Min.	Max.	Full Overlay
OCD278424WD	12"	21"	25 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	14 1/2"
OCD308424WD	12"	24"	28 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	14 1/2"
OCD31.58424WD	12"	25 1/2"	30″	37 1/4"	52 1/4"	9 1/4"	163/4"	14 1/2"
OCD338424WD	12"	27"	31 1/2"	37 1/4"	52 1/4"	9 1/4"	163/4"	14 1/2"
OCD278724WD	15"	21"	25 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	17 1/2"
OCD308724WD	15"	24"	28 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	17 1/2"
OCD31.58724WD	15"	25 1/2"	30"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	17 1/2"
OCD338724WD	15"	27"	31 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	17 1/2"
OCD279024WD	18"	21"	25 1/2"	37 1/4"	52 1/4"	9 1/4"	163/4"	20 1/2"
OCD309024WD	18"	24"	28 1/2"	37 1/4"	52 1/4"	9 1/4"	163/4"	20 1/2"
OCD31.59024WD	18"	25 1/2"	30"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	20 1/2"
OCD339024WD	18"	27"	31 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	20 1/2"
OCD279324WD	21"	21"	25 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	23 1/2"
OCD309324WD	21"	24"	28 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	23 1/2"
OCD31.59324WD	21"	25 1/2"	30″	37 1/4"	52 1/4"	9 1/4"	163/4"	23 1/2"
OCD339324WD	21"	27"	31 1/2"	37 1/4"	52 1/4"	9 1/4"	163/4"	23 1/2"
OCD279624WD	24"	21"	25 1/2"	37 1/4"	52 1/4"	91/4"	16 3/4"	26 1/2"
OCD309624WD	24"	24"	28 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	26 1/2"
OCD31.59624WD	24"	25 1/2"	30″	37 1/4"	52 1/4"	9 1/4"	16 3/4"	26 1/2"
OCD339624WD	24"	27"	31 1/2"	37 1/4"	52 1/4"	9 1/4"	16 3/4"	26 1/2"

### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•*	•		•			•+	•	•	•		•	•	•	•		•	•	•		•4	•+	•+	•


\*Not available on 84", 87", and 90" tall  $\,$  \*Not available on 93" and 96" tall  $\,$  \*Not available on 84" tall


		•
APC	ET	PE
•		•

Door U	ptions	
CG.TOP	DPSRR	MF0
	•	•

### DOUBLE OVEN CABINET, WARMING DRAWER with EXTENDED OPENING, 84", 87", 90", 93", or 96" TALL, 24" DEEP







\*Minimum rail height between oven and warming drawer is 11/2"

OCD278424WDE OCD308424WDE

OCD31.58424WDE

OCD338424WDE

OCD278724WDE

OCD308724WDE

OCD31.58724WDE

OCD338724WDE

OCD279024WDE

OCD309024WDE

OCD31.59024WDE

OCD339024WDE

OCD279324WDE

OCD309324WDE

OCD31.59324WDE

OCD339324WDE

OCD279624WDE

OCD309624WDE

OCD31.59624WDE

### OCD339624WDE

- Includes one adjustable shelf in upper section of 93" and 96" tall.
- Uses face mount hinges, doors have a consistent 1/4" width reveal.
- All top and bottom cross rails are 1 1/2" wide.
- Standard interior (matching interior not required).
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Oven cabinets feature an open back in cut-out area designed to improve field appliance installation.
- ullet Maximum cut-out dimension will allow 1/4" reveal for doors for trim kit face clearance.

	A	[	3	(			D	Door Height
	Frame Opening	Cut-out	Width	Cut-out	Height	Warming Draw	er Cut-out Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Min.	Max.	Full Overlay
OCD278424WDE	9"	21"	25 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	11 1/2"
OCD308424WDE	9"	24"	28 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	11 1/2"
OCD31.58424WDE	9"	25 1/2"	30″	40 1/4"	55 1/4"	9 1/4"	16 3/4"	11 1/2"
OCD338424WDE	9"	27"	31 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	11 1/2"
OCD278724WDE	12"	21"	25 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	14 1/2"
OCD308724WDE	12"	24"	28 1/2"	40 1/4"	55 1/4"	9 1/4"	163/4"	14 1/2"
OCD31.58724WDE	12"	25 1/2"	30"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	14 1/2"
OCD338724WDE	12"	27"	31 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	14 1/2"
OCD279024WDE	15"	21"	25 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	17 1/2"
OCD309024WDE	15"	24"	28 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	17 1/2"
OCD31.59024WDE	15"	25 1/2"	30″	40 1/4"	55 1/4"	9 1/4"	163/4"	17 1/2"
OCD339024WDE	15"	27"	31 1/2"	40 1/4"	55 1/4"	9 1/4"	163/4"	17 1/2"
OCD279324WDE	18"	21"	25 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	20 1/2"
OCD309324WDE	18"	24"	28 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	20 1/2"
OCD31.59324WDE	18"	25 1/2"	30"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	20 1/2"
OCD339324WDE	18"	27"	31 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	20 1/2"
OCD279624WDE	21"	21"	25 1/2"	40 1/4"	55 1/4"	91/4"	163/4"	23 1/2"
OCD309624WDE	21"	24"	28 1/2"	40 1/4"	55 1/4"	9 1/4"	163/4"	23 1/2"
OCD31.59624WDE	21"	25 1/2"	30″	40 1/4"	55 1/4"	9 1/4"	163/4"	23 1/2"
OCD339624WDE	21"	27"	31 1/2"	40 1/4"	55 1/4"	9 1/4"	16 3/4"	23 1/2"

### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•*	•	•	•			•+	•	•	•		•	•	•	•		•	•	•		•*	•+	•+	•


<sup>\*</sup>Not available on 84", 87", 90", and 93" tall  $\,^+$ Not available on 93" and 96" tall


# Construction Upgrades APC ET PE

•


Door O	ptions	
CG.TOP	DPSRR	MFO
	•	•

# TALL BUILT-IN MICROWAVE CABINET, 84", 87", or 90" TALL





TBMWB\_ \_ \_ \_ 24



TBMWB278424(N)

TBMWB308424(N)

TBMWB31.58424(N)

TBMWB278724(N)

TBMWB308724(N)

TBMWB31.58724(N)

TBMWB279024(N)

TBMWB309024(N)

### TBMWB31.59024(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Includes adjustable shelves in upper section: 84" tall one shelf

87"-90" tall - two shelves

- Base section will utilize a full depth shelf.
- All top and bottom cross rails are 1 1/2" wide.
- All toekick areas are 4 1/2" high.
- Includes OCINSTALLKIT for microwave installation.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A Frame Opening	Cut-out	3 Width	Cut-out	C Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Full Overlay
TBMWB278424	24"	21"	25 1/2"	13 1/2"	22 1/2"	26 1/2"
TBMWB308424	24"	24"	28 1/2"	13 1/2"	22 1/2"	26 1/2"
TBMWB31.58424	24"	25 1/2"	30"	13 1/2"	22 1/2"	26 1/2"
TBMWB278724	27"	21"	25 1/2"	13 1/2"	22 1/2"	29 1/2"
TBMWB308724	27"	24"	28 1/2"	13 1/2"	22 1/2"	29 1/2"
TBMWB31.58724	27"	25 1/2"	30"	13 1/2"	22 1/2"	29 1/2"
TBMWB279024	30″	21"	25 1/2"	13 1/2"	22 1/2"	32 1/2"
TBMWB309024	30"	24"	28 1/2"	13 1/2"	22 1/2"	32 1/2"
TBMWB31.59024	30"	25 1/2"	30"	13 1/2"	22 1/2"	32 1/2"

	A Frame Opening	Cut-out	3 t Width dard)	(with	B Cut-out Width ACS modifice		Cut-out	Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
TBMWB278424N	24"	24"	25 1/2"	21"	24"	25 1/2"	13 1/2"	22 1/2"	26 1/2"
TBMWB308424N	24"	27"	28 1/2"	24"	27"	28 1/2"	13 1/2"	22 1/2"	26 1/2"
TBMWB31.58424N	24"	28 1/2"	30"	25 1/2"	28 1/2"	30"	13 1/2"	22 1/2"	26 1/2"
TBMWB278724N	27"	24"	25 1/2"	21"	24"	25 1/2"	13 1/2"	22 1/2"	29 1/2"
TBMWB308724N	27"	27"	28 1/2"	24"	27"	28 1/2"	13 1/2"	22 1/2"	29 1/2"
TBMWB31.58724N	27"	28 1/2"	30"	25 1/2"	28 1/2"	30"	13 1/2"	22 1/2"	29 1/2"
TBMWB279024N	30"	24"	25 1/2"	21"	24"	25 1/2"	13 1/2"	22 1/2"	32 1/2"
TBMWB309024N	30"	27"	28 1/2"	24"	27"	28 1/2"	13 1/2"	22 1/2"	32 1/2"
TBMWB31.59024N	30"	28 1/2"	30"	25 1/2"	28 1/2"	30"	13 1/2"	22 1/2"	32 1/2"

### Custom Modifications

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•		•	•	•	•		•	•	•			•	•	•	•	•+	•		•

 $^{*}$ Only available on Narrow Stile (N) cabinets  $^{+}$ Not available on 90" tall

### **Construction Upgrades**


40113110	о ор	g. uuos
APC	ET	PE


Door O	ptions	
CG.TOP	DPSRR	MFO
<b>●</b> †	•	•

†Only available on Narrow Stile (N) cabinets


# TALL CABINETS

# TALL BUILT-IN MICROWAVE CABINET, 93" or 96" TALL





TBMWB\_ \_ \_ \_ 24



TBMWB279324(N)

TBMWB309324(N)

TBMWB31.59324(N)

TBMWB279624(N)

TBMWB309624(N)

### TBMWB31.59624(N)

- N represents Narrow Stile cobinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Includes adjustable shelves in upper section:

93" tall - two shelves

- 96" tall three shelves
- Base section will utilize a full depth shelf.
- All top and bottom cross rails are 1 1/2" wide.
- All toekick areas are 4 1/2" high.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Includes OCINSTALLKIT for microwave installation.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

		A Frame Opening	Cut-out	3 t Width	Cut-out	: Height	Door Height (Upper Section)
		Height	Min.	Max.	Min.	Max.	Full Overlay
	TBMWB279324	33"	21"	25 1/2"	13 1/2"	22 1/2"	35 1/2"
Ī	TBMWB309324	33"	24"	28 1/2"	13 1/2"	22 1/2"	35 1/2"
	TBMWB31.59324	33"	25 1/2"	30"	13 1/2"	22 1/2"	35 1/2"
ĺ	TBMWB279624	36"	21"	25 1/2"	13 1/2"	22 1/2"	38 1/2"
	TBMWB309624	36"	24"	28 1/2"	13 1/2"	22 1/2"	38 1/2"
	TBMWB31.59624	36"	25 1/2"	30"	13 1/2"	22 1/2"	38 1/2"

	A Frame Opening		3 t Width dard)	(with	B Cut-out Width ACS modifice		Cut-out	: Height	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Full Overlay
TBMWB279324N	33″	24" 25 1/2"		21"	24"	25 1/2"	13 1/2"	22 1/2"	35 1/2"
TBMWB309324N	33″	27" 28 1/2"		24"	27"	28 1/2"	13 1/2"	22 1/2"	35 1/2"
TBMWB31.59324N	33″	28 1/2"	30″	25 1/2"	28 1/2"	28 1/2" 30"		22 1/2"	35 1/2"
TBMWB279624N	36"	24"	25 1/2"	21"	24"	25 1/2"	13 1/2"	22 1/2"	38 1/2"
TBMWB309624N	36"	27" 28 1/2"		24"	27"	28 1/2"	13 1/2"	22 1/2"	38 1/2"
TBMWB31.59624N	36"	28 1/2" 30" 2		25 1/2"	28 1/2"	30"	13 1/2"	22 1/2"	38 1/2"

### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•			•	•	•		•	•	•			•	•	•	•				•


<sup>\*</sup>Only available on Narrow Stile (N) cabinets


		3
APC	ET	PE
•		•

Door O	ptions	
CG.TOP	DPSRR	MFO
• <sup>†</sup>	•	•


<sup>&</sup>lt;sup>†</sup>Only available on Narrow Stile (N) cabinets

# OVEN MICROWAVE CABINET, 84", 87", or 90" TALL, 24" DEEP





OMC\_\_\_\_24



OMC278424(N)

OMC308424(N)

OMC31.58424(N)

OMC338424(N)

OMC278724(N)

OMC308724(N)

OMC31.58724(N)

OMC338724(N)

OMC279024(N)

OMC309024(N)

OMC31.59024(N)

### OMC339024(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a
  consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Upper section on 90" tall has one full depth adjustable shelf.
- Designed for use with separate built-in microwave above, built-in oven below. For built-in double ovens, see pages 245-250.
- All top and bottom cross rails are 1 1/2" wide.
- All toekick areas are 4 1/2" high.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A		3		С	D	Door Height
	Frame Opening	Cut-out	Cut-out Width		t Height	Frame Opening	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Width	Full Overlay
OMC278424	15"	21"	25 1/2"	18"	39"	21"	17 1/2"
OMC308424	15"	24"	28 1/2"	18"	39"	24"	17 1/2"
OMC31.58424	15"	25 1/2"	30"	18"	39"	25 1/2"	17 1/2"
OMC338424	15"	27"	31 1/2"	18"	39"	27"	17 1/2"
OMC278724	18"	21"	25 1/2"	18"	39"	21"	20 1/2"
OMC308724	18"	24"	28 1/2"	18"	39"	24"	20 1/2"
OMC31.58724	18"	25 1/2"	30"	18"	39"	25 1/2"	20 1/2"
OMC338724	18"	27"	31 1/2"	18"	39"	27"	20 1/2"
OMC279024	21"	21"	25 1/2"	18"	39"	21"	23 1/2"
OMC309024	21"	24"	28 1/2"	18"	39"	24"	23 1/2"
OMC31.59024	21"	25 1/2"	30″	18"	39"	25 1/2"	23 1/2"
OMC339024	21"	27"	31 1/2"	18"	39"	27"	23 1/2"

	A Frame Opening	E Cut-out (stan	Width		B Cut-out Width ACS modifica		Cut-out	C † Height	D Frame Opening	Door Height (Upper Section)
	Height	Min.	Мах.	Min.	Мах.	Max. w/ Field Cut	Min.	Max.	Width	Full Overlay
OMC278424N	15"	24"	25 1/2"	21"	24"	25 1/2"	18"	33"	24"	17 1/2"
OMC308424N	15"	27"	28 1/2"	24"	27"	28 1/2"	18"	33"	27"	17 1/2"
OMC31.58424N	15"	28 1/2"	30″	25 1/2"	28 1/2"	30"	18"	39"	28 1/2"	17 1/2"
OMC338424N	15"	30"	31 1/2"	27"	30″	31 1/2"	18"	33"	30"	17 1/2"
OMC278724N	18"	24"	25 1/2"	21"	24"	25 1/2"	18"	33″	24"	20 1/2"
OMC308724N	18"	27"	28 1/2"	24"	27"	28 1/2"	18"	33″	27"	20 1/2"
OMC31.58724N	18"	28 1/2"	30″	25 1/2"	28 1/2"	30″	18"	39"	28 1/2"	20 1/2"
OMC338724N	18"	30"	31 1/2"	27"	30"	31 1/2"	18"	33″	30″	20 1/2"
OMC279024N	21"	24"	25 1/2"	21"	24"	25 1/2"	18"	33″	24"	23 1/2"
OMC309024N	21"	27"	28 1/2"	24"	27"	28 1/2"	18"	33″	27"	23 1/2"
OMC31.59024N	21"	28 1/2"	30″	25 1/2"	28 1/2"	30″	18"	39"	28 1/2"	23 1/2"
OMC339024N	21"	30"	31 1/2"	27"	30"	31 1/2"	18"	33"	30"	23 1/2"

### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•		•	•	•	•		•	•	•	•		•	•	•		•	•	•	•


<sup>\*</sup>Only available on Narrow Stile (N) cabinets


# APC ET PE

Door O	•	
CG.TOP	DPSRR	MFO
	•	•

### **OVEN MICROWAVE CABINET,** 93" or 96" TALL, 24" DEEP







OMC279324(N)

OMC309324(N)

OMC31.59324(N)

OMC339324(N)

OMC279624(N)

OMC309624(N) OMC31.59624(N)

### OMC339624(N)

- N represents Narrow Stile cabinets with 1  $1/2^{\circ}$  wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Cabinets with 3" wide face frames are not available in Door 37 Decorative Laminate, or Door 15, Door 18, and Door 32 MDF door styles.
- Includes adjustable shelves in upper section:

93" tall - one shelf

96" tall - two shelves

- Designed for use with separate built-in microwave above, built-in oven below. For built-in double ovens, see pages 245-250.
- All top and bottom cross rails are  $1 \frac{1}{2}$  wide.
- All toekick areas are 4 1/2" high.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A		3		C	D	Door Height
	Frame Opening	Cut-out	Cut-out Width		t Height	Frame Opening	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Width	Full Overlay
OMC279324	24"	21"	25 1/2"	18"	39"	21"	26 1/2"
OMC309324	24"	24"	28 1/2"	18"	39"	24"	26 1/2"
OMC31.59324	24"	25 1/2"	30"	18"	39"	25 1/2"	26 1/2"
OMC339324	24"	27"	31 1/2"	18"	39"	27"	26 1/2"
OMC279624	27"	21"	25 1/2"	18"	39"	21"	29 1/2"
OMC309624	27"	24"	28 1/2"	18"	39"	24"	29 1/2"
OMC31.59624	27"	25 1/2"	30"	18"	39"	25 1/2"	29 1/2"
OMC339624	27"	27"	31 1/2"	18"	39"	27"	29 1/2"

	A Frame Opening		3 · Width dard)		B Cut-out Width ACS modifice		Cut-out	C † Height	D Frame Opening	Door Height (Upper Section)
	Height	Min.	Мах.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Width	Full Overlay
OMC279324N	24"	24"	25 1/2"	21"	24"	25 1/2"	18"	33"	24"	26 1/2"
OMC309324N	24"	27"	28 1/2"	24"	27"	28 1/2"	18"	33"	27"	26 1/2"
OMC31.59324N	24"	28 1/2"	30″	25 1/2"	28 1/2"	30"	18"	39"	28 1/2"	26 1/2"
OMC339324N	24"	30"	31 1/2"	27"	30"	31 1/2"	18"	33″	30″	26 1/2"
OMC279624N	27"	24"	25 1/2"	21"	24"	25 1/2"	18"	33"	24"	29 1/2"
OMC309624N	27"	27"	28 1/2"	24"	27"	28 1/2"	18"	33"	27"	29 1/2"
OMC31.59624N	27"	28 1/2"	30″	25 1/2"	28 1/2"	30"	18"	39"	28 1/2"	29 1/2"
OMC339624N	27"	30"	31 1/2"	27"	30"	31 1/2"	18"	33″	30″	29 1/2"

### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_	/ ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•			•	•	•		•	•	•	•		•	•	•		•			•


<sup>\*</sup>Only available on Narrow Stile (N) cabinets


Constru	ction Up	grades
APC	ET	PE
•		•

Door O	ptions	
CG.TOP	DPSRR	MFO
	•	•

### OVEN MICROWAVE CABINET, DEEP DRAWER, 84", 87", or 90" TALL, 24" DEEP







OMC278424DD(N)

OMC308424DD(N)

OMC31.58424DD(N)

OMC338424DD(N)

OMC278724DD(N)

OMC308724DD(N)

OMC31.58724DD(N)

OMC338724DD(N)

OMC279024DD(N)

OMC309024DD(N)

OMC31.59024DD(N)

### OMC339024DD(N)

- N represents Narrow Stile cabinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a
  consistent 1/4" width reveal and use standard smart close hinges.
- $\bullet$  On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Designed for use with separate built-in microwave above, built-in oven below. For built-in double ovens, see pages 245-250.
- All top and bottom cross rails are 1 1/2" wide.
- All toekick areas are 4 1/2" high.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	A	[	3		C	D	Door Height
	Frame Opening	Cut-out	Width	Cut-out	Height	Frame Opening	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Width	Full Overlay
OMC278424DD	12"	21"	25 1/2"	16 1/4"	31 1/4"	21"	14 1/2"
OMC308424DD	12"	24"	28 1/2"	16 1/4"	31 1/4"	24"	14 1/2"
OMC31.58424DD	12"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	14 1/2"
OMC338424DD	12"	27"	31 1/2"	16 1/4"	31 1/4"	27"	14 1/2"
OMC278724DD	15"	21"	25 1/2"	16 1/4"	31 1/4"	21"	17 1/2"
OMC308724DD	15"	24"	28 1/2"	16 1/4"	31 1/4"	24"	17 1/2"
OMC31.58724DD	15"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	17 1/2"
OMC338724DD	15"	27"	31 1/2"	16 1/4"	31 1/4"	27"	17 1/2"
OMC279024DD	18"	21"	25 1/2"	16 1/4"	31 1/4"	21"	20 1/2"
OMC309024DD	18"	24"	28 1/2"	16 1/4"	31 1/4"	24"	20 1/2"
OMC31.59024DD	18"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	20 1/2"
OMC339024DD	18"	27"	31 1/2"	16 1/4"	31 1/4"	27"	20 1/2"

	A Frame Opening	E Cut-out (stan			B Cut-out Width ACS modifice		Cut-out	: Height	D Frame Opening	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Width	Full Overlay
OMC278424DDN	12"	24"	25 1/2"	21"	24"	25 1/2"	16 1/4"	31 1/4"	24"	14 1/2"
OMC308424DDN	12"	27"	28 1/2"	24"	27"	28 1/2"	16 1/4"	31 1/4"	27"	14 1/2"
OMC31.58424DDN	12"	28 1/2"	30"	25 1/2"	28 1/2"	30"	16 1/4"	31 1/4"	28 1/2"	14 1/2"
OMC338424DDN	12"	30"	31 1/2"	27"	30"	31 1/2"	161/4"	31 1/4"	30"	14 1/2"
OMC278724DDN	15″	24"	25 1/2"	21"	24"	25 1/2"	16 1/4"	31 1/4"	24"	17 1/2"
OMC308724DDN	15"	27"	28 1/2"	24"	27"	28 1/2"	16 1/4"	31 1/4"	27"	17 1/2"
OMC31.58724DDN	15"	28 1/2"	30"	25 1/2"	28 1/2"	30"	16 1/4"	31 1/4"	28 1/2"	17 1/2"
OMC338724DDN	15"	30"	31 1/2"	27"	30"	31 1/2"	161/4"	31 1/4"	30″	17 1/2"
OMC279024DDN	18"	24"	25 1/2"	21"	24"	25 1/2"	161/4"	31 1/4"	24"	20 1/2"
OMC309024DDN	18"	27"	28 1/2"	24"	27"	28 1/2"	16 1/4"	31 1/4"	27"	20 1/2"
OMC31.59024DDN	18"	28 1/2"	30"	25 1/2"	28 1/2"	30"	16 1/4"	31 1/4"	28 1/2"	20 1/2"
OMC339024DDN	18"	30″	31 1/2"	27"	30″	31 1/2"	16 1/4"	31 1/4"	30″	20 1/2"

### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	CCO	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•		•	•	•	•		•	•	•	•		•	•	•		•+	•	•	•


\*Only available on Narrow Stile (N) cabinets +Not available on 84" tall


APC	ET	PE
•		•


Door O	ptions	
CG.TOP	DPSRR	MFO
	•	

# TALL CABINETS

### OVEN MICROWAVE CABINET, DEEP DRAWER, 93" or 96" TALL, 24" DEEP







OMC279324DD(N)

OMC309324DD(N)

OMC31.59324DD(N)

OMC339324DD(N)

OMC279624DD(N)

OMC309624DD(N)

OMC31.59624DD(N)

### OMC339624DD(N)

- N represents Narrow Stile cobinets with 1 1/2" wide face frame side stiles and ACS modification availability (see page 48 for ACS specifications). Doors and drawer fronts have a consistent 1/4" width reveal and use standard smart close hinges.
- On cabinets with 3" wide face frame side stiles, doors use face mount hinges. Doors and drawer fronts have a consistent 1/4" width reveal.
- Designed for use with separate built-in microwave above, built-in oven below. For built-in double ovens, see pages 245-250.
- All top and bottom cross rails are  $1 \frac{1}{2}$  wide.
- All toekick areas are 4 1/2" high.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- One full depth adjustable shelf included, but packaged separately.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- Maximum cut-out dimension will allow 1/4" reveal for doors and drawer fronts for trim kit face clearance.

	А	[	3	(		D	Door Height
	Frame Opening	Cut-out	Width	Cut-out	Height	Frame Opening	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Width	Full Overlay
OMC279324DD	21"	21"	25 1/2"	16 1/4"	31 1/4"	21"	23 1/2"
OMC309324DD	21"	24"	28 1/2"	16 1/4"	31 1/4"	24"	23 1/2"
OMC31.59324DD	21"	25 1/2"	30″	16 1/4"	31 1/4"	25 1/2"	23 1/2"
OMC339324DD	21"	27"	31 1/2"	16 1/4"	31 1/4"	27"	23 1/2"
OMC279624DD	24"	21"	25 1/2"	16 1/4"	31 1/4"	21"	26 1/2"
OMC309624DD	24"	24"	28 1/2"	16 1/4"	31 1/4"	24"	26 1/2"
OMC31.59624DD	24"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	26 1/2"
OMC339624DD	24"	27"	31 1/2"	16 1/4"	31 1/4"	27"	26 1/2"

	A Frame Opening		3 · Width dard)		B Cut-out Width ACS modifice		Cut-out	Height	D Frame Opening	Door Height (Upper Section)
	Height	Min.	Max.	Min.	Max.	Max. w/ Field Cut	Min.	Max.	Width	Full Overlay
OMC279324DDN	21"	24"	25 1/2"	21"	24"	25 1/2"	161/4"	31 1/4"	24"	23 1/2"
OMC309324DDN	21"	27"	28 1/2"	24"	27"	28 1/2"	16 1/4"	31 1/4"	27"	23 1/2"
OMC31.59324DDN	21"	28 1/2"	30"	25 1/2"	28 1/2"	30"	16 1/4"	31 1/4"	28 1/2"	23 1/2"
OMC339324DDN	21"	30"	31 1/2"	27"	30″	31 1/2"	16 1/4"	31 1/4"	30″	23 1/2"
OMC279624DDN	24"	24"	25 1/2"	21"	24"	25 1/2"	161/4"	31 1/4"	24"	26 1/2"
OMC309624DDN	24"	27"	28 1/2"	24"	27"	28 1/2"	16 1/4"	31 1/4"	27"	26 1/2"
OMC31.59624DDN	24"	28 1/2"	30"	25 1/2"	28 1/2"	30"	16 1/4"	31 1/4"	28 1/2"	26 1/2"
OMC339624DDN	24"	30"	31 1/2"	27"	30″	31 1/2"	16 1/4"	31 1/4"	30″	26 1/2"

### **Custom Modifications**


ACS	ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
•*		•	•	•		•	•			•	•	•		•	•	•	•		•	•	•		•			•


<sup>\*</sup>Only available on Narrow Stile (N) cabinets


40113110	ciioii op	grados
APC	ET	PE
•		•

Door O	ptions	
CG.TOP	DPSRR	MFO
	•	•

### OVEN MICROWAVE CABINET, WARMING DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP







\*Minimum rail height between oven and warming drawer is 11/2"

OMC278424WD
OMC308424WD
OMC31.58424WD
OMC338424WD
OMC278724WD
OMC308724WD
OMC31.58724WD
OMC338724WD
OMC379024WD
OMC309024WD
OMC31.59024WD

OMC279324WD
OMC309324WD
OMC31.59324WD
OMC339324WD
OMC279624WD
OMC309624WD
OMC31.59624WD
OMC339624WD

OMC339024WD

- $\bullet$  Includes one adjustable shelf in upper section of 93" and 96" tall.
- Designed for use with separate built-in microwave above, built-in oven below. For built-in double ovens, see pages 245-250.
- Uses face mount hinges, doors have a consistent 1/4" width reveal.
- All top and bottom cross rails are 1 1/2" wide.
- All toekick areas are 4 1/2" high.
- Be sure to confirm a hear shield is built into your appliance by the manufacturer or install the hear shield included with your appliance. Hear shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or
  can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- For built-in appliance support, OCINSTALLKIT is included in 24" deep oven cabinets (see page 373 for details). Oven install kit will not be included when depth is modified.
- OCINSTALLKIT weight limit is 400 lbs. per pair.
- $\bullet$  Maximum cut-out dimension will allow  $1/4^{\prime\prime}$  reveal for doors for trim kit face clearance.

	А		3	(	0	D		E	Door Height
	Frame Opening	Cut-out	Width	Cut-out	Height	Frame Opening	Warming Draw	er Cut-out Height	(Upper Section)
	Height	Min.	Max.	Min.	Max.	Width	Min.	Max.	Full Overlay
OMC278424WD	12"	21"	25 1/2"	16 1/4"	31 1/4"	21"	9 1/4"	16 3/4"	14 1/2"
OMC308424WD	12"	24"	28 1/2"	16 1/4"	31 1/4"	24"	9 1/4"	16 3/4"	14 1/2"
OMC31.58424WD	12"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	9 1/4"	16 3/4"	14 1/2"
OMC338424WD	12"	27"	31 1/2"	16 1/4"	31 1/4"	27"	9 1/4"	16 3/4"	14 1/2"
OMC278724WD	15"	21"	25 1/2"	16 1/4"	31 1/4"	21"	9 1/4"	16 3/4"	17 1/2"
OMC308724WD	15"	24"	28 1/2"	16 1/4"	31 1/4"	24"	9 1/4"	16 3/4"	17 1/2"
OMC31.58724WD	15"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	9 1/4"	163/4"	17 1/2"
OMC338724WD	15"	27"	31 1/2"	16 1/4"	31 1/4"	27"	9 1/4"	163/4"	17 1/2"
OMC279024WD	18"	21"	25 1/2"	16 1/4"	31 1/4"	21"	9 1/4"	163/4"	20 1/2"
OMC309024WD	18"	24"	28 1/2"	16 1/4"	31 1/4"	24"	9 1/4"	163/4"	20 1/2"
OMC31.59024WD	18"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	9 1/4"	163/4"	20 1/2"
OMC339024WD	18"	27"	31 1/2"	16 1/4"	31 1/4"	27"	9 1/4"	16 3/4"	20 1/2"
OMC279324WD	21"	21"	25 1/2"	16 1/4"	31 1/4"	21"	9 1/4"	16 3/4"	23 1/2"
OMC309324WD	21"	24"	28 1/2"	16 1/4"	31 1/4"	24"	9 1/4"	16 3/4"	23 1/2"
OMC31.59324WD	21"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	9 1/4"	16 3/4"	23 1/2"
OMC339324WD	21"	27"	31 1/2"	16 1/4"	31 1/4"	27"	9 1/4"	16 3/4"	23 1/2"
OMC279624WD	24"	21"	25 1/2"	16 1/4"	31 1/4"	21"	9 1/4"	16 3/4"	26 1/2"
OMC309624WD	24"	24"	28 1/2"	16 1/4"	31 1/4"	24"	9 1/4"	16 3/4"	26 1/2"
OMC31.59624WD	24"	25 1/2"	30"	16 1/4"	31 1/4"	25 1/2"	9 1/4"	16 3/4"	26 1/2"
OMC339624WD	24"	27"	31 1/2"	16 1/4"	31 1/4"	27"	9 1/4"	16 3/4"	26 1/2"

### **Custom Modifications**

ACS	ADDTK	AUTH	CBO	000	CFNTO	CFRMO	CND	DRT	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	MIP	RD	RECTK_	RT	TD	TKP	VTK	WLI
		•	•*	•	•	•			•+	•	•	•		•	•	•	•		•	•	•		•4	•+	•+	•

\*Not available on 84", 87", and 90" tall 

\*Not available on 93" and 96" tall 

\*Not available on 84" tall

		•
APC	ET	PE
•		•

Door O	prions	
CG.TOP	DPSRR	MF0
	•	•

All office cabinets are predrilled for full depth shelves or roll

Available STD

Standard on these cabinets



5 Day Express Response Item

ŋ	E	0
L	J	0

			CUSTOM MODIFICATIONS				CONSTRUCTION UPGRADES		DOOR OPTIONS
Mod.	Description	Mod.	Description	Mod.	Description	Mod.	Description	Mod.	Description
ADDTK	Add Toekick	EXBKR	End Extended Back - Right	PFINBTMB	Prepare Cabinet for Finished	APC	All-plywood Construction	DPSRR	Door Panel - Solid Reverse Raised
AUTHB	Authentic Ends - Both	EXL	Extended Stile - Left		Bottom	PE	Plywood Ends		
AUTHL	Authentic End - Left	EXR	Extended Stile - Right	PTOWB	Push to Open Wastebasket				
AUTHR	Authentic End - Right	FB	Finished Ends	RD	Reduced Depth				
CBO	Cabinet Box Only	FFDL	Face Frame and Door on End - Left	RECTKALL	Recessed Island Toekick				
CCO	Cabinet Case Only	FFDR	Face Frame and Door on End - Right	RECTKBK	Recessed Toekick - Back				
CFNTO	Cabinet Front Only	FPEB	Furniture Finished Plywood Ends	RECTKL	Recessed Toekick - Left				
CFP	Cabinet False Panel	FTK	Flush Toekick	RECTKR	Recessed Toekick - Right				
CFRMO	Cabinet Frame Only	FTKAV	Flush Toekick Arch	RT	Installed Roll Tray				
CND	Cabinet with No Door,	FTKFV	Flush Toekick Furniture	TVRAV	Valance Top Rail, Arch				
	with Drawer	ID	Increased Depth	TVRFV	Valance Top Rail, Furniture				
DRWSEC	Biometric Secured Drawer	INVFRM	Inverted Frame	TVRVV	Valance Top Rail, Straight				
DRWTK	Toekick Drawer	LTI	Light Installed Battery Strip	VTK	Void Toekick				
EXBKL	End Extended Back - Left	MIP	Matching Interior Plywood	WLI	White Laminate Interior				

BOOKCASE, 30", 33", or 36" HIGH, 12" DEEP

18", 21", 24", 27", 30", 33", or 36" 30" 33" or 36"

W1830BC W2130BC

W2430BC

W2730BC

W3030BC

W3330BC

W3630BC

¥ W1833BC

W2133BC

W2433BC

W2733BC

W3033BC

W3333BC

W3633BC

W1836BC

≽ W2136BC

W2436BC

W2736BC

**₩3036BC** 

W3336BC

W3636BC

• Matching Interior Plywood (MIP) standard.

• If ordered with Heirlooming Technique, will not feature sand-through characteristics.

• To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).


### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_\	/ ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
•	•	STD				•				•	•			•			•			STD	•		•			•		

	1-3
ΛPC	PF
AI C	11.

<b>Door Options</b>
DPSRR

# BOOKCASE, 39", 42", or 48" HIGH, 12" DEEP



W1839BC **№ W2139BC** ₩¥ W2439BC ₩ W2739BC ≽ W3039BC ₩ W3339BC ₩ W3639BC **№ W1842BC** ₩ W2142BC W2442BC **№ W2742BC ₩3042BC № W3342BC** ₩ W3642BC W1848BC

W2148BC W2448BC W2748BC W3048BC W3348BC W3648BC

- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).


### **Custom Modifications**

ADDTK	AUTH	CBO	000	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK WLI
•	•	STD				•				•	•			•			•			STD	•		•			•	





# WALL FURNITURE BOOKCASE, 48", 51", or 54" HIGH, 12" DEEP



**WFBC1848** 

WFBC2148

**WFBC2448** 

WFBC2748

**WFBC3048** 

**WFBC3348** 

WFBC3648

WFBC1851

WFBC2151

WFBC2451 WFBC2751

WFBC3051

WFBC3351

WFBC3651

**WFBC1854** 

WFBC2154

**WFBC2454** 

WFBC2754 WFBC3054

WFBC3354

**WFBC3654** 

### ....

- $\bullet\,$  48", 51", and 54" have two adjustable shelves and one fixed shelf.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".

### **Custom Modifications**


ADDTK	AUTH	CBO	000	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
	•	STD				•				•	•			•			•			STD			•			•		

### Construction Upgrades

APC	PE

# Door Options DPSRR

# WALL FURNITURE BOOKCASE, 57", 60", or 66" HIGH, 12" DEEP



WFBC1857
WFBC2157
WFBC2457
WFBC3057
WFBC3057
WFBC3657
WFBC3660
WFBC2160
WFBC2460
WFBC2760
WFBC3660
WFBC3660
WFBC3660
WFBC3660

WFBC2166 WFBC2466 WFBC2766 WFBC3366 WFBC3366

 $\bullet$  57", 60", and 66" have three adjustable shelves and one fixed shelf.

- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".

### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
	•*	STD				•				•	•			•			•			STD			•			•		

\*Not available on  $66^{\prime\prime}$  high

	1-3
APC	PE



# TALL BOOKCASE, 84", 87", or 90" HIGH, 12" or 18" DEEP



TBC218412

TBC248412

TBC278412

TBC308412

TBC338412

TBC368412

TBC218418

TBC248418

TBC278418

TBC308418

TBC338418

TBC368418

TBC218712

TBC248712

TBC278712

TBC308712

TBC338712

TBC368712

TBC218718

TBC248718

TBC278718

TBC308718

TBC338718

TBC368718

TBC219012

TBC249012

TBC279012

TBC309012

TBC339012

TBC369012

TBC219018

TBC249018 TBC279018

TBC309018

15007010

TBC339018

### TBC369018

- 84" and 87" tall include four adjustable shelves and one fixed shelf.
- 90" tall includes five adjustable shelves and one fixed shelf.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".


### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_\	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	WLI
		STD				•				•	•			•	STD	•	•			STD			•			•	

APC	PE

Door Options
DPSRR

# TALL BOOKCASE, 93" or 96" HIGH, 12" or 18" DEEP



TBC219312
TBC249312
TBC279312
TBC309312
TBC369312
TBC219318
TBC249318
TBC279318
TBC279318
TBC309318
TBC309318
TBC369318

TBC357310 TBC369318 TBC219612 TBC249612

TBC279612 TBC309612

TBC339612

TBC369612 TBC219618

TBC249618

TBC279618

TBC309618 TBC339618

### TBC369618

- 93" tall includes five adjustable shelves and one fixed shelf.
- 96" tall includes six adjustable shelves and one fixed shelf.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestals are the same width as the cabinet box except when specified with FPEB, in which the
  pedestal will be 1/4" recessed when centered.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- ullet Bookcases can only be reduced to 9".

### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
		STD				•				•	•			•	•	•	•			STD			•			•		

### Construction Upgrades

APC	PE

# Door Options DPSRR

# TALL BOOKCASE with DOORS, 84", 87", or 90" HIGH, 12" or 18" DEEP



TBCD218412 L or R
TBCD218418 L or R
TBCD218712 L or R
TBCD218718 L or R
TBCD219012 L or R
TBCD219018 L or R

TBCD248412

TBCD278412

TBCD308412

TBCD338412

TBCD368412

TBCD248418

TBCD278418

TBCD308418

TBCD338418

TBCD368418

TBCD248712

TBCD278712

TBCD308712

TBCD338712

TBCD368712

TBCD248718

TBCD278718

TBCD308718

TBCD338718

TBCD368718

TBCD249012

TBCD279012

TBCD309012

TBCD339012

TBCD369012

TBCD249018

TBCD279018

TBCD309018

TBCD339018

### TBCD369018

- 84" and 87" tall include four adjustable shelves and one fixed shelf.
- 90" tall includes five adjustable shelves and one fixed shelf.
- Matching Interior Plywood (MIP) standard.
- $\bullet$  Top of doors match to a standard, full height base door, 34 1/2" high.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".


### **Custom Modifications**


ADDTK	AUTH	CBO	((0	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	WLI
		•	•	•		•				•	•			•	STD	•	•			STD			•			•	

APC	PE



# TALL BOOKCASE with DOORS, 93" or 96" HIGH, 12" or 18" DEEP





TBCD219312 L or R
TBCD219318 L or R
TBCD219612 L or R
TBCD219618 L or R

TBCD249312

TBCD279312 TBCD309312

TBCD339312

TBCD369312
TBCD249318
TBCD279318
TBCD309318
TBCD339318
TBCD369318
TBCD249612
TBCD279612
TBCD309612
TBCD339612
TBCD369612
TBCD369612
TBCD249618
TBCD279618
TBCD279618

TBCD339618 TBCD369618

- $\bullet\,$  93" tall includes five adjustable shelves and one fixed shelf.
- 96" tall includes six adjustable shelves and one fixed shelf.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestals are the same width as the cabinet box except when specified with FPEB, in which the pedestal will be 1/4" recessed when centered.
- Matching Interior Plywood (MIP) standard.
- Top of doors match to a standard, full height base door, 34 1/2" high.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".


### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
		•	•	•		•				•	•			•	•	•	•			STD			•			•		

APC	PE



### **DESK DOOR DRAWER BASE,** 29" HIGH, 21" or 24" DEEP





DDO122921 L or R

DDO152921 L or R

DD0182921 L or R

DDO212921 L or R

DDO122924 L or R

DDO152924 L or R

DDO182924 L or R

DDO212924 L or R

DDO242921

DDO272921

DDO302921

DD0332921

DD0362921

DDO242924

DDO272924

DDO302924

DDO332924

DD0362924

- Depth can be reduced to a minimum of 12".
- Depth can be increased to a maximum of 24".

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
	•*	•	•	•	•	•	•	•+	<b>0</b> Å	•	•	•	•	•	•	•†	•‡	•	•†	•			•	•	•		•	•


\*Not available on 21" deep \*Available only on 18", 21", and 24" wide ANot available on 12" and 15" wide Not available on 12" wide ANot available on 24" deep

### **Construction Upgrades**

# PE



# DESK THREE DRAWER BASE, 29" HIGH, 21" or 24" DEEP



3DB122921 3DB152921 3DB182921

3DB182921 3DB212921

3DB242921

3DB272921

3DB302921

3DB332921

3DB362921

3DB122924

3DB152924

3DB182924

3DB212924

3DB242924

3DB272924


3DB302924

3DB332924

3DB362924

- Depth can be reduced to a minimum of 12".
- Depth can be increased to a maximum of 24".

### **Custom Modifications**




\*Not available on 21" deep +Available only on 18", 21", and 24" wide, 24" deep •Not available on 12" and 15" wide †Not available on 12" wide

### Construction Upgrades

# APC PE



# DESK FILE DRAWER BASE, 29" HIGH, 21" or 24" DEEP



DFD152921

DFD182921

DFD212921

DFD152924

DFD182924

DFD212924

- Door is attached to file drawer.
- $\bullet$  Includes Filing System Hardware Kit, which accommodates letter and legal filing.
- Exterior height of file drawer is 10".

### **Custom Modifications**

Αſ	DTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK W
		•*	•	•			•		•+	•4	•	•	•		•	•	•								•			•

\*Not available on 21" deep 
\*Available only on 18" and 21" wide, 24" deep 
\*Not available on 15" wide


### **Construction Upgrades**

# APC PE



268

### DESK DOUBLE FILE DRAWER BASE, 29" HIGH, 21" or 24" DEEP



DDFD242921

DDFD302921

DDFD242924

### DDFD302924

- Includes Filing System Hardware Kit, which accommodates letter and legal filing.
- Drawers utilize 125 lb. full extension progressive side-mount guide, does not feature soft-close guide.
- Bottom of drawer is not designed to support any weight.
- Exterior height of drawer box is 9 1/2".

### **Custom Modifications**


ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
	•*	•	•			•			•	•	•	•		•	•	•								•			•	


\*Not available on 21" deep


Construction	1 Upgrades
APC	PE
•	•

Door	Options
0	IPSRR

### **DESK WASTEBASKET FULL HEIGHT** BASE, 29" HIGH, 15" or 18" WIDE, 21" or 24" DEEP







### DWB152921FH DWB182921FH

### DWB152924FH

### DWB182924FH

- Pull-out features undermount smart close guides.
- DWB152921FH, DWB182921FH, and DWB152924FH include one 35 quart gray wastebasket and a trash bag storage area.
- DWB182924FH includes two 35 quart gray wastebaskets.
- Base Wastebasket Lid (BWBLID) fits 35 quart wastebaskets. On DWB182924FH, BWBLID can only be used on the front wastebasket. See page 370.

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_\	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
	•*	•	•			•			•+	•	•	•		•	•	•				•		•*		•			•	•

\*Not available on 21" deep +Not available on 15" wide

### **Construction Upgrades**


APC	PE
•	•


### **Door Options** DPSRR

Effective March 14, 2022

# **OFFICE & FURNITURE CABINETS**

# DESK EASY REACH, 29" HIGH, 21" or 24" DEEP





### DER333321 L or R

### DER363624 L or R

- Features one fixed shelf in center of cabinet.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets and face frame of DER.
- DER333321 L or R wall width is 33" x 33".
- DER363624 L or R wall width is 36" x 36".
- Integrated soft-close hinge not included.

### **Custom Modifications**


ADDTK	AUTH	CBO	000	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
		•	•									•		•					•	•				•			•	•

### **Construction Upgrades**

APC	PE
•	•

Door Obitons
DPSRR
•

# FURNITURE DRAWER, 6 3/4" HIGH, 24" DEEP



FD1506.7524

FD1806.7524

FD2106.7524

FD2406.7524

FD2706.7524

FD3006.7524

FD3306.7524

FD3606.7524

• Exterior height of drawer box is 3 3/8".

### **Custom Modifications**


ADDTK	AUTH	CBO	000	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_		ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
•		•	•			•				•	•	•		•			П							•					

### Construction Upgrades

APC	PE
•	•

# Door Options DPSRR

# FURNITURE DRAWER, 12" HIGH, 24" DEEP



FD151224

FD181224

FD211224

FD241224

FD271224

FD301224

FD331224

FD361224

- Drawer front to face frame reveal is justified to the bottom. Top reveal is 3/8" and bottom reveal is 1/4".
- Exterior height of drawer box is 6 3/8".

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
•		•	•			•				•	•	•		•									•					

APC	PE
•	•




# **OFFICE & FURNITURE CABINETS**

TCM8

3/4"

3/4" Build-up Strip

# FURNITURE DRAWER WINDOW BENCH, 18" HIGH, 24" DEEP



FDWB151824

FDWB181824

FDWB211824

FDWB241824

FDWB271824

FDWB301824

FDWB331824

FDWB361824

- $\bullet$  Drawer front to face frame reveal is justified to the bottom. Top reveal is 1 7/8" and bottom reveal is 1/4".
- Exterior height of drawer box is 6 3/8".

### **Custom Modifications**

ADDTK	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	PFINBTMB	PTOWB	RD	RECTK_	RT	TVR_V	VTK	WLI
		•	•			•			•*	•	•	•		•	•	•							•	•			•	


\*Not available on 15" wide

### **Construction Upgrades**

APC	PE
•	•

Door Options
DPSRR

# WOOD TOPS, ONE SIDED, 22 1/2" or 25 1/2" DEEP



### 1TWT7221

### 1TWT7224

 $\bullet$  3/4" thick veneer over MDF panels with build-up strips to 1 1/2" thick and Traditional Countertop Moulding (TCM8) on front edge.

MODIFICATIONS	
No modifications available for these products.	


### **Construction Upgrades**

# APC PE

### Finish Techniques



# WOOD TOPS, THREE SIDED, 22 1/2" or 25 1/2" DEEP



19/16"		3/4" Veneer Panel
19/16	TCM8	3/4" Build-up Strip
	3/4"	1/16"

Model	Overall Width	Overall Depth
3TWT1821	20″	22 1/2"
3TWT2421	26"	22 1/2"
3TWT3021	32″	22 1/2"
3TWT3621	38″	22 1/2"
3TWT4821	50″	22 1/2"
3TWT5421	56″	22 1/2"
3TWT6021	62"	22 1/2"
3TWT6621	68″	22 1/2"
3TWT7221	74″	22 1/2"
3TWT1824	20″	25 1/2"
3TWT2424	26"	25 1/2"
3TWT3024	32″	25 1/2"
3TWT3624	38″	25 1/2"
3TWT4824	50″	25 1/2"
3TWT5424	56″	25 1/2"
3TWT6024	62"	25 1/2"
3TWT6624	68″	25 1/2"
3TWT7224	74″	25 1/2"

3TWT1821 3TWT2421 3TWT3021 3TWT3621 3TWT4821 3TWT5421 3TWT6021 3TWT6621 3TWT7221 3TWT1824 3TWT2424 3TWT3024 3TWT3624 3TWT4824 3TWT5424

3TWT6024 3TWT6624 3TWT7224

 $\bullet$  3/4" thick veneer over MDF panels with build-up strips to 1 1/2" thick and Traditional Countertop Moulding (TCM8) on front and side edges.


MODIFICATIONS								
No modifications available for these products.								


### **Construction Upgrades**

APC	PE
•	

### Finish Techniques

# WOOD TOPS, FOUR SIDED, 27" or 33" DEEP





Model	Overall Width	Overall Depth
4TWT4827	50″	27″
4TWT5427	56″	27″
4TWT6027	62"	27″
4TWT6627	68″	27″
4TWT7227	74″	27″
4TWT4833	50″	33″
4TWT5433	56″	33″
4TWT6033	62"	33″
4TWT6633	68″	33″
4TWT7233	74″	33″

4TWT4827

4TWT5427

4TWT6027

4TWT6627

4TWT7227

4TWT4833

4TWT5433

4TWT6033

4TWT6633

4TWT7233

• 3/4" thick veneer over MDF panels with build-up strips to 1 1/2" thick and Traditional Countertop Moulding (TCM8) on front, back, and side edges.


MODIFICATIONS	
No modifications available for these products.	

### **Construction Upgrades**

# APC PE

# Finish Techniques Distressing Heirlooming

# UNDER COUNTER DRAWER, 4 3/4" HIGH, 21" DEEP



UCD2421

UCD2721

**⊮** UCDS3021

- UCDS3621

• Cabinet is 4 3/4" high. Drawer box within cabinet is 2" high (outside dimension).

- Not trimmable.
- Drawer front is 3/4" slab front.
- ullet The frame to end panel offset is 3/4", which is designed to accommodate the vanity desk leg.
- End panels ordered in Standard construction will feature non-matching laminate exterior. When ordered in PE or APC, end panels will not be finished.
- Reduced depth is available in 3" increments.

### **Custom Modifications**

ADDIK AUTH CBO CCO CFNTO CFP CFRMO CND DRWSEC DRWTK EXBK EX FB FFD FFEB FTK FTK\_V ID INVFRM LTI MIP PFINBTMB PTOWB RD RECTK\_ RT TVR\_V VTK WILL

### Construction Upgrades

APC	PE
•	•

# Door Options DPSRR

### UNDER COUNTER DRAWER TRIMMABLE, 4 3/4" HIGH, 21" DEEP



### **UCDT2421**

UCDT3021

### **UCDT3621**

- Cabinet is 4 3/4" high. Drawer box within cabinet is 2" high (outside dimension).
- $\bullet\,$  Frame stile is trimmable 3" on each side.
- Drawer front is 3/4" slab front.
- ullet The frame to end panel offset is 3/4", which is designed to accommodate the vanity desk leg.
- End panels ordered in Standard construction will feature non-matching laminate exterior. When ordered in PE or APC, end panels will not be finished.
- Reduced depth is available in 3" increments.

### **Custom Modifications**

		-																										
ADDTK	AUTH	CBO	((()	CENTO	CFP	CFRMO	CND	DRWSEC	DRWTK	EXBK	FX	FR	FFD	FPFR	FTK	FTK \	ID	INVFRM	ITI	MIP	PFINBTMB	PTOWB	RU	RECTK	RT	TVP V	VTK	WII
AUUIN	AUIII	CDO	cco	CHITO	CII	CHANO	CIVD	DINTIJLO	DIVITIN	LADIA	L/\	ΙU	יוו	IILD	1111	1111/_1	ID	HIVIIIM	LII	74111	TTHUIMU	110110	IΛU	KLCIK_	ΝI	IAK_A	AIV	WLI
		١.																										
1			•			•																	•					

APC	PE
•	•



Vanity Cabinets are shipped with an unfinished toekick. Finished toekicks in matching wood veneer or laminate must be ordered separately and field installed.

**VANITY CABINETS** 

VANITY CABINET NOMENCLATURE

NOTE:
Distance between back of drawer box and back interior of cabinet is 23/4".

All vanity cabinets are predrilled for full depth shelves or roll

MODIFICATIONS GRID KEY

STD

Available Standard on these cabinets




5 Day Express Response Item


			CUSTOM MODIFICATIONS				CONSTRUCTION UPGRADES		DOOR OPTIONS
Mod.	Description	Mod.	Description	Mod.	Description	Mod.	Description	Mod.	Description
AUTHB	Authentic Ends - Both	EXBKL	End Extended Back - Left	INVFRM	Inverted Frame	APC	All-plywood Construction	ALF	Aluminum Frame Doors
AUTHL	Authentic End - Left	EXBKR	End Extended Back - Right	LTI	Light Installed Battery Strip	PE	Plywood Ends	CG	Cut-for-glass Doors
AUTHR	Authentic End - Right	EXL	Extended Stile - Left	MIP	Matching Interior Plywood			DPSRR	Door Panel - Solid Reverse Raised
CBO	Cabinet Box Only	EXR	Extended Stile - Right	RD	Reduced Depth			MD	Mullion Doors
CCO	Cabinet Case Only	FB	Finished Ends	RECTKALL	Recessed Island Toekick			MFO	Modified Full Overlay
CFNTO	Cabinet Front Only	FFDL	Face Frame and	RECTKBK	Recessed Toekick - Back				,
CFP	Cabinet False Panel		Door on End - Left	RECTKL	Recessed Toekick - Left				
CFRMO	Cabinet Frame Only	FFDR	Face Frame and	RECTKR	Recessed Toekick - Right				
CMAT	CabMat™		Door on End - Right	RT	Installed Roll Tray				
CND	Cabinet with No Door,	FPEB	Furniture Finished Plywood Ends	TKP	Loose Toekick				
	with Drawer	FTK	Flush Toekick	TOTSSS	Tilt-out Tray, Stainless Steel Slim				
DRWPWR	PowerGlide™ Compact	FTKAV	Flush Toekick Arch	VTK	Void Toekick				
	Drawer Outlet	FTKFV	Flush Toekick Furniture	WLI	White Laminate Interior				
DRWTK	Toekick Drawer	ID	Increased Depth						


### VANITY BASE, 32" HIGH, 21" DEEP



24", 27", 30", 33", or 36"







V123221 L or R

V153221 L or R

V183221 L or R

V213221 L or R

V243221 L or R

V243221

V273221

V303221

V333221

V363221

V393221

V423221

V453221

V483221CS

V483221

V603221

### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•		•	•		•	•*			• <sup>+</sup>	•	•	•	•	•	•	•4	•		•*	•	•	•	•			•	•


\*Not available on 12", 15", 18", 21", 39", 42", and 45" wide \*Not available on 12", 15", 39", 42", 45", 48", and 60" wide \*Not available on 12" wide

Construction	ı upgraaes
APC	PE
•	•


Doo	r Opi	ions		
ALF	CG	DPSRR	MD	MFO
		•		


# VANITY BASE, 34 1/2" HIGH, 21" DEEP





274





V123421 L or R

V153421 L or R

V183421 L or R

V213421 L or R

V243421 L or R

V243421

V273421

V303421

V333421

V363421

V393421

V423421

V453421

V483421CS

V483421

V603421

### **Custom Modifications**



\*Not available on 12", 15", 18", 21", 39", 42", and 45" wide \*Not available on 12", 15", 39", 42", 45", 48" and 60" wide \*Not available on 12" wide


### **Construction Upgrades**

# APC PE




Effective March 14, 2022


### **VANITY SINK BASE with FALSE** PANEL, 32" HIGH, 21" DEEP



24", 27", 30", 33", or 36"



39", 42", 45", or 48"



48", 54", or 60" 32'

FP = False Panel

VSB153221 L or R VSB183221 L or R

VSB213221 L or R

VSB243221 L or R

VSB243221

VSB273221

VSB303221

VSB333221

VSB363221

VSB393221

VSB423221

VSB453221

VSB483221CS

VSB483221

VSB543221

VSB603221

### **Custom Modifications**

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•		•	•	STD	•	•*	•		•+	•	•	•	•	•	•	•	•		•	•	•	•	•		•	•	•

\*Not available on 15", 18", 21", 39", 42", and 45" wide  $\,$  \*Not available on 15", 39", 42", 48", 54", and 60" wide


	10
APC	PE
•	•


סטט	Op	10113		
ALF	CG	DPSRR	MD	MFO
		•		


276


# **VANITY CABINETS**

# VANITY SINK BASE with FALSE PANEL, 34 1/2" HIGH, 21" DEEP









(FP) = False Panel

VSB153421 L or R

VSB183421 L or R

VSB213421 L or R

VSB243421 L or R

VSB243421

VSB273421

VSB303421

VSB333421

VSB363421

VSB393421

VSB423421

VSB453421

VSB483421CS

VSB483421

VSB543421

VSB603421

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•		•	•	STD	•	•*	•		•+	•	•	•	•	•	•	•	•		•	•	•	•	•		•	•	•


\*Not available on 15", 18", 21", 39", 42", and 45" wide  $\,$  \*Not available on 15", 39", 42", 48", 54", and 60" wide

### **Construction Upgrades**

APC	PE
•	•

# ALF CG DPSRR MD MFO

### VANITY SINK BASE with U-SHAPED PULL-OUT TRAYS, 32" HIGH, 21" DEEP



### VSB303221U

### VSB363221U

- · Includes two chrome U-shaped smart close pull-outs with gray shelf liner.
- VSB303221U Bottom pull-out is 25 1/4" wide and 17" deep. Cut-out for U-shape is 6 1/8" from back of cabinet and 15 3/4" wide. Top pull-out is 25 1/4" wide and 17" deep. Cut-out for U-shape is 12 1/8" from back of cabinet and 15 3/4" wide.
- VSB363221U Bottom pull-out is 31 1/4" wide and 17" deep. Cut-out for U-shape is 6 1/8" from back of cabinet and 15 3/4" wide. Top pull-out is 31 1/4" wide and 17" deep. Cut-out for U-shape is 12 1/8" from back of cabinet and 15 3/4" wide.

### **Custom Modifications**

AUTH	CBO	((0	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	STD	•		•		•	•	•	•		•	•	•	•		•	•		•			•	•	•

### Construction Upgrades


APC	PE
•	•

νοο	r Upi	rions		
ALF	CG	DPSRR	MD	MFO
		•		

## 277

**VANITY CABINETS** 

### VANITY SINK BASE with U-SHAPED PULL-OUT TRAYS, 34 1/2" HIGH, 21" DEEP



### VSB303421U

### VSB363421U

- Includes two chrome U-shaped smart close pull-outs with gray shelf liner.
- VSB303421U Bottom pull-out is 25 1/4" wide and 17" deep. Cut-out for U-shape is 6 1/8" from back of cabinet and 15 3/4" wide. Top pull-out is 25 1/4" wide and 17" deep. Cut-out for U-shape is 12 1/8" from back of cabinet and 15 3/4" wide.
- VSB363421U Bottom pull-out is 31 1/4" wide and 17" deep. Cut-out for U-shape is 6 1/8" from back of cabinet and 15 3/4" wide. Top pull-out is 31 1/4" wide and 17" deep. Cut-out for U-shape is 12 1/8" from back of cabinet and 15 3/4" wide.

### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	STD	•		•		•	•	•	•		•	•	•	•		•	•		•			•	•	•

### **Construction Upgrades**

APC	PE
•	•
•	•

νοο	r Upi	rions		
ALF	CG	DPSRR	MD	MFO
		•		

# VANITY SINK BASE with WASTEBASKET, 34 1/2" HIGH, 21" DEEP



### VSB243421WB L or R

### VSB303421WB L or R

- Bottom mounted zinc colored smart close guides with 20 quart gray wastebasket inserted in chrome support. Dimensions of unit: 8 37/64"W x 16 39/64"H x 17 3/4"D.
- L or R designates wastebasket location.

### Custom Modifications

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	STD	•		•		•	•	•	•	•	•	•	•	•		•	•		•			•	•	•


### Construction Upgrades

	PJ
APC	PE
•	•

### **Door Options**

	[			
ALF	CG	DPSRR	MD	MFO
		•		

### VANITY SINK BASE SUPERCABINET™ with TILT-OUT TRAYS and WASTEBASKET, 34 1/2″ HIGH, 21″ DEEP



### VSSB303421STWB L or R

### VSSB333421STWB L or R

### VSSB363421STWB L or R

- Quarter Round Reversible Shelf for left or right applications will be constructed from 3/4" thick laminated furniture board. (Shelf shipped secure, can be positioned in left or right corner.)
- Door on the side with the Quarter Round Shelf features a chrome and wood two-tiered rack.
- $\bullet$  Door rack width is 11 3/8'' on 30" and 33" wide cabinets and 14 3/8'' on 36" wide cabinet.
- Door rack depth is 3 1/2".
- Includes 2 installed tilt-out trays.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges & other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 375.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Bottom mounted zinc colored smart close guides with 20 quart gray wastebasket inserted in chrome support. Dimensions of unit: 8 37/64"W x 16 39/64"H x 17 3/4"D.
- L or R designates wastebasket location.

### Custom Modifications

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•		•		•		•	•	•	•		•	•	•	•		•	•		•				•	•

APC	PE
•	•


Doo	r Opi	ions		
ALF	CG	DPSRR	MD	MFO

### VANITY SINK BASE SUPERCABINET™ with TILT-OUT TRAYS, 34 1/2″ HIGH, 21″ DEEP

### VSSB303421ST

### VSSB333421ST

### VSSB363421ST



- Quarter Round Reversible Shelf for left or right applications will be constructed from 3/4" thick laminated furniture board. (Shelf shipped secure, can be positioned in left or right corner.)
- Each door features a chrome and wood two-tiered rack.
- $\bullet$  Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".
- Includes 2 installed tilt-out trays.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges & other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 375.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•		•		•		•	•	•	•		•	•	•	•		•	•		•				•	•

### **Construction Upgrades**

	pg
APC	PE
•	•

# Door Options ALF CG DPSRR MD MFO

# VANITY BASE, SINGLE DOOR with DRAWER, 32" HIGH, 21" DEEP

12", 15", 18", 21", or 24"



VB123221 L or R

VB153221 L or R

VB183221 L or R

VB213221 L or R

VB243221 L or R

### **Custom Modifications**

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	•	•		•		•*	•	•	•	•	•	•	•+	•	•	•+	•	•	•	•			•	•

\*Not available on 12" and 15" wide 

\*Not available on 12" wide

### **Construction Upgrades**


	1-3
APC	PE
•	•

### **Door Options**

ALF	CG	DPSRR	MD	MFO
		•		

# VANITY BASE, SINGLE DOOR with DRAWER, 34 1/2" HIGH, 21" DEEP

12", 15", 18", 21", or 24"



VB123421 L or R

VB153421 L or R

VB183421 L or R

VB213421 L or R

VB243421 L or R

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	•	•		•	•*	•*	•	•	•	•	•	•	•+	•	•	•+	•	•	•	•			•	•

\*Not available on 12" and 15" wide 
+Not available on 12" wide

### **Construction Upgrades**

APC	PE
•	•


### **Door Options**


	. • P			
ALF	CG	DPSRR	MD	MFO
		•		


# **VANITY CABINETS**

### **VANITY BASE, DOUBLE DOOR with** DRAWER, 32" HIGH, 21" DEEP

24", 27", 30", 33", or 36"







VB243221

VB273221

VB303221

VB333221

VB363221

VB393221

VB423221

VB453221

VB483221CS

### VB483221

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	•	•		•	•	•*	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•


\*Not available on 39", 42", 45" and 48" wide


### **Construction Upgrades**


APC	PE
•	•

		ions		
ALF	CG	DPSRR	MD	MFO

### **VANITY BASE, DOUBLE DOOR with** DRAWER, 34 1/2" HIGH, 21" DEEP







VB243421

VB273421

VB303421

VB333421

VB363421

VB393421

VB423421

VB453421

VB483421CS

### VB483421


### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	•	•		•	•	•*	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•

<sup>\*</sup>Not available on 39", 42", 45" and 48" wide

CONSTRUCTION	Opgrades
APC	PE
•	•

Doo	r Opi	lions		
ALF	CG	DPSRR	MD	MFC
		•		



VER303218 L or R

### VER333221 L or R

- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of VER.
- Includes one 1/2" thick fixed shelf in center of cabinet.
- Integrated soft-close hinge not included.

### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•										•		•					•	•		•				•	•

### **Construction Upgrades**

APC	PE
•	•

Doo	r Opi	tions		
ALF	CG	DPSRR	MD	MFO
		•		

# VANITY BASE EASY REACH, 34 1/2" HIGH, 21" DEEP



### VER333421 L or R

- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets and face frame of VER.
- Includes one 1/2" thick fixed shelf in center of cabinet.
- Integrated soft-close hinge not included.

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•										•		•					•	•		•				•	•

### **Construction Upgrades**

APC	PE
•	•

Doo	r Opi	tions		
ALF	CG	DPSRR	MD	MFO
		•		

# VANITY DRAWER BASE, 32" HIGH, 21" DEEP



VDB123221

VDB153221

VDB183221

VDB213221

VDB243221

VDB273221

VDB303221

VDB333221

VDB363221

### **Custom Modifications**

AUTH	CBO	((0)	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•			•*	•*	•	•	•		•	•	•+	•				•	•				•	

\*Not available on 12" and 15" wide 
+Not available on 12" wide

### **Construction Upgrades**

	19
APC	PE
•	•

### Door Options

	P			
ALF	CG	DPSRR	MD	MFO

NITY CABINETS

# **VANITY CABINETS**

### **VANITY DRAWER BASE,** 34 1/2" HIGH, 21" DEEP



VDB123421

VDB153421

VDB183421

VDB213421

VDB243421

VDB273421

VDB303421

VDB333421

VDB363421

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•			•*	•*	•	•	•		•	•	•+	•				•	•				•	

\*Not available on 12" and 15" wide 
\*Not available on 12" wide Door Ontions

### **Construction Upgrades**

APC	PE
•	•

νοο	r Opi	IOUS		
ALF	CG	DPSRR	MD	MFO

### **VANITY FOUR DRAWER BASE,** 34 1/2" HIGH, 21" DEEP





24", 27", 30", 33", or 36"



4VDB123421

4VDB153421

4VDB183421

4VDB213421

4VDB243421

4VDB273421

4VDB303421

4VDB333421

4VDB363421

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•			•*	•*	•	•	•		•	•	•+	•				•	•				•	


\*Not available on 12" and 15" wide \*Not available on 12" wide

### **Construction Upgrades**

APC	PE
•	•

D00	· Op	10113		
ALF	CG	DPSRR	MD	MF0

# VANITY BASE WASTEBASKET, 34 1/2" HIGH, 21" DEEP



### VBWB153421

- Includes one 35 quart gray wastebasket and one trash bag storage area.
- Pull-out features undermount smart close guides.
- Base Wastebasket Lid (BWBLID) fits 35 quart wastebaskets. See page 370.

### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•		•	•		•	•	•		•	•	•				•		•				•	•

CONSTRUCTION	Opgrades
APC	PE
•	•

Doo	r Opi	lions		
ALF	CG	DPSRR	MD	MFO

282

### **VANITY WASTEBASKET FULL** HEIGHT, 32" HIGH, 21" DEEP



### VWB153221

- Includes one 35 quart gray wastebasket and one trash bag storage area.
- Pull-out features undermount smart close guides.
- Base Wastebasket Lid (BWBLID) fits 35 quart wastebaskets. See page 370.

### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•			•					•	•	•		•	•	•				•		•				•	•

### Construction Upgrades

	pg
APC	PE
•	•

	r Op			
ALF	CG	DPSRR	MD	MFO

## **VANITY WASTEBASKET FULL** HEIGHT with ROLL TRAY, 32" HIGH, 21" DEEP



### VWB153221RT

- Includes one 35 quart gray wastebasket and one trash bag storage area.
- Pull-out features undermount smart close guides.
- 1 roll tray standard.
- Not compatible with BWBLID due to limited height clearance.

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•			•					•	•	•		•	•	•				•		•				•	•


### Construction Upgrades

APC	PE
•	•

### **Door Options**

	P			
ALF	CG	DPSRR	MD	MFO

### **VANITY WASTEBASKET FULL** HEIGHT, 34 1/2" HIGH, 21" DEEP



### VWB153421

- Includes one 35 quart gray wastebasket and one trash bag storage area.
- Pull-out features undermount smart close guides.
- Base Wastebasket Lid (BWBLID) fits 35 quart wastebaskets. See page 370.

### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•			•					•	•	•		•	•	•				•		•				•	•


### **Construction Upgrades**

APC	PE
•	•

### **Door Options**

ALF	CG	DPSRR	MD	MFO

#### VANITY WASTEBASKET FULL HEIGHT with ROLL TRAY, 34 1/2" HIGH, 21" DEEP



#### VWB153421RT

- Includes one 35 quart gray wastebasket and one trash bag storage area.
- Pull-out features undermount smart close guides.
- 1 roll tray standard.
- Base Wastebasket Lid (BWBLID) fits 35 quart wastebaskets. See page 370.

#### **Custom Modifications**

А	UTH	CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•			•					•	•	•		•	•	•				•		•				•	•


#### Construction Upgrades

APC	PE
•	•

Door	Options

ALF	CG	DPSRR	MD	MFO

# VANITY PULL-OUT, 34 1/2" HIGH, 21" DEEP



#### VP93421

- Natural Finish with smart close full extension wood pull-out with adjustable shelves and chrome rail sides.
- Pull-out is 19 9/16" deep.

#### **Custom Modifications**

ſ	AUTH	CBO	rrn	CENTO	CEP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK V	ID	INVFRM	LTI	MIP	RD	DECTK	RT	TKP	TOTSSS	VTK	WLI
L	AUIII	CDO	CCU	CHITO	CII	CIKMO	CINHI	CIVD	DIVIVI IVIV	DIVIVIIN	LVDIV	LΛ	עו	עוו	IILU	1111	11117_1	עו	HAALIMAN	LII	mil	IΛD	KECIK_	I/I	I I/I	101333	VIII	TYLI
	_	_				_					_		_								_		•*					
	•	•	•			•					•	•	•		•	•					•		•				•	

\*RECTKALL not available


#### **Construction Upgrades**

APC	PE
•	•

#### Door Options

	_			
ALF	CG	DPSRR	MD	MFO
		•		

### VANITY GROOMING PULL-OUT, 34 1/2" HIGH, 21" DEEP



#### VGP0123421

- Natural Finish with smart close full extension wood pull-out with adjustable shelves and chrome rail sides.
- Pull-out is 19 9/16" deep.
- $\bullet$  Features adjustable shelves with non-skid vinyl liners and clear polycarbonate rails.
- Includes two stainless steel bins (one rectangular and one round) for storing items such as curling irons and hair dryers.

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•			•					•	•	•		•	•					•		•				•	•


#### Construction Upgrades


Constitution	Opgrades
APC	PE
•	•


D00	. op	10113		
ALF	CG	DPSRR	MD	MFO
		_		


# VANITY SINK DRAWER BASE, 32" HIGH, 21" DEEP











FP = False Panel

#### 2VSD363221

2VSD393221 2VSD423221 2VSD453221 2VSD483221CS

2VSD483221

2VSD543221FP 2VSD603221FP

#### 2VSD543221 2VSD603221

		Face Frame Opening Width		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Side Doors	False Panel	Cledidile Widili		
2VSD36	6"	33" (butt doors)	15″	21"	1	2
2VSD39	9"	16 1/2"	15"	18"	1	2
2VSD42	9"	18"	15"	21"	1	2
2VSD45	9"	19 1/2"	18"	24"	1	2
2VSD48CS	12"	21"	15"	21″	1	2
2VSD48	12"	21"	15″	21"	1	2
2VSD54	12"	12"	21"	27"	1	2
2VSD60	15"	15"	21"	27"	1	2

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	•	•	•*	•	•+	•4	•	•	•	•	•	•	•	•		•	•	•	•	•†		•‡	•	•

\*Not available on 39", 42", and 45" wide 

\*Available only on 60" wide 

\*Available only on 36" wide 

\*Available only on 36", 39", 42", 45", and 48" wide 

\*Available only on 36" wide 

\*Available only on 36" wide 

\*Available only on 36", 39", 42", 45", and 48" wide 

\*Available only on 36" wide 


\*


#### **Construction Upgrades**


APC	PE
•	•


# Door Options ALF CG DPSRR MD MFO


#### VANITY SINK DRAWER BASE, 34 1/2" HIGH, 21" DEEP














(FP) = False Panel

#### 2VSD363421

2VSD393421 2VSD423421 2VSD453421 2VSD483421CS

2VSD483421

2VSD543421FP 2VSD603421FP

#### 2VSD543421 2VSD603421

		Face Frame Opening Width		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Side Doors	False Panel	Ciediunce Widin		
2VSD36	6"	33" (butt doors)	15"	21"	1	2
2VSD39	9″	16 1/2"	15"	18"	1	2
2VSD42	9″	18"	15"	21"	1	2
2VSD45	9″	19 1/2"	18"	24"	1	2
2VSD48CS	12"	21"	15"	21″	1	2
2VSD48	12"	21"	15"	21"	1	2
2VSD54	12"	12"	21"	27"	1	2
2VSD60	15"	15"	21"	27"	1	2

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	•	•	•*	•	•+	•*	•	•	•	•	•	•	•	•		•	•	•	•	•†		•‡	•	•

\*Not available on 39", 42", and 45" wide 

\*Available only on 60" wide 

\*Available only on 36" wide 


†Available only on 36", 39", 42", 45", and 48" wide <sup>‡</sup>Available only on cabinets with false panels


#### **Construction Upgrades**


APC	PE
•	•


#### **Door Options** ALF CG DPSRR MD MFO


# VANITY SINK DRAWER BASE, 32" HIGH, 21" DEEP











(FP) = False Panel

VSD243221 DL or DR

VSD273221 DL or DR

VSD303221 DL or DR

VSD333221 DL or DR

VSD363221 DL or DR

VSD393221 DL or DR

VSD423221 DL or DR

VSD453221 DL or DR

VSD483221 DL or DR

#### VSDS543221FH

#### VSDS603221FH

- DL or DR indicates drawer location.
- $\bullet$  CFP is available on 39", 42", 45", and 48" widths, but standard on all other widths.

	Face F Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Cidulatice Widili		
VSD24	9"	9"	21"	1	2
VSD27	9"	12"	24"	1	2
VSD30	9"	15"	27"	1	2
VSD33	9"	18"	30"	1	2
VSD36	9"	21"	33"	1	2
VSD39	9"	24"	27"	1	3
VSD42	9"	27"	30"	1	3
VSD45	9"	30"	33"	1	3
VSD48	9"	33"	36"	1	3
VSDS54	9"	18"	21"	2	2
VSDS60	9"	21"	24"	2	2

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		STD	•	•*	•		•+	•	•	•	•	•	•	•	•		•4	•	•	•				•	•


\*Not available on 24", 27", 30", 33", and 60" wide 
\*Not available on 39", 42", 45", 48", 54", and 60" wide 
Anot available on 24" wide


APC	PE
•	•

Doo	r Opi	tions		
ALF	CG	DPSRR	MD	MFO
		•		

# VANITY SINK DRAWER BASE, 34 1/2" HIGH, 21" DEEP









VSD273421 DL or DR

VSD303421 DL or DR

VSD333421 DL or DR

VSD363421 DL or DR

VSD393421 DL or DR VSD423421 DL or DR VSD453421 DL or DR

VSD483421 DL or DR

#### VSDS543421FH

#### VSDS603421FH

- DL or DR indicates drawer location.
- CFP is available on 39", 42", 45", and 48" widths, but standard on all other widths.

	Face F Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Clediulice Widili		
VSD24	9″	9"	21"	1	2
VSD27	9"	12"	24"	1	2
VSD30	9"	15"	27"	1	2
VSD33	9"	18"	30″	1	2
VSD36	9"	21"	33″	1	2
VSD39	9"	24"	27"	1	3
VSD42	9"	27"	30"	1	3
VSD45	9"	30"	33″	1	3
VSD48	9" 33"		36"	1	3
VSDS54	9"	18"	21"	2	2
VSDS60	9″	21"	24"	2	2

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		STD	•	•*	•		•+	•	•	•	•	•	•	•	•		•4	•	•	•				•	•

\*Not available on 24", 27", 30", 33", and 60" wide 
\*Not available on 39", 42", 45", 48", 54", and 60" wide 
And available on 24" wide

#### Construction Upgrades

APC	PE
•	•

Door Options												
ALF	CG	DPSRR	MD	MFO								
		•										





9" Frame Opening





341/2


# VANITY SINK DRAWER BASE with FALSE PANEL, 32" HIGH, 21" DEEP











(FP) = False Panel

VSD243221FP DL or DR

VSD273221FP DL or DR

VSD303221FP DL or DR

VSD333221FP DL or DR

VSD363221FP DL or DR

VSD393221FP DL or DR

VSD423221FP DL or DR

VSD453221FP DL or DR

VSD483221FP DL or DR

#### VSDS543221FP

#### VSDS603221FP

- DL or DR indicates drawer location.
- $\bullet$  CFP is available on 42", 45", and 48" widths, but standard on all other widths.

	Face F Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Cledidile Widili		
VSD24	9"	9"	21"	1	2
VSD27	9"	12"	24"	1	2
VSD30	9"	15"	27"	1	2
VSD33	9"	18"	30"	1	2
VSD36	9"	21"	33"	1	2
VSD39	9"	24"	27"	1	3
VSD42	9"	27"	30"	1	3
VSD45	9"	30"	33"	1	3
VSD48	9"	33"	36"	1	3
VSDS54	9"	18"	21"	2	2
VSDS60	9"	21"	24"	2	2

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		STD	•	•*	•		•+	•	•	•	•	•	•	•	•		•4	•	•	•			•	•	•


\*Not available on 24", 27", 30", 33", and 60" wide 
\*Not available on 39", 42", 45", 48", 54", and 60" wide 
Anot available on 24" wide


	10
APC	PE
•	•


Doo	r Opi	tions		
ALF	CG	DPSRR	MD	MFO
		•		


# VANITY SINK DRAWER BASE with FALSE PANEL, 34 1/2" HIGH, 21" DEEP











(FP) = False Panel

VSD243421FP DL or DR VSD273421FP DL or DR VSD303421FP DL or DR VSD333421FP DL or DR

VSD363421FP DL or DR

VSD393421FP DL or DR VSD423421FP DL or DR VSD453421FP DL or DR VSD483421FP DL or DR

#### VSDS543421FP

#### VSDS603421FP

- DL or DR indicates drawer location.
- ullet CFP is available on 42", 45", and 48" widths, but standard on all other widths.

	Face F Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Cidulatice Widin		
VSD24	9"	9"	21"	1	2
VSD27	9"	12"	24"	1	2
VSD30	9"	15"	27"	1	2
VSD33	9"	18"	30″	1	2
VSD36	9"	21"	33″	1	2
VSD39	9"	24"	27"	1	3
VSD42	9"	27"	30″	1	3
VSD45	9"	30"	33″	1	3
VSD48	9"	33"	36"	1	3
VSDS54	9"	18"	21"	2	2
VSDS60	9″	21"	24"	2	2

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		STD	•	•*	•		•+	•	•	•	•	•	•	•	•		•4	•	•	•			•	•	•

\*Not available on 24", 27", 30", 33", and 60" wide  $\,^{+}$ Not available on 39", 42", 45", 48", 54", and 60" wide  $\,^{-}$ Not available on 24" wide

	10
APC	PE
•	•

νοο	r Upi	lions		
ALF	CG	DPSRR	MD	MFO
		_		

# VANITY SINK WIDE DRAWER BASE with FALSE PANELS, 32" HIGH, 21" DEEP



(FP) = False Panel

290

# VSWD303221FP DL or DR VSWD363221FP DL or DR

• DL or DR indicates drawer location.

	Face Fi Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Clearance wiain		
VSWD30	12"	12"	27"	1	2
VSWD36	15"	15"	33"	1	2

#### **Custom Modifications**

AUTH	CBO	((0	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		STD	•		•		•	•	•	•	•	•	•	•	•		•	•	•	•			•	•	•


#### Construction Upgrades

Collatiociloi	i opgiuues
APC	PE
•	•

#### Door Options

ALF	CG	DPSRR	MD	MFO
		•		

# VANITY SINK WIDE DRAWER BASE with FALSE PANELS, 34 1/2" HIGH, 21" DEEP



(FP) = False Panel

# VSWD303421FP DL or DR VSWD363421FP DL or DR

• DL or DR indicates drawer location.

	Face Fi Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Clearance wiain		
VSWD30	12"	12"	27"	1	2
VSWD36	15" 15"		33″	1	2

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		STD	•		•		•	•	•	•	•	•	•	•	•		•	•	•	•			•	•	•

#### **Construction Upgrades**


APC	PE
•	•


#### **Door Options**

ALF	CG	DPSRR	MD	MFO
		•		

### VANITY SINK THREE DRAWER BASE, 32" HIGH, 21" DEEP







### VSDS603221

	Face F Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Clearance wiani		
VSDS54	9"	18"	21"	2	3
VSDS57	12"	18"	21"	2	3
VSDS60	9"	21"	24"	2	3

#### Custom Modifications


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•	•	•			•	•	•	•	•	•	•	•		•	•	•	•			•	•	•

	. opg.uuos
APC	PE
•	•

Doo	r Opi	tions		
ALF	CG	DPSRR	MD	MFO
		•		

#### **VANITY SINK THREE DRAWER BASE,** 34 1/2" HIGH, 21" DEEP

VSDS543421 VSDS573421



#### VSDS603421

		Face Fr Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
		Drawers	Doors	Clearance wiain		
I	VSDS54	9"	18"	21"	2	3
	VSDS57	12"	18"	21"	2	3
	VSDS60	9"	21″	24"	2	3

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WL
•	•	•		•	•	•	•			•	•	•	•	•	•	•	•		•	•	•	•			•	•	•


# 341/2 9" Frame Opening

#### **Construction Upgrades**

APC	PE
•	•

	Doo	r Opi	ions		
I	ALF	CG	DPSRR	MD	MFO
			•		

#### **VANITY SINK DRAWER BASE with** SIX DRAWERS, 32" HIGH, 21" DEEP



9", 12", or 15" Frame Opening

32"

#### 6VSD423221 L or R

#### 6VSD483221 6VSD543221 6VSD603221

		Face Fi Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
ı		Drawers	Doors	Clearance wiain		
I	6VSD42	9″	15"	21"	1	6
	6VSD48	9″	21"	27"	1	6
	6VSD54	12"	21″	27"	1	6
	6VSD60	15"	21"	27"	1	6

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•	•*	•	•+		•	•	•		•	•	•	•		•	•	•	•				•	•

#### Construction Upgrades

#### **Door Options**

	19
APC	PE
•	•

⊬ 9", 12", or 15" Frame Opening

	p			
ALF	CG	DPSRR	MD	MFO
		•		

# **VANITY CABINETS**


341/2"

#### **VANITY SINK DRAWER BASE with** SIX DRAWERS, 34 1/2" HIGH, 21" DEEP


#### 6VSD423421 L or R



#### 6VSD483421 6VSD543421 6VSD603421



48", 54", or 60"\_



#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•	•*	•	•+		•	•	•		•	•	•	•		•	•	•	•				•	•

#### **Construction Upgrades**


Frame Opening


#### **Door Options** PSRR MD MFO

APC	PE		ALF	CG	DI
•	•				
		•			

#### **VANITY SINK DRAWER BASE with SIX DRAWERS & FALSE PANEL,** 32" HIGH, 21" DEEP

9", 12", or 15" Frame Opening





6VSD423221FP L or R 6VSD453221FP L or R

6VSD483221FP 6VSD543221FP 6VSD573221FP 6VSD603221FP

	Face Fi Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Cleurance wiain		
6VSD42	9"	15"	21"	1	6
6VSD45	9"	18"	24"	1	6
6VSD48	9"	21"	27"	1	6
6VSD54	12"	21"	27"	1	6
6VSD57	12"	24"	30"	1	6
6VSD60	15"	21"	27"	1	6

#### **Custom Modifications**


AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•	•*	•	•+		•	•	•		•	•	•	•		•	•	•	•			•	•	•


\*Not available on 42" and 45" wide  $^{+}$ Available only on 60 $^{\prime\prime}$  wide

CONSTRUCTION	Opgrades
APC	PE
•	•

Doo	r Opi	tions		
ALF	CG	DPSRR	MD	MFO
		•		

# VANITY SINK DRAWER BASE with SIX DRAWERS & FALSE PANEL, 34 1/2" HIGH, 21" DEEP





6VSD423421FP L or R 6VSD453421FP L or R

6VSD483421FP 6VSD543421FP 6VSD573421FP 6VSD603421FP

	Face For Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Clearance wiain		
6VSD42	9"	15"	21″	1	6
6VSD45	9"	18"	24"	1	6
6VSD48	9"	21"	27"	1	6
6VSD54	12"	21"	27"	1	6
6VSD57	12"	24"	30"	1	6
6VSD60	15"	21"	27"	1	6

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•	•*	•	•+		•	•	•		•	•	•	•		•	•	•	•			•	•	•

\*Not available on 42" and 45" wide


\*Available only on 60" wide

#### Construction Upgrades

APC	PE
•	•

D00	Opi	10112		
ALF	CG	DPSRR	MD	MFO
		•		

# VANITY SINK DRAWER BASE with EIGHT DRAWERS, 34 1/2" HIGH, 21" DEEP



#### 8VSD483421

#### 8VSD603421

	Face For Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Clearance wiain		
8VSD48	9″	21"	27"	1	8
8VSD60	15"	21"	27"	1	8

#### **Custom Modifications**

AU	TH CB	0 (((	CFNIO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	101555	VIK	WLI
•	•	•		•	•	•	•	•*		•	•	•		•	•	•	•		•	•	•	•				•	•

\*Available only on 60" wide


#### Construction Upgrades

	10
APC	PE
•	•

#### Door Options

ALF	CG	DPSRR	MD	MFO
		•		

# VANITY SINK DRAWER BASE with EIGHT DRAWERS & FALSE PANEL, 34 1/2" HIGH, 21" DEEP



#### 8VSD483421FP 8VSD603421FP

	Face Fi Opening		Available Sink Clearance Width	# of Sink Openings	# of Drawers
	Drawers	Doors	Clearance wiain		
8VSD48	9″	21"	27"	1	8
8VSD60	15"	21"	27"	1	8

#### **Custom Modifications**

AUTH	CBO	((0	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		•	•	•	•	•*		•	•	•		•	•	•	•		•	•	•	•			•	•	•


\*Available only on 60" wide

#### **Construction Upgrades**

APC	PE
•	•

ALF	CG	DPSRR	MD	MFO
		•		

# UNDER COUNTER DRAWER, 4 3/4" HIGH, 21" DEEP



UCD2421

UCD2721

🏂 UCDS3021

- UCDS3621

- Cabinet is 4 3/4" high. Drawer box within cabinet is 2" high (outside dimension).
- Not trimmable.
- Drawer front is 3/4" slab front.
- $\bullet$  The frame to end panel offset is 3/4", which is designed to accommodate the vanity desk leg.
- End panels ordered in Standard construction will feature non-matching laminate exterior. When ordered in PE or APC, end panels will not be finished.
- Reduced depth is available in 3" increments.

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•			•						•						•				•						

#### Construction Upgrades

APC	PE
•	•

#### Door Options

ALF	CG	DPSRR	MD	MFO

#### UNDER COUNTER DRAWER TRIMMABLE, 4 3/4" HIGH, 21" DEEP



#### UCDT2421

#### UCDT3021

#### **UCDT3621**

- Cabinet is 4 3/4" high. Drawer box within cabinet is 2" high (outside dimension).
- Frame stile is trimmable 3" on each side.
- Drawer front is 3/4" slab front.
- $\bullet$  The frame to end panel offset is 3/4", which is designed to accommodate the vanity desk leg.
- End panels ordered in Standard construction will feature non-matching laminate exterior. When ordered in PE or APC, end panels will not be finished.
- Reduced depth is available in 3" increments.

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•			•												•				•						

	10
APC	PE
•	•

#### **Door Options**

ALF	CG	DPSRR	MD	MFO

# VANITY HAMPER, 32" HIGH, 21" DEEP



#### VH183221FH L or R

- $\bullet \ \ \text{Includes full extension removable chrome pull-out hamper with removable cloth liner.}$
- Hamper size is 19 3/8" high x 14 3/4" wide x 18" deep.

#### **Custom Modifications**

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	•	•		•		•	•	•	•		•	•	•				•		•				•	•


#### **Construction Upgrades**

	1-3
APC	PE
•	•

#### **Door Options**

ALF	CG	DPSRR	MD	MFO
		•		

### VANITY HAMPER with DRAWER, 34 1/2" HIGH, 21" DEEP



#### VBH183421 L or R

- Includes full extension removable chrome pull-out hamper with removable cloth liner.
- Hamper size is 19 3/8" high x 14 3/4" wide x 18" deep.

#### **Custom Modifications**


AUTH	CBO	ССО	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•	•	•		•		•	•	•	•		•	•	•				•		•				•	•

#### **Construction Upgrades**

CONSTRUCTION	i opgrades
APC	PE
•	•

νοο	r Op	lions		
ALF	CG	DPSRR	MD	MFO

#### **LINEN TALL**



#### LT188421 L or R LT218421 L or R

- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.
- Recommended for use with 34 1/2" high cabinets (bottom door will align with top of drawer front or top of full height door).

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•		•				•	•	•	•		•	•	•	•	•		•	•	•*	•	•		•	•

\*RECTKALL and RECTKBK not available

#### **Construction Upgrades**


	1-3
APC	PE
•	•

Door Options
--------------

AL	F ((	DPSR	R MD	MFO
		•		•

**VANITY CABINETS** 

#### **LINEN CLOSET**



#### LC188421 L or R

- Upper section features a 5" deep chrome door rack.
- 15" deep adjustable shelves indicated by light dotted lines are included; packaged separately.
- Tall non-mitered doors will have two center panels with cross rail.
- $\bullet$  Door 33 doors greater than 48" high will be two doors doweled together.
- Recommended for use with 34 1/2" high cabinets (bottom door will align with top of drawer front or top of full height door).

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•		•					•	•	•		•	•	•		•		•		•*	•	•		•	•

\*RECTKALL and RECTKBK not available


#### **Construction Upgrades**

APC	PE
•	•

#### **Door Options**

ALF	CG	DPSRR	MD	MFO
		•		•

#### **LINEN CLOSET with REMOVABLE HAMPER**



#### LCRH188421 L or R

- Upper section features a 5" deep chrome door rack.
- 15" deep adjustable shelves indicated by light dotted lines are included; packaged separately.
- Includes full extension removable chrome pull-out hamper with removable cloth liner.
- Hamper size is 19 3/8" high x 14 3/4" wide x 18" deep.
- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.
- Recommended for use with 34 1/2" high cabinets (bottom door will align with top of drawer front or top of full height door).

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•		•					•	•	•		•	•	•				•		•*		•		•	•

\*RECTKALL and RECTKBK not available

#### **Construction Upgrades**

APC	PE
•	•

ALF	CG	DPSRR	MD	MF0
		•		•



#### LTD188421 L or R

#### LTD188421BH L or R

- Tall non-mitered doors will have two center panels with cross rail.
- $\bullet$  Door 33 doors greater than 48" high will be two doors doweled together.
- LTD188421 designed to be used with 32" high vanities.
- LTD188421BH designed to be used with 34 1/2" high vanities.

#### **Custom Modifications**

AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•		•		•	•	•	•	•	•		•	•	•	•			•	•	•*	•	•		•	•

\*RECTKALL and RECTKBK not available


#### **Construction Upgrades**

APC	PE
•	•

#### **Door Options**

ALF	CG	DPSRR	MD	MFO
		•		•

#### **LINEN TALL with DRAWER** and REMOVABLE HAMPER



#### L188421BH L or R

- Tall non-mitered doors will have two center panels with cross rail.
- Door 33 doors greater than 48" high will be two doors doweled together.
- L188421BH is designed to be used with 34 1/2" high vanities and includes a full extension removable chrome pull-out hamper with removable cloth liner. Hamper size is 19 3/8" high x 14 3/4" wide x 18" deep.

#### **Custom Modifications**

AUTH	CBO	((0	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•		•		•	•	•	•	•	•		•	•	•				•		•*		•		•	•

\*RECTKALL and RECTKBK not available


#### **Construction Upgrades**

APC	PE
•	•

#### **Door Options**

ALF	CG	DPSRR	MD	MFO
		•		•

#### **VANITY UTILITY,** 84" TALL, 21" DEEP



#### VU188421 L or R

- Lower door section is drilled to accept adjustable shelf.
- Shelves indicated by light dotted lines are included; packaged separately.
- · Shelves indicated by solid lines are fixed.
- Vanity utilities designed to be used with 32" tall vanities.

#### **Custom Modifications**

					-																							
ı	AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•	•		•				•	•	•	•		•	•	•	•			•	•	•*	•	•		•	•

\*RECTKALL and RECTKBK not available

#### **Construction Upgrades**

APC	PE
•	•

	. ~P			
ALF	CG	DPSRR	MD	MFO
		•		•

#### **VANITY WALL HUNG TWO DRAWER** SINK BASE with FALSE PANEL, 23 1/2" HIGH, 21" DEEP

24", 27", 30", 33", or 36"

VWH2D2423.521FP

VWH2D2723.521FP

VWH2D3023.521FP

VWH2D3323.521FP

#### VWH2D3623.521FP

- Plumbing clearance of 15 1/16'' to the top edge of the lower drawer box (6 3/8'' high drawer box).
- 5-piece drawer front configuration will not match on door styles with unique rail widths for drawer fronts over 10" high. Check door style section on pages 10-24 for drawer rail widths by height.
- Features a full cabinet top that can be routed for sink installation.
- Standard with All-plywood Construction (APC) and Furniture Finished Plywood Ends (FPEB).
- Installation to be performed by qualified professionals only.
- Unit must be securely fastened with sufficient type, quantity and size of screws to all available wall studs and internal structural wall blocking placed between wall studs. Additional bracina may be required.
- Installation instructions and required 3 1/2" installation screws included, standard 2 1/2" installation screws are not sufficient in this application.
- The use of internal structural wall blocking (2 x 6's) is required to provide secure horizontal attachment points between wall studs.
- Do not exceed loading of 25 lbs./sq. ft. for countertop and sink.
- Do not exceed loading of 15 lbs./sq. ft. for contents on shelves and/or drawers.
- Avoid use of concrete or other heavy masonry countertops.

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•		STD	•						•			STD							•						

Construction	ı Upgrades
ΛPC	PF

	13
APC	PE
STD	

Doo	r Opi	lions		
ALF	CG	DPSRR	MD	MFO

#### **VANITY WALL HUNG TWO DRAWER** BASE, 23 1/2" HIGH, 21" DEEP



#### VWH2D2423.521

VWH2D2723.521

VWH2D3023.521

VWH2D3323.521

#### VWH2D3623.521

- Top drawer box is 3 3/8" high, bottom drawer box is 10" high.
- Cannot be used with a sink due to drawer interference.
- 5-piece drawer front configuration will not match on door styles with unique rail widths for drawer fronts over 10" high. Check door style section on pages 10-24 for drawer rail widths by height.
- Features a full cabinet top.
- Standard with All-plywood Construction (APC) and Furniture Finished Plywood Ends (FPEB).
- Installation to be performed by qualified professionals only.
- Unit must be securely fastened with sufficient type, quantity and size of screws to all available wall studs and internal structural wall blocking placed between wall studs. Additional bracing may be required.
- Installation instructions and required 3 1/2" installation screws included, standard 2 1/2" installation screws are not sufficient in this application.
- The use of internal structural wall blocking (2 x 6's) is required to provide secure horizontal attachment points between wall studs.
- Do not exceed loading of 25 lbs./sq. ft. for countertop and sink.
- Do not exceed loading of 15 lbs./sq. ft. for contents on shelves and/or drawers.
- Avoid use of concrete or other heavy masonry countertops.

#### **Custom Modifications**


				-																							
AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WL
•	•	•		•	•			•			•			STD							•						

#### 

Construction	ı upgraaes
APC	PE
STD	

DOO	r Opi	lions		
ALF	CG	DPSRR	MD	MFO

# VANITY WALL HUNG DOUBLE DOOR with U-SHAPED PULL-OUTS, 23 1/2" HIGH, 21" DEEP



#### VWH3023.521U

#### VWH3623.521U

- Includes two chrome U-shaped smart close pull-outs with non-slip gray shelf liner.
- Bottom pull-out cut-out for U-shape is 6 1/8" from back of cabinet and 15 3/4" wide.
- Top pull-out cut-out for U-shape is 12 1/8" from back of cabinet and 15 3/4" wide.
- VWH3023.521U pull-outs are 25 1/4" wide and 17" deep.
- VWH3623.521U pull-outs are 31 1/4" wide and 17" deep.
- Features a full cabinet top that can be routed for sink installation.
- Standard with All-plywood Construction (APC) and Furniture Finished Plywood Ends (FPEB).
- Installation to be performed by qualified professionals only.
- Unit must be securely fastened with sufficient type, quantity and size of screws to all available wall studs and internal structural wall blocking placed between wall studs. Additional bracing may be required.
- Installation instructions and required 3 1/2" installation screws included, standard 2 1/2" installation screws are not sufficient in this application.
- The use of internal structural wall blocking (2 x 6's) is required to provide secure horizontal attachment points between wall studs.
- Do not exceed loading of 25 lbs./sq. ft. for countertop and sink.
- Do not exceed loading of 15 lbs./sq. ft. for contents on shelves and/or drawers.
- Avoid use of concrete or other heavy masonry countertops.

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•	•	•	•		•						•			STD					•	•							•

#### Construction Upgrades

APC	PE
STD	

טטע	ı op	110112		
ALF	CG	DPSRR	MD	MFO
		•		

# VANITY WALL HUNG SINGLE DOOR, 23 1/2" HIGH, 21" DEEP



#### VWH1523.521 L or R

VWH1823.521 L or R

VWH2123.521 L or R

#### VWH2423.521 L or R

- Features a full cabinet top that can be routed for sink installation.
- Standard with All-plywood Construction (APC) and Furniture Finished Plywood Ends (FPEB).
- Installation to be performed by qualified professionals only.
- Unit must be securely fastened with sufficient type, quantity and size of screws to all available wall studs and internal structural wall blocking placed between wall studs. Additional bracing may be required.
- Installation instructions and required 3 1/2" installation screws included, standard 2 1/2" installation screws are not sufficient in this application.
- The use of internal structural wall blocking (2 x 6's) is required to provide secure horizontal attachment points between wall studs.
- Do not exceed loading of 25 lbs./sq. ft. for countertop and sink.
- $\bullet$  Do not exceed loading of 15 lbs./sq. ft. for contents on shelves and/or drawers.
- Avoid use of concrete or other heavy masonry countertops.

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•		•	•		•						•			STD					•*	•	•		•				•

\*Available only on 24" wide


#### **Construction Upgrades**


APC	PE
STD	

# Door OptionsALFCGDPSRRMDMFO

Effective March 14, 2022

#### **VANITY WALL HUNG DOUBLE DOOR,** 23 1/2" HIGH, 21" DEEP





VWH2423.521

VWH2723.521

VWH3023.521

VWH3323.521

VWH3623.521

#### VWH4223.521

#### VWH4823.521CS

- Features a full cabinet top that can be routed for sink installation.
- Standard with All-plywood Construction (APC) and Furniture Finished Plywood Ends (FPEB).
- Installation to be performed by qualified professionals only.
- Unit must be securely fastened with sufficient type, quantity and size of screws to all available wall studs and internal structural wall blocking placed between wall studs. Additional bracing may be required.
- Installation instructions and required 3 1/2" installation screws included, standard 2 1/2" installation screws are not sufficient in this application.
- The use of internal structural wall blocking (2 x 6's) is required to provide secure horizontal attachment points between wall studs.
- Do not exceed loading of 25 lbs./sq. ft. for countertop and sink.
- Do not exceed loading of 15 lbs./sq. ft. for contents on shelves and/or drawers.
- Avoid use of concrete or other heavy masonry countertops.

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•		•	•		•						•			STD					•	•	•		•				•

Construction	ı Upgrades
APC	PE

APC	PE
STD	

DOO	r Opi	lions		
ALF	CG	DPSRR	MD	MFO
		•		

#### **VANITY WALL CUBBY**



#### VWC2730

- Includes 1 adjustable shelf.
- Matching Interior Plywood (MIP) standard.


#### **Custom Modifications**

AU	H CI	BO.	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
•		•	•	•		•					•	•			•			•			STD							

Construction	ı Upgrades
APC	PE

#### **Door Options** ALF CG DPSRR MD MFO

#### VANITY WALL, 30" HIGH, 6" DEEP





W12306 L or R

W15306 L or R

W18306 L or R

W24306 L or R

#### W24306

#### Custom Modifications

4031	•	.ou	.cu.ioii	-																							
AUTH	CBO	000	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•		•					•	•	•		•						•							

#### **Construction Upgrades**

APC	PE
•	•


#### **Door Options**


ALF	CG	DPSRR	MD	MFO
•†	•	•	•‡	•


<sup>†</sup>Not available on 24" wide

<sup>‡</sup>Not available on 12" wide

#### **VANITY WALL MIRROR CABINET,** 30" HIGH, 4 9/16" DEEP







VWM1830 L or R VWM2430 L or R

VWM3030 VWM3630

#### VWM4230

- Standard with CG doors and installed mirror glass.
- Unit intended to be surface mounted. Features standard 1/4" face frame reveal on ends.
- Not available in Door 19, Door 25, Door 33, Door 36, Door 37, and Door 44 styles.
- Adjustable shelves.

#### **Custom Modifications**


AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•		•					•	•	•		•						•							•

#### **Construction Upgrades**

APC	PE
•	•

Doo	r Opti	ons		
ALF	CG	DPSRR	MD	MFO
	STD			

#### **VANITY MIRROR with SIDE** PULL-OUTS, 32 1/2" HIGH, 4 7/8" DEEP



#### VMP2432.5

#### VMP3032.5

- One full extension natural wood finish pull-out on each side with three adjustable shelves and chrome rail sides (smart close not included).
- Pull-outs extend 10 3/8" on each side. VMP2432.5 open width is 44 3/4". VMP3032.5 open width is 50 3/4".
- Mirror frame has a shaker outside profile and a bevel inside profile with a 1/4" face frame reveal. Mirror is not removable.
- · Mirror visible dimensions:

VMP2432.5 - 26 3/4'' high x 18 1/4'' wide

VMP3032.5 - 26 3/4" high x 24 1/4" wide

- Installation instructions included.
- When Distressing is selected, only fillers will receive treatment.
- When Heirlooming is selected, only mirror frame will receive treatment.
- Pull-outs feature plain fillers. If a more decorative look is desired, overlay fillers may be ordered separately and field installed.

MODIFICATIONS	
No modifications available for these products.	

#### Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)


apoc.	OJ ATU	114611111	(11000	,	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
		•		•	

#### Species Availability (All Laminates)

	, ,		,	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	

#### **VANITY MIRROR**





#### VM2135

#### VM2735

#### VM3335

- Moulding included on vanity mirror is not a standard moulding. SWLCRM8 is similar.
- Mirror glass is beveled.
- Includes two installed metal hanging hooks on back.

	Overall Di		Mirror - Visible Dimension					
Model	Width	Height	Width	Height				
VM2135	21 1/4"	35"	12 15/16"	26 15/16"				
VM2735	27 1/4"	35"	18 15/16"	26 15/16"				
VM3335	33 1/4"	35"	24 15/16"	26 15/16"				

MODIFICATIONS
No modifications available for these products.
mese products.

Finish Tech	niques
Distressing	Heirloomin
	•


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
		•		•	

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	

#### SINGLE DOOR MEDICINE CABINET



#### MC16

- Unit can be surface mounted or recessed.
- Door of cabinet is glass mirror, 12 5/8" wide x 23 1/2" high.
- Matching cabinet doors not available.
- Cabinet has wood frame.
- Finished exterior.
- Standard interior.
- Statidara Illieriot.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.

	Cal	inet Dimensi		Cut-out Dimensions						
Model	Width	Height	Depth	Width	Height	Depth				
MC16	15 3/4"	267/8"	4 9/16"	147/16"	25 5/8"	4"				

#### **Custom Modifications**

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	EX	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•	•		•							STD								•							•

CONSTRUCTION	opyruues
APC	PE
CTD	

Door Options										
ALF	CG	DPSRR	MD	MFO						

#### TRI-VIEW MEDICINE CABINET



#### **TV30**

#### **TV36**

#### TV48

- Cabinet has wood frame.
- Door of cabinet is glass mirror.
- Unit can be surface mounted or recessed.
- Finished exterior.
- Standard interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.

	Ca	ıbinet Dimensi	Cut	-out Dimensio	ns	
Model	Width	Height	Depth	Width	Height	Depth
TV30	30"	26 7/8"	4 9/16"	28 11/16"	25 5/8"	4"
TV36	36"	26 7/8"	4 9/16"	34 11/16"	25 5/8"	4"
TV48	48"	26.7 /8"	4 9 /16"	46 11/16"	25.5/8"	4"

#### Custom Modifications

AUTH	CBO	CCO	CFNTO	CFP	CFRMO	CMAT	CND	DRWPWR	DRWTK	EXBK	ЕХ	FB	FFD	FPEB	FTK	FTK_V	ID	INVFRM	LTI	MIP	RD	RECTK_	RT	TKP	TOTSSS	VTK	WLI
	•	•			•							STD								•							•

#### **Construction Upgrades**

	pg
APC	PE
STD	

Door Options												
ALF	CG	DPSRR	MD	MFO								

**VANITY CABINETS** 

For panels with doors and/or fillers attached, species availability is shown for the panel and filler only.

For Species Availability, look for this chart throughout. For trim items ordered with Laminates, trim items matching the cabinet box color are noted in the charts.

MDF door styles will use Maple for trim and panels, refer to Maple in the Species Availability

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

	Horiz. Grain			Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **DESCRIPTION**

#### **FILLERS**

302



**MODEL** 

F330 F333 F336 F339 F342 F348

F351 F354 F357

F360 **TF384** 

**TF387 TF390 TF393** 

**TF396** 

TF396FH TF3108FH<sup>†</sup> ◆

TF3120FH<sup>†</sup> ◆

- 3/4" thick.
- · Finished on front and all edges (backs are not finished).
- <sup>†</sup>5 day Express Response not available.

rinish lethi	uidnez
Distressing	Heirlooming
•	

Species Availability (Wood)					
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

lack Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	IIi- Ci-	V-+ C	Vant Carin	V-+ Ci-
	Horiz. Grain	verr. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

#### 3" WIDE FILLER RETURN






#### F3R

- Creates a toekick appearance when used with 3" wide
- 3/8" thick, Natural Maple laminated furniture board.

#### **DESCRIPTION**

#### MODEL **CF330**

#### 3" WIDE CORNER



**CF333 CF336** 

> **CF339 CF342**

- 3/4" thick.
- Finished on front and all edges (backs are not finished).

#### Finish Technia

riman reciniques			
Distressing	Heirlooming		
•			

#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
box color	box color	box color	box color	box color



CF3



F630

F633 F636

F639 F642

F648 F651

F654 F657 F660

**TF684 TF687 TF690** 

**TF693 TF696** 

TF696FH TF6108FH<sup>†</sup> ◆

TF6120FH<sup>†</sup> ◆

- 3/4" thick.
- · Finished on front and all edges (backs are not finished).
- †5 day Express Response not available

#### Finish Techniques

Species Availability (Wood)						
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	

Distressing Heirlooming

#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

#### 6" WIDE FILLER RETURN



#### F6R

- · Creates a toekick appearance when used with 6" wide
- 3/8" thick, Natural Maple laminated furniture board.

#### F6R

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

Only available in Cherry and Maple.

for MODIFIED FULL

103/4" 133/4" 163/4" 193/4" 223/4" 253/4" 313/4" 373/4" 403/4" 781/4" 811/4" 871/4" 901/4"

3/4"

OVERLAY, 2 1/2" WIDE

5 DAY

OL312MFO (10 3/4"H)

**OL315MFO** (13 3/4"H)

**OL330MFO** (28 3/4"H) OL333MFO (31 3/4"H)

OL336MFO (34 3/4"H)

OL339MFO (37 3/4"H)

OL342MFO (40 3/4"H)

OL384MFO (78 1/4"H)

**OL387MFO** (81 1/4"H)

**OL390MFO** (84 1/4"H)

OL393MFO (87 1/4"H)

OL396MFO (90 1/4"H)

• All overlay fillers available in full overlay door styles except Door 37 and Door 44.

- Height will align with doors specified with Modified Full Overlay modification. See page 42 for MFO details.
- 2 1/2" wide overlay fillers can be applied to Wall Message Centers to create a custom finished look.
- Overlays match door profile and thickness.
- Finished on front and all edges (backs are not finished).
- Not available in Door 15, Door 18, and Door 32 MDF door styles.

#### **Finish Techniques**

Distressing	Heirlooming
•	•


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

species recuire, true cummures,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	

#### **SPACE FILLERS**



S96X14 (1/4" thick) **S96X12** (1/2" thick)

- S96 is 1/4" or 1/2" thick.
- Designed to fill space between adjacent cabinets; i.e. W1830 butted against side of U188424.
- Finished on front and all edges (backs are not finished).

#### Finish Techniques

_				
	Distressing	Heirlooming		

#### Species Availability (Wood)

		,		•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

### **OVERLAY FILLER,**



**OL312** (11 1/2"H)

OL315 (14 1/2"H)

**OL318** (17 1/2"H)

OL321 (20 1/2"H)

OL324 (23 1/2"H)

**OL327** (26 1/2"H)

**OL330** (28"H or 29 1/2"H)

OL333 (31"H or 32 1/2"H)

**OL336** (34"H or 35 1/2"H)

OL339 (37"H or 38 1/2"H)

**OL342** (40"H or 41 1/2"H)

OL384 (79"H)

OL387 (82"H)

OL390 (85"H)

OL393 (88"H)

OL396 (91"H)

VOL332 (27"H)

DOL329 (24"H)

- All overlay fillers available in full overlay door styles.
- 2 1/2" wide overlay fillers can be applied to Wall Message Centers to create custom finished look.
- Overlays match door profile and thickness.
- See pages 6-7 for list of full overlay styles.
- Finished on front and all edges (backs are not finished).
- See OL\_ \_MFO (on right) for use with Modified Full Overlay modification.
- · Maple will be used for MDF overlays.

#### **Finish Techniques**

Distressing	Heirlooming
•	•

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

species A	Species Availability (All Edillidates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

303

111/2" 141/2" 171/2" 201/2" 231/2" 261/2" 27" 291/2" 351/2" 351/2" 381/2" 411/2" 79" 82" 85" 85" 91" 96"

304

OVERLAY FILLER, PREMIUM, 2 1/2" WIDE **5**<sub>DAY</sub>

**OL312P** (11 1/2"H) **OL315P** (14 1/2"H)

OL313P (14 1/2 ft)
OL318P (17 1/2"H)

**OL321P** (20 1/2"H)

**OL324P** (23 1/2"H) **OL327P** (26 1/2"H)

**OL330P** (29 1/2"H)

OL330P (29 1/2"H)

**OL333P** (32 1/2"H) **OL336P** (35 1/2"H)

**OL339P** (38 1/2"H)

**OL342P** (41 1/2"H)

**OL384P** (79"H)

**OL387P** (82"H)

OL390P (85"H)

OL393P (88"H)

**OL396P** (91"H)

**OL396FHP** (96"H)

VOL332P (27"H)

**DOL329P** (24"H)

- Overlays match door profile and thickness.
- Front, edges, and backs match door and drawer front construction.
- Door 25 edgebanding will match door and drawer front edgebanding selection.
- Door 33 overlays feature horizontal grain. Overlays greater than 48" high will be two overlays and require field assembly (allow 3/16" gap between overlays for alignment with adjacent doors).

#### Finish Techniques




#### Species Availability (Wood)

			,	•		
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
•	•	•	•	•

OVERLAY FILLER for MODIFIED FULL OVERLAY, PREMIUM, 2 1/2" WIDE



OL312A

**OL312MFOP** (10 3/4"H) **OL315MFOP** (13 3/4"H)

**OL318MFOP** (16 3/4"H)

**OL321MFOP** (19 3/4"H)

**OL324MFOP** (22 3/4"H)

**OL327MFOP** (25 3/4"H) **OL330MFOP** (28 3/4"H)

**OL333MFOP** (31 3/4"H)

**OL336MFOP** (34 3/4"H)

**OL339MFOP** (37 3/4"H)

**OL342MFOP** (40 3/4"H)

**OL384MFOP** (78 1/4"H)

**OL387MFOP** (81 1/4"H)

**OL390MFOP** (84 1/4"H)

0100011101 (011) 1 11)

**OL393MFOP** (87 1/4"H)

**OL396MFOP** (90 1/4"H)

- Overlays match door profile and thickness.
   Front, edges, and backs match door and drawer front construction.
- Height will align with doors specified with Modified Full Overlay modification. See page 42 for MFO details.
- Door 25 edgebanding will match door and drawer front edgebanding selection.
- Door 33 overlays feature horizontal grain. Overlays greater than 48" high will be two overlays and require field assembly (allow 3/16" gap between overlays for alignment with adjacent doors).

#### inish Techniques

THE TOTAL	indoca		
Distressing	Heirlooming		

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak

#### Species Availability (All Laminates)

sheries w	vullubility (	All Lullillu	162)	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
_		•		_

#### **OVERLAY FILLER,** 5 1/2" WIDE



**OL612** (11 1/2"H)

**OL615** (14 1/2"H)

**OL618** (17 1/2"H)

OL621 (20 1/2"H)

OL624 (23 1/2"H)

**OL627** (26 1/2"H)

**OL630** (28"H or 29 1/2"H)

**OL633** (31"H or 32 1/2"H)

OL636 (34"H or 35 1/2"H)

**OL639** (37"H or 38 1/2"H)

**OL642** (40"H or 41 1/2"H)

OL684 (79"H)

OL687 (82"H)

OL690 (85"H)

OL693 (88"H)

OL696 (91"H)

VOL632 (27"H)

DOL629 (24"H)

- All overlay fillers available in full overlay door styles.
- Overlays match door profile and thickness.
- See pages 6-7 for list of full overlay styles.
- Finished on front and all edges (backs are not finished).
- See OL\_\_MFO (on right) for use with Modified Full Overlay modification.
- Maple will be used for MDF overlays.

#### Finish Techniques




#### Species Availability (Wood)

-			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak

#### **OVERLAY FILLER** for MODIFIED FULL OVERLAY, 5 1/2" WIDE



### 5 DAY

OL612MFO (10 3/4"H)

OL615MFO (13 3/4"H) OL618MFO (16 3/4"H)

OL621MFO (19 3/4"H)

OL624MFO (22 3/4"H)

OL627MFO (25 3/4"H)

**OL630MFO** (28 3/4"H)

OL633MFO (31 3/4"H)

OL636MFO (34 3/4"H)

OL639MFO (37 3/4"H)

OL642MFO (40 3/4"H)

OL684MFO (78 1/4"H)

**OL687MFO** (81 1/4"H)

**OL690MFO** (84 1/4"H)

**OL693MFO** (87 1/4"H)

OL696MFO (90 1/4"H)

- All overlay fillers available in full overlay door styles except Door 37 and Door 44.
- Height will align with doors specified with Modified Full Overlay modification. See page 42 for MFO details.
- Overlays match door profile and thickness.
- Finished on front and all edges (backs are not finished).
- Not available in Door 15, Door 18, and Door 32 MDF door styles.

#### Finish Techniques



#### ecies Availahility (Wood)

-p								
	Rustic		Rustic					
Alder	Alder	Cherry	Hickory	Maple	0ak			
_	Aldor	•	Hickory	•	•			

#### Species Availability (All Laminates)

Species Availability (All Lullillates)								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				

14<sup>1</sup>/2" 17<sup>1</sup>/2" 20<sup>1</sup>/2" 24" 26<sup>1</sup>/2" 29<sup>1</sup>/2" 32<sup>1</sup>/2" 35<sup>1</sup>/2" 35<sup>1</sup>/2" 41<sup>1</sup>/2" 85" 85" 891" 96"

306

5 DAY

**OL612P** (11 1/2"H)

**OL615P** (14 1/2"H) **OL618P** (17 1/2"H)

**OL621P** (20 1/2"H)

**OL624P** (23 1/2"H)

**OL627P** (26 1/2"H)

**OL630P** (29 1/2"H)

OL633P (32 1/2"H)

**OL636P** (35 1/2"H)

OL639P (38 1/2"H) **OL642P** (41 1/2"H)

OL684P (79"H)

OL687P (82"H)

OL690P (85"H)

OL693P (88"H)

OL696P (91"H)

**OL696FHP** (96"H)

VOL632P (27"H)

**DOL629P** (24"H)

- Overlays match door profile and thickness.
- Front, edges, and backs match door and drawer front
- · Door 25 edgebanding will match door and drawer front edgebanding selection.
- Door 33 overlays feature horizontal grain. Overlays greater than 48" high will be two overlays and require field assembly (allow 3/16" gap between overlays for alignment with adjacent doors).

#### Finish Techniques



Species Availability (Wood)								
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak			

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
•	•	•	•	•

**OVERLAY FILLER** for MODIFIED FULL **OVERLAY, PREMIUM,** 5 1/2" WIDE



**OL612MFOP** (10 3/4"H)

**OL615MFOP** (13 3/4"H)

**OL618MFOP** (16 3/4"H) **OL621MFOP** (19 3/4"H)

**OL624MFOP** (22 3/4"H)

**OL627MFOP** (25 3/4"H)

**OL630MFOP** (28 3/4"H)

**OL633MFOP** (31 3/4"H)

**OL636MFOP** (34 3/4"H)

**OL639MFOP** (37 3/4"H)

**OL642MFOP** (40 3/4"H)

**OL684MFOP** (78 1/4"H)

**OL687MFOP** (81 1/4"H)

**OL690MFOP** (84 1/4"H)

**OL693MFOP** (87 1/4"H)

**OL696MFOP** (90 1/4"H)

- Overlays match door profile and thickness.
- Front, edges, and backs match door and drawer front
- Height will align with doors specified with Modified Full Overlay modification. See page 42 for MFO details.
- · Door 25 edgebanding will match door and drawer front edgebanding selection.
- Door 33 overlays feature horizontal grain. Overlays greater than 48" high will be two overlays and require field assembly (allow 3/16" gap between overlays for alignment with adjacent doors)

i iiiisii Totiiiiiqoos					
Distressing	Heirlooming				

#### 

species Availability (vvooa)									
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak				

Species Availability (All Laminates)							
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Oak			
•	_	•	_	•			

FLUTED/BEADED

**REVERSIBLE FILLERS** 

6" WIDE


307

#### FLUTED/BEADED 3" WIDE **REVERSIBLE FILLERS**



FBF330 (3" x 30") FBF336 (3" x 36")

TFBF396 (3" x 96")



#### **Finish Techniques** Distressing Heirlooming Species Availability (Wood)

Species Availability (1100a)						
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
•	Alder	•	Hickory	•	•	


#### Species Availability (All Laminates)

			•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

FBF630 (6" x 30")

FBF636 (6" x 36")

TFBF696 (6" x 96")



#### **Finish Techniques**

Distressing	Heirlooming
	•

#### Species Availability (Wood)

1	Alder		Cherry	Hickory	Maple	0ak
L	•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

High Gloss on Maple on Maple on Cherry on Oak box color box color box color box color	Γ		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
box color box color box color box color			on Maple	on Maple	on Cherry	on Oak
		box color	box color	box color	box color	box color

#### **ANGLED FLUTED/PLAIN** 3" WIDE REVERSIBLE **FILLERS**



**BLVDFF34.5** (3" x 34 1/2") BLVDTFF96 (3" x 96")





#### Finish Techniques Distressing Heirlooming


#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	-p, (						
Horiz. Grain		Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

**BOX COLUMN FILLERS,** 1 1/2" WIDE Wall - Plain Column 15" Deep



W1.512BCFP W1.515BCFP

W1.518BCFP W1.521BCFP W1.524BCFP W1.527BCFP W1.530BCFP W1.533BCFP W1.536BCFP W1.539BCFP W1.542BCFP W1.548BCFP W1.551BCFP W1.554BCFP W1.557BCFP

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished. Top, bottom, and back are unfinished.
- Plywood construction.

W1.560BCFP

· Finished veneer on end panel exterior.

<b>Custom Modifications</b>		Finish Techniques		
ID RD			Distressing	Heirlooming

Species Availability (Wood)					
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.



Plain

308

W312BCFP W315BCFP W318BCFP W321BCFP W324BCFP W327BCFP W330BCFP W333BCFP W336BCFP W339BCFP W342BCFP W348BCFP W351BCFP W354BCFP W357BCFP W360BCFP

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- · Finished veneer on end panel exterior.
- No reveal on filler.
- · Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

#### **Custom Modifications**

#### Finish Tachniquas

ID	RD
•	•

i iiiisii ietiiiiques				
Distressing	Heirlooming			
•				


#### Species Availability (Wood)

_				•	•	
A	lder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)


High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
box color	box color	box color	box color	box color

**BOX COLUMN FILLERS, 3" WIDE** Wall - Fluted, Beaded Column 15" Deep



**DESCRIPTION** 

#### **Fluted**



W312BCFF

W315BCFF

W318BCFF

W321BCFF W324BCFF

W327BCFF W330BCFF

W333BCFF

W336BCFF **W339BCFF** W342BCFF

W348BCFF W351BCFF

W354BCFF W357BCFF

W360BCFF

W312BCFB

W315BCFB W318BCFB

W321BCFB

W324BCFB

W327BCFB W330BCFB

W333BCFB

W336BCFB

W339BCFB

W342BCFB

W348BCFB W351BCFB

W354BCFB

W357BCFB

W360BCFB

- Available in 1" depth increments from 6" to 27".
- · Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- Finished veneer on end panel exterior.
- No reveal on filler.
- W3\_\_BCFF have Fluted fillers. W3\_\_BCFB have Beaded fillers.
- $\bullet\,$  Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

<b>Custom Modificatio</b>		
ID	RD	
•	•	

Finish Techniques			
Distressing	Heirlooming		
	•		


#### Species Availability (Wood)

				,	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BOX COLUMN FILLERS,** 1 1/2" WIDE Base - Plain Column 27" Deep



#### B1.534.527BCFP

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished. Top, bottom, and back are unfinished.
- Plywood construction.
- $\bullet \;\; \mbox{Finished} \; \mbox{veneer} \; \mbox{on end panel exterior}.$

Custom Modifications		Finish Tech	niques
ID	RD	Distressing	Heirlooming
	•	•	


Specie	Avo	ilability	(Wood	l)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	, .			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BOX COLUMN FILLERS, 3" WIDE** Base - Plain Column 27" Deep



#### B334.527BCFP

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- Finished veneer on end panel exterior.
- No reveal on filler.
- Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

Custom	Mo	dification
ID		RD
		•

Finish Techniques			
Heirlooming			


#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BOX COLUMN FILLERS, 3" WIDE** Base - Fluted, Beaded Column 27" Deep



**Fluted** 



#### B334.527BCFF

#### B334.527BCFB

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom (not finished)
- 1/2" plywood construction.
- Finished veneer on end panel exterior.
- No reveal on filler.
- B334.527BCFF have Fluted fillers. B334.527BCFP have Beaded fillers.
- Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

#### **Custom Modifications** RD

Finish Techniques				
Distressing	Heirlooming			
	•			


Speci	Species Availability (Wood)				
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	Oal
•	Δlder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BOX COLUMN FILLERS,** 1 1/2" WIDE Tall - Plain Column

**DESCRIPTION** 



#### T1.58415BCFP (15" Deep)

**T1.58715BCFP** (15" Deep)

T1.59015BCFP (15" Deep)

**T1.59315BCFP** (15" Deep)

**T1.59615BCFP** (15" Deep)

**T1.58427BCFP** (27" Deep)

**T1.58727BCFP** (27" Deep)

**T1.59027BCFP** (27" Deep)

T1.59327BCFP (27" Deep)

T1.59627BCFP (27" Deep)

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished. Top, bottom, and back are unfinished.
- · Plywood construction.
- Finished veneer on end nanel exterior

Custom Modifications			Finish Tech	niques
ID	RD		Distressing	Heirlooming
•*	•		•	
*ID only quallable on 15"				

deep.

#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

- [.	u: 1 ol	Horiz. Grain		Vert. Grain	
	High Gloss		on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

#### **BOX COLUMN FILLERS, 3" WIDE** Tall - Plain Column 15" & 27" Deep

Plain



Plain

**T38415BCFP** (15" Deep)

**T38715BCFP** (15" Deep)

T39015BCFP (15" Deep)

**T39315BCFP** (15" Deep) **T39615BCFP** (15" Deep)

T38427BCFP (27" Deep)

**T38727BCFP** (27" Deep)

**T39027BCFP** (27" Deep)

T39327BCFP (27" Deep)

**T39627BCFP** (27" Deep)

Available in 1" depth increments from 6" to 27".

- Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom (not finished)
- 1/2" plywood construction.
- Finished veneer on end panel exterior.
- No reveal on filler.
- Not intended for use horizontally as shelving. Use Floating Shelves on page 360


Custom Modifications			Finish Tech	niques
ID	RD		Distressing	Heirlooming
•*	•		•	

\*ID only available on 15" deep


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

Species Availability (All Lallilliates)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
hov color	hov color	hov color	hov color	hov color	



**Fluted** 



T38415BCFF (15" Deep) **T38715BCFF** (15" Deep)

T39015BCFF (15" Deep)

**T39315BCFF** (15" Deep)

**T39615BCFF** (15" Deep)

T38427BCFF (27" Deep)

**T38727BCFF** (27" Deep)

**T39027BCFF** (27" Deep)

**T39327BCFF** (27" Deep)

T39627BCFF (27" Deep)

T38415BCFB (15" Deep)

**T38715BCFB** (15" Deep)

T39015BCFB (15" Deep)

**T39315BCFB** (15" Deep)

**T39615BCFB** (15" Deep)

T38427BCFB (27" Deep)

**T38727BCFB** (27" Deep)

**T39027BCFB** (27" Deep)

T39327BCFB (27" Deep)

T39627BCFB (27" Deep)

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- · Front and both sides finished.
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- · Finished veneer on end panel exterior.
- No reveal on filler.
- T3\_\_BCFF have Fluted fillers. T3\_\_BCFB have Beaded
- Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

**Custom Modifications** RD ID

Finish Techniques Distressing Heirlooming

\*ID only available on 15"


#### Species Availability (Wood)

Species Availability (vvooa)					
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

**BOX COLUMN FILLERS, 6" WIDE** Wall - Plain Column 15" Deep



Plain

W612BCFP

W615BCFP

W618BCFP

W621BCFP

W624BCFP W627BCFP

W630BCFP

W633BCFP

W636BCFP

W639BCFP

W642BCFP

W648BCFP

W651BCFP

W654BCFP

W657BCFP

W660BCFP

• Available in 1" depth increments from 6" to 27".

- Reversible, may be used on either left or right end.
- Front and both sides finished.
- · Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- · Finished veneer on end panel exterior.
- No reveal on filler.
- · Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

**Custom Modifications** 

Finish Techniques Distressing Heirlooming


ID	RD
•	•
9	Species Avo

_			-		
cies	Ava	ilability	(Wood	)	
Ru	ıstic		Rustic		


Alder Alder Cherry Hickory Maple Oak

#### Alder Hickory

Species Availability (All Laminates)					
High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple		Vert. Grain on Oak	
box color	box color	box color	box color	box color	



**Fluted** 



**Beaded** 

W612BCFF

W615BCFF

W618BCFF

W621BCFF W624BCFF

W627BCFF

W630BCFF

W633BCFF

W636BCFF W639BCFF

W642BCFF

W648BCFF

W651BCFF

W654BCFF W657BCFF

W660BCFF

W612BCFB

W615BCFB

W618BCFB

W621BCFB

W624BCFB

W627BCFB

W630BCFB

W633BCFB W636BCFB

W639BCFB

W642BCFB

W648BCFB

W651BCFB

W654BCFB

W657BCFB

#### W660BCFB

- Available in 1" depth increments from 6" to 27".
- · Reversible, may be used on either left or right end.
- · Front and both sides finished.
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- · Finished veneer on end panel exterior.
- No reveal on filler.
- W6\_\_BCFF have Fluted fillers. W6\_\_BCFB have Beaded fillers.
- Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

### **Custom Modifications**

	mounicano
ID	RD
•	•

Finish Techniques			
Distressing	Heirlooming		
	•		

#### Species Availability (Wood)

				,	
411	Rustic	cı	Rustic		0.1
Alder	Alder	Cherry	Hickory	Maple	Uak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BOX COLUMN FILLERS, 6" WIDE** Base - Plain Column

27" Deep

Plain

#### B634.527BCFP

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- · Finished veneer on end panel exterior.
- Not intended for use horizontally as shelving. Use Floating

• No reveal on filler.

Shelves on page 360. **Custom Modifications Finish Techniques** RD Distressing Heirlooming


#### Species Availability (Wood)

Species Availability (vvood)						
	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
	•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

	, ,		•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BOX COLUMN FILLERS, 6" WIDE** Base - Fluted, Beaded Column 27" Deep



**Fluted** 



Beaded

#### B634.527BCFF

#### B634.527BCFB

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- · Front and both sides finished.
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- Finished veneer on end panel exterior.
- No reveal on filler.
- B634.527BCFF have Fluted fillers. B634.527BCFB have Beaded fillers.
- Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

#### **Custom Modifications** ID RD


Finish Tech	niques	
Distressing	Heirlooming	
	•	

#### Species Availability (Wood)

Species Availability (4400a)							
	Rustic		Rustic				
Alder	Alder	Cherry	Hickory	Maple	0ak		
•	Aldor	•	Hickory	•			

#### Species Availability (All Laminates)

Species Availability (All Edillinates)					
	Horiz. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak	
hox color	hox color	hox color	hox color	hox color	



T68415BCFP (15" Deep)

**T68715BCFP** (15" Deep)

T69015BCFP (15" Deep)

**T69315BCFP** (15" Deep)

**T69615BCFP** (15" Deep)

T68427BCFP (27" Deep)

**T68727BCFP** (27" Deep)

**T69027BCFP** (27" Deep)

**T69327BCFP** (27" Deep)

T69627BCFP (27" Deep)

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- · Finished veneer on end panel exterior.
- No reveal on filler.
- Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

Custom	Mo	dific
ID		

deep.

#### **Finish Techniques** Distressing Heirlooming


costoni modifications				
ID	RD			
•*	•			
*ID only available on 15"				

Species Availability (Wood)					
	Rustic	Rustic			
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### **BOX COLUMN FILLERS, 6" WIDE** Tall - Fluted, Beaded Column 15" & 27" Deep



#### **Fluted**



#### MODEL

T68415BCFF (15" Deep)

T68715BCFF (15" Deep)

**T69015BCFF** (15" Deep)

**T69315BCFF** (15" Deep)

**T69615BCFF** (15" Deep)

T68427BCFF (27" Deep)

**T68727BCFF** (27" Deep)

**T69027BCFF** (27" Deep)

T69327BCFF (27" Deep)

T69627BCFF (27" Deep)

T68415BCFB (15" Deep)

**T68715BCFB** (15" Deep)

T69015BCFB (15" Deep)

**T69315BCFB** (15" Deep)

**T69615BCFB** (15" Deep)

**T68427BCFB** (27" Deep)

**T68727BCFB** (27" Deep)

**T69027BCFB** (27" Deep)

T69327BCFB (27" Deep)

T69627BCFB (27" Deep)

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished
- Enclosed top and bottom (not finished).
- 1/2" plywood construction.
- Finished veneer on end panel exterior.
- No reveal on filler.
- T6\_\_BCFF have Fluted fillers. T6\_\_BCFB have Beaded
- Not intended for use horizontally as shelving. Use Floating Shelves on page 360.

#### **Custom Modifications** RD ID

Finish Techniques				
Distressing	Heirlooming			
	•			

\*ID only available on 15"

#### Cuarian Assailabilitas (Manal)

Species Availability (vvood)							
		Rustic		Rustic			
	Alder	Alder	Cherry	Hickory	Maple	0ak	
	•	Alder	•	Hickory	•	•	

#### Cuartas Avertlebilitas (All Lenninessa)

Species Availability (All Lallillates)								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grai				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
box color	box color	box color	box color	box color				

1/4" Finished

TEPS1248WD

TEPS12102WD<sup>†</sup> ◆ TEPS12108WD<sup>†</sup> ◆

TEPS12120WD<sup>†</sup> ◆

1/4" Finished

TEPS84WD<sup>†</sup>

TEPS87WD<sup>†</sup>

TEPS90WD<sup>†</sup>

TEPS93WD<sup>†</sup>

TEPS96WD<sup>†</sup>

TEPS102WD<sup>†</sup> ◆

TEPS108WD<sup>†</sup> ◆

TEPS120WD<sup>†</sup> ◆

- Stains: 1/4" thick veneered furniture board.
- Paints: 1/4" thick veneered or solid furniture board.
   1/4" (WD) skins recommended for use with PFINBTMB modification.

<sup>†</sup>5 day Express Response not available on items greater

Custom Modifications				Finish Tech	niques
	ID	RD		Distressing	Heirlooming
	•	•			

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

◆ Only available in Cherry and Maple.

#### Species Availability (All Laminates)

Species Availability (All Edillilates)							
	Horiz. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

• Only available in Cherry and Maple box colors.

#### **END PANEL SKINS, BASE**



1/4" Finished

#### BEPS34.5WD

- Stains: 1/4" thick veneered furniture board.
- Paints: 1/4" thick veneered or solid furniture board.
- 1/4" (WD) skins recommended for use with PFINBTMB modification. Finish Techniques

Custom Modifications			Finish Tech	niques
ID	RD		Distressing	Heirlooming
•	•			


#### Species Availability (Wood)

Speci	CJ ATU	,			
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
box color	box color	box color	box color	box color

#### **END PANEL SKINS, PREMIUM - BASE**



#### BEPS34.5P

5 DAY

- 1/4" thick laminated MDF.
- Not compatible with FPEB.
- High Gloss panels do not have grain.
- 1/4" skins recommended for use with PFINBTMB modification.

Custom	Mo	difications

stom Modifications			rinish lech	niques
ID	RD		Distressing	Heirlooming
•	•			


#### Species Availability (Wood)


				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak

#### Species Availability (All Laminates)

High Class	Horiz. Grain on Maple				
THYH DIUSS	on mupie	on maple	on cherry	UII UUK	
•		•	•	•	

#### **DESCRIPTION**





**PANELS & SKINS** 

313

231/4"

Grain

84" 87" 90" 93" 96" 102' 108'

or 120'

TEPS1248P

TEPS1296P<sup>†</sup>

TEPS12102P<sup>†</sup>

TEPS12108P<sup>†</sup>

TEPS12120P<sup>†</sup>

TEPS84P<sup>†</sup>

TEPS87P<sup>†</sup>

TEPS90P<sup>†</sup>

TEPS93P<sup>†</sup>

TEPS96P<sup>†</sup>

TEPS102P<sup>†</sup>

TEPS108P<sup>†</sup> TEPS120P<sup>†</sup>

#### • 1/4" thick laminated MDF.

- Not compatible with FPEB.
- High Gloss panels do not have grain.
- 1/4" skins recommended for use with PFINBTMB

<sup>†</sup>5 day Express Response not available on items greater

111111 40 .						
<b>Custom Modifications</b>			Finish Techniques			
ID	RD		Distressing	Heirlooming		
•	•					
Species Availability (Wood)						

Rustic


Alder Cherry Hickory Maple Oak

#### Species Availability (All Laminates)

Species Availability (All Lallillates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
•		•*	•*	•*		

\*TEPS12102P, TEPS12108P, TEPS12120P, TEPS102P, TEPS108P, and TEPS120P not available in Laminate AJ and Laminate AK.

#### **END PANEL SKINS, WALL**



1/4" Finished

WEPS30WD

WEPS33WD

WEPS36WD

WEPS39WD

#### WEPS42WD

- Stains: 1/4" thick veneered furniture board.
- Paints: 1/4" thick veneered or solid furniture board.
- Not compatible with Furniture Ends (FPEB).
- $\bullet\,$  1/4" (WD) skins recommended for use with PFINBTMB

	modification.				
<b>Custom Modifications</b>			Finish Techniques		
	ID	RD		Distressing	Heirloomin
	•	•			


#### Species Availability (Wood)

Species Availability (1100a)					
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

opened stransacting (san automates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

#### **END PANEL SKINS,** PREMIUM - WALL



WEPS30P

WEPS33P WEPS36P

WEPS39P

WEPS42P

- 1/4" thick laminated MDF.
- · Not compatible with FPEB.
- High Gloss panels do not have grain.
- 1/4" skins recommended for use with PFINBTMB modification.

<b>Custom Modifications</b>			Finish Techniques			
ID	RD		Distressing	Heirlooming		
•	•					

#### Species Availability (Wood)

			, (			
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	

#### Species Availability (All Laminates)

Species Availability (All Lamillates)					
		Horiz. Grain			
	High Gloss	on Maple	on Maple	on Cherry	on Oak
	•		•	•	•

#### **FINISHED BACK SKINS**



48'

96

1/4" Finished

**BP4830WD BP4834.5WD BP4840.5WD** 

1/4" Finished

#### BP4896WD<sup>†</sup>

- Stains: 1/4" thick veneered furniture board.
- Paints: 1/4" thick veneered or solid furniture board.
- For custom sizes refer to DAPNL 1/4.
- †5 day Express Response not available on items greater than 48".

Custom Mo	difications	I
ID	RD	

Finish Techniques					
Distressing	Heirlooming				


#### Cuccios Availability (Mood)

species Availability (vvoou)								
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak			
•	Alder	•	Hickory	•	•			

#### cios Availahility (All Laminatos)

Spotios A	Tunusini,	All Edilling	.03/	
	Horiz. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BACK SKIN, INTERIOR**



#### 1/4" Natural Maple Laminate

#### BP4896LAM

• BP4896LAM is 1/4" thick furniture board with Natural Maple laminate to match standard cabinet interior.

96'



BP4830P BP4834.5P BP4840.5P

#### BP4896P<sup>†</sup>

- 1/4"
- High Gl
- Not cor

†5 day Ex than 48'


1/4" thick laminated MDF. High Gloss panels do not have grain. Not compatible with FPEB. day Express Response not available on items greater han 48".  Custom Modifications Finish Techniques								30" 341/2" or 96"		◆ Grain
Custom N	lodific	ations	Fi	nish Tech	ıniques					
ID		RD	D	istressing	Heirlo	oming				
								*		1
Species Availability (Wood)							$\overline{}$	3 1/4		
		Rustic		Rustic						ı
	Alder	Alder	Cherry	Hickory	Maple	Oak				

Charine	<b>Availability</b>	/AII	I aminator)

Species Availability (All Edillinates)									
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Oak					
•		•	•	•					

#### **WOOD V-GROOVED BEADED SKIN** 1/4" PANELS

**DESCRIPTION** 



#### **BP4830VG** BP4834.5VG BP4896VG<sup>†</sup>

- BP48\_\_VG is a 1/4" thick veneered panel with an MDF
- V-groove on 3" centers.
- When used as a skin, not compatible in conjunction with Furniture Ends (FPEB) or Authentic Ends (AUTHL/AUTHR/AUTHB).
- †5 day Express Response not available on items greater than 48".

<b>Custom Modifications</b>			Finish Tech	niques		
ID	RD		Distressing	Heirlooming		
				•		


#### Species Availability (Wood)

			,				
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak		
•	Alder	•	Hickory	•	•		

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color
		High Gloss on Maple	High Gloss on Maple on Maple	High Gloss on Maple on Maple on Cherry

### **CROSS GRAIN VENEER BACK SKIN**



#### BP9634.5CRSGR BP9640.5CRSGR BP9648CRSGR

- BP96\_ \_CRSGR is a 1/4" thick veneered panel with an MDF core.
- When ordered in Paint finishes, panels will use vertical arain as arain will not be visible.

Custom Mo		DIG.	Finish Tech	niques
ID	RD		Distressing	Heirloomin


#### Species Availability (Wood)


				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

Horiz. Grain		Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
box color	0		box color	box color				

#### **HORIZONTAL GRAIN** 1/4" SKIN, PREMIUM







#### 14PANEL11.2530P 14PANEL11.2548P

**5**<sub>DAY</sub>

14PANEL2334.5P

14PANEL4830P 14PANEL4834.5P 14PANEL4848P<sup>†</sup>

#### 14PANEL9634.5P<sup>†</sup> 14PANEL9648P<sup>†</sup>

- 1/4" thick laminated MDF.
- Not compatible with FPEB.
- $^\dagger 5$  day Express Response not available on items 48" and areater.

<b>Custom Modifications</b>			Fir	nish Tech	iniques	
ID	ID RD		D	istressing	Heirlo	oming
	Speci	ies Ava	ilability	(Wood	)	
	Rustic		Cl	Rustic		0.1
Alder		Alder	Cherry	Hickory	Maple	0ak
	l					

#### Species Availability (All Laminates)

Spotios A	Species Availability (All Edillinates)								
	Horiz. Grain								
High Gloss	on Maple	on Maple	on Cherry	on Oak					

315

341/2

or 48"

12" 24" or 30"

3/4

316

#### **HORIZONTAL GRAIN** 3/4" PANEL, PREMIUM

24"



34PANEL1230P 34PANEL1248P

34PANEL2434.5P

34PANEL4812P 34PANEL4834.5P **34PANEL4848P** 

34PANEL9612P<sup>†</sup> 34PANEL9624P<sup>†</sup> 34PANEL9630P<sup>†</sup>

- 3/4" thick laminated MDF.
- 34PANEL4812P and 34PANEL9612P recommended for exterior shelf material.
- Edgebanded on one short side and one long side only. Other edges will require moulding if exposed.

†5 day Express Response not available on items greater than 48".

Custom Mo	difications
ID	RD


Finish Techniques Distressing Heirlooming

Speci	es Ava	ilability	(Wood	)	
Aldar	Rustic	Charm	Rustic	Manla	Oale

#### Species Availability (All Laminates)

	, ,		-	
High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
	•			

#### 3/4"





3/4" Finished

#### WEP1230WD

3/4" White Laminate

#### WEP1230LAM ◆

- WEP1230WD in Stains: 3/4" thick veneered furniture board.
- WEP1230WD in Paints: 3/4" thick veneered or solid furniture board.
- WEP1230LAM is 3/4" thick laminated furniture board (white only).
- Panels are finished on two sides and front edge.

Costolii Moulliculiolis						
	ID	RD	APC	MIP		
Laminate	•	•				
Wood	•	•	•			

Finish Techniques					
	Distressing	Heirlooming			

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in White laminate.


#### Species Availability (All Laminates)

-p, (							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

Only available in White laminate.

#### **END PANELS,** PREMIUM - WALL

**DESCRIPTION** 



#### WEP1230P

- 3/4" thick laminated MDF.
- High Gloss panels will have high gloss on front of panel and back of panel will be white laminate.
- High Gloss panels do not have grain.
- Front of panel and edgebanding on front, top, and bottom of panel will match doors.

Custom Modifications			Finish Tech	niques	
ID	RD	APC	MIP	Distressing	Heirloo
•	•				


APC	MIP		Distressing	Heirlooming		
Species Availability (Wood)						

				•	
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	00

#### Species Availability (All Laminates)

	, .			
High Gloss	Horiz. Grain on Maple			
riigii oloss	on mapio	on mapio	on chony	on our
•		•	•	•

#### **END PANELS, BASE**



#### 3/4" Finished

#### **BEPWD**

3/4" White Laminate

#### BEPLAM +

- BEPWD in Stains: 3/4" thick veneered furniture board.
- BEPWD in Paints: 3/4" thick veneered or solid furniture board.
- BEPLAM is 3/4" thick laminated furniture board (white only).
- Panels are finished on two sides and front edge.

#### **Custom Modifications**

	ID	RD	APC	MIP
Laminate	•	•		
Wood	•	•	•	

Finish Techniques					
Distressing	Heirlooming				

#### Species Availability (Wood)

		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	,	
ALL	Rustic	Cl	Rustic		0.1
Alder	Alder	Cherry	Hickory	Maple	Uak
•	Alder	•	Hickory	•	•


Only available in White laminate.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in White laminate.

#### **END PANELS**, PREMIUM - BASE





#### **BEPP**

- 3/4" thick laminated MDF.
- High Gloss panels will have high gloss on front of panel and back of panel will be white laminate. Edgebanding on front edge will match door and drawer front edgebanding selection.
- High Gloss panels do not have grain.

	Cusi	tom N	lodific	ations
ſ	ID	RU	ΛPC	MIP

Finish Tech	niques	
Distressing	Heirlooming	

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak

#### ciae Availahility (All Laminatae)

Species Availability (All Laillillates)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
•		•	•	•	

34 1/2

**END PANELS, LAZY SUSAN** 

23 1/4"

1/2" Finished **BLSBEPWD** 

1/2" Laminate **BLSBEPLAM** 

Cherry Stain Z.

**Custom Modifications** 

• • •

Laminate • •

Wood

• BLSBEPWD: 1/2" thick veneered furniture board. • BLSBEPLAM: 1/2" thick furniture board with matching

• All panels have Natural Maple laminate interior.

ID RD APC MIP

Species Availability (All Laminates)

laminate exterior. Not available in Paint AE, Paint Q, and

Species Availability (Wood) Rustic

Horiz. Grain Vert. Grain Vert. Grain High Gloss on Maple on Maple on Cherry on Oak

box color box color box color box color

Alder Alder Cherry Hickory Maple Oak Alder
 Hickory

Finish Techniques

Distressing Heirlooming

48" 96" 102' or 108'

84" 87" 90" 93" 96" 102' or 108'

**END PANELS, TALL** 

24"

Grain

3/4" Finished

3/4" White Laminate

TEP1248LAM ◆

TEP1296LAM<sup>†</sup> ◆

3/4" Finished

TEP2484WD<sup>↑</sup>▲

TEP2487WD<sup>↑</sup>▲

TEP2490WD<sup>†</sup>▲

TEP2493WD<sup>↑</sup>▲

TEP2496WD<sup>†</sup>▲

TEP24102WD<sup>†</sup> ◆ ◆

TEP24108WD<sup>†</sup> ◆ ◆

3/4" White Laminate

TEP2484LAM<sup>†</sup> ◆

TEP2487LAM<sup>†</sup> ◆

TEP2490LAM<sup>†</sup> ◆

TEP2493LAM<sup>†</sup> ◆

TEP2496LAM<sup>†</sup> ◆

• TEP\_\_WD in Stains: 3/4" thick veneered furniture board.

• TEP\_\_WD in Paints: 3/4" thick veneered or solid furniture board.

• TEP\_\_LAM is 3/4" thick laminated furniture board (white only).

• Panels are finished on two sides and front edge.

• 102" and 108" will have APC and MIP standard.

 $^{\dagger}5$  day Express Response not available on items greater than 48"

#### **Custom Modifications**

Costolii Mouliicalions				
	ID	RD	APC	MIP
Laminate	•	•		
Wood	•4	•	•	

Finish Techniques Distressing Heirlooming

▲Tall wood panels will be plywood when ID31-ID36 is specified.

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in White laminate.

◆ ◆ Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

Only available in White laminate.

◆ Only available in Cherry and Maple box colors.



# **PANELS & SKINS**

48" 96" 102'

84" 87" 90" 93" 96" 102' or 108'

318

24"

Grain

TEP1248P

TEP1296P<sup>†</sup>

TEP12102P<sup>†</sup>

TEP12108P<sup>†</sup>

TEP2484P<sup>†</sup>

TEP2487P<sup>†</sup>

TEP2490P<sup>†</sup>

TEP2493P<sup>†</sup>

TEP2496P<sup>†</sup>

TEP24102P<sup>†</sup>

TEP24108P<sup>†</sup>

• 3/4" thick laminated MDF.

 High Gloss panels will have high gloss on front of panel and back of panel will be white laminate. Edgebanding on front edge will match door and drawer front edgebanding selection.

· High Gloss panels do not have grain.

 $^{\dagger}5$  day Express Response not available on items greater than  $48^{\prime\prime}.$ 

**Custom Modifications** 

# ID RD \*\*

\*ID available on TEP2484P-TEP2496P up to 30″. ID not available on TEP24102P and TEP24108P.

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak

Finish Techniques


Distressing Heirlooming

#### Species Availability (All Laminates)

	Horiz. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak
•		•*	•*	•*

\*TEP12102P, TEP12108P, TEP24102P, and TEP24108P not available in Laminate AJ.

#### **END PANELS, VANITY**



3/4" Finished

VBEP2129WD

VBEP2132WD

3/4" White Laminate

VBEP2129LAM ◆

#### VBEP2132LAM +

- VBEP\_\_WD in Stains: 3/4" thick veneered furniture board.
- VBEP\_\_WD in Paints: 3/4" thick veneered or solid furniture board.
- VBEP\_\_LAM is 3/4" thick laminated furniture board (white only).
- Panels are finished on two sides and front edge.

#### **Custom Modifications**

		ID	RD	APC	MIP
	Laminate	•	•		
	Wood	•	•	•	

Finish Techniques			
Distressing	Heirlooming		

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
•	Alder	•	Hickory	•	•	


lack Only available in White laminate.

#### Species Availability (All Laminates)

				•	
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

Only available in White laminate.

### WALL PANEL with FILLER ATTACHED





### **5** DAY

1/2" Finished

WEP1230F1.5WD

WEP1230F3WD

WEP1233F1.5WD

WEP1233F3WD

WEP1236F1.5WD

WEP1236F3WD

WEP1239F1.5WD

WEP1239F3WD

WEP1242F1.5WD

WEP1242F3WD

1/2" White Laminate

WEP1230F1.5LAM ◆

WEP1230F3LAM +

WEP1233F1.5LAM \*

WEP1233F3LAM \*

WEP1236F1.5LAM ◆

WEP1236F3LAM \*

WEP1239F1.5LAM \*

WEP1239F3LAM \*

WEP1242F1.5LAM ◆

WEP1242F3LAM ◆

- WEP\_\_F\_WD in Stains: 1/2" thick veneered furniture board.
- WEP\_\_F\_WD in Paints: 1/2" thick veneered or solid furniture board.
- WD panels have Natural Maple laminate interior. Specify MIP for matching veneered interior.
- WEP\_\_F\_LAM is 1/2" thick laminated furniture board (White exterior with Natural Maple interior).

#### Custom Modifications

	ID	RD	APC	MIP	WLI	
Laminate	•	•			•	
Wood	•	•	•	•	•	

Finish Techniques				
Distressing	Heirlooming			
•*				

\*Distressing on filler only, not on panel. Not available on laminate panels.

#### Snacios Availahility (Wood)

Species Availability (vvooa)					
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in White laminate.


#### Species Availability (All Laminates)

openes in an assumption of				
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in White laminate.

5 DAY

# BASE and TALL PANELS with FILLER ATTACHED



11/2" or 3"

1/2" Finished

BEPF1.5WD BEPF3WD

1/2" White Laminate

BEPF1.5LAM◆

BEPF3LAM◆

1/2" Finished

TEP2484F1.5WD<sup>†</sup>

TEP2484F3WD<sup>†</sup>

TEP2487F1.5WD<sup>†</sup>

TEP2487F3WD<sup>†</sup>

TEP2490F1.5WD<sup>†</sup>

TEP2490F3WD<sup>†</sup>

TEP2493F1.5WD<sup>†</sup>

TEP2493F3WD<sup>†</sup>

TEP2496F1.5WD<sup>†</sup>

TEP2496F3WD<sup>†</sup>

1/2" White Laminate

TEP2484F1.5LAM<sup>†</sup> ◆

TEP2484F3LAM<sup>†</sup> ◆

TEP2487F1.5LAM<sup>†</sup> ◆

TEP2487F3LAM<sup>†</sup> ◆

TEP2490F1.5LAM<sup>†</sup> ◆

TEP2490F3LAM<sup>†</sup> ◆

TEP2493F1.5LAM<sup>†</sup> ◆

TEP2493F3LAM<sup>†</sup> ◆

TEP2496F1.5LAM<sup>†</sup> ◆

TEP2496F3LAM<sup>†</sup> ◆

- BEPF\_WD and TEP\_\_F\_WD in Stains: 1/2" thick veneered furniture board.
- BEPF\_WD and TEP\_\_F\_WD in Paints: 1/2" thick veneered or solid furniture board.
- WD panels have Natural Maple laminate interior. Specify MIP for matching veneered interior.
- BEPF\_LAM and TEP\_\_F\_LAM is 1/2" thick laminated furniture board (White exterior with Natural Maple interior).

 $^\dagger 5$  day Express Response not available on items greater than  $48^{\prime\prime}.$ 

#### **Custom Modifications**

	ID	RD	APC	MIP	WLI
Laminate	•	•			•
Wood	•	•	•	•	•

Finish Tech	niques
Distressing	Heirlooming
•*	

\*Distressing on filler only, not on panel. Not available on laminate panels.

#### Species Availability (Wood)

			,	•	
Alder	Rustic Alder	Chorne	Rustic Hickory	Manla	Oak
Aluei	Aluel	Clieffy	піскогу	maple	UUK
•	Alder	•	Hickory	•	•


Only available in White laminate.

#### Species Availability (All Laminates)

Horiz, Grain High Gloss on Maple on Maple on Cherry on Oak hox color box color box color box color box color				
				Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in White laminate.

# TALL PANELS with FILLER ATTACHED, 102" & 108" TALL



1/2" Finished

TEP24102F1.5WD TEP24102F3WD TEP24108F1.5WD TEP24108F3WD

- 1/2" thick veneered plywood.
- Panel will have veneered exterior and Natural Maple laminated interior.

Custon	Modifi	cations	Finish Tech	niques
APC	ID	RD	Distressing	Heirloomin
STD		•	•*	

\*Distressing on filler only, not on panel.


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
				•	

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color		

# WALL PANEL with FILLER ATTACHED and FURNITURE ENDS



1 11/2" or 3"





WEP1230F1.5FPE
WEP1230F3FPE
WEP1233F3FPE
WEP1236F1.5FPE
WEP1236F3FPE
WEP1239F3FPE
WEP1239F3FPE
WEP1242F1.5FPE
WEP1242F3FPE

- 3/4" thick veneered plywood.
- Panel will have veneered exterior and Natural Maple laminated interior.
- Specify MIP for matching veneered interior.


Custo	m Mo	odific	ations	Finish Tech	niques
APC	ID	RD	MIP	Distressing	Heirlooming
STD	•	•	•	•	
		_		 ·I·. Au I	


#### Species Availability (Wood)

			,	•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

	Horiz. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BASE and TALL PANELS** with FILLER ATTACHED and FURNITURE ENDS







BEPF1.5FPE **BEPF3FPE** 

TEP2484F1.5FPE†

TEP2484F3FPE†

TEP2487F1.5FPE†

TEP2487F3FPE<sup>†</sup>

TEP2490F1.5FPE<sup>†</sup>

TEP2490F3FPE†

TEP2493F1.5FPE†

TEP2493F3FPE†

TEP2496F1.5FPE†

TEP2496F3FPE<sup>†</sup>

TEP24102F1.5FPE<sup>†</sup> ◆

TEP24102F3FPE<sup>†</sup> ◆

TEP24108F1.5FPE<sup>†</sup> ◆

TEP24108F3FPE<sup>†</sup> ◆

• 3/4" thick veneered plywood.

• Panel will have veneered exterior and Natural Maple laminated interior.

<sup>†</sup>5 day Express Response not available on items greater than 48".

#### **Custom Modifications**

APC	ID	RD	MIP
STD	•	•	•*

**Finish Techniques** Distressing Heirlooming

#### Species Availability (Wood)

			,	•	
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•


Only available in Cherry and Maple.


#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

lacktriangle Only available in Cherry and Maple box colors.

#### **WALL PANEL with FILLER ATTACHED** and AUTHENTIC ENDS





#### WEP1230F1.5AEL WEP1230F1.5AER

WEP1230F3AEL

WEP1230F3AER

WEP1233F1.5AEL

WEP1233F1.5AER

WEP1233F3AEL

WEP1233F3AER

WEP1236F1.5AEL

WEP1236F1.5AER

WEP1236F3AEL

WEP1236F3AER

WEP1239F1.5AEL

WEP1239F1.5AER

WEP1239F3AEL

WEP1239F3AER

WEP1242F1.5AEL

WEP1242F1.5AER

WEP1242F3AEL

#### WEP1242F3AER

- 3/4" thick veneered plywood with doors attached.
- Depth can be increased in 3" increments up to 24" deep.
- Panel will have veneered exterior and Natural Maple laminated interior standard. Specify MIP for matching veneered interior.
- . Door 25 doors will be high gloss and match edgebanding selection.
- · Door 33 doors will have horizontal grain with matching edgebanding.
- Door 36 doors will have vertical grain with matching edgebanding.

#### C------ BB - Jtft -------

CUST	om ivio	aitic	catio	ns	
APC	DPSRR	ID	RD	MF0	MIP
CTD	•	•	•	•	•

Finish Tech	niques
Distressing	Heirlooming
•	•


#### Species Availability (Wood)

Sher	IC3 MAG	IIIUVIIII	/ (******	,	
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Δlder	•	Hickory	•	•

	, ,		,	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
hox color	hox color	hox color	hox color	hox color

<sup>\*102&</sup>quot; and 108" are MIP standard.

#### **BASE PANEL with FILLER ATTACHED and AUTHENTIC ENDS**



## BEPF1.5AEL BEPF1.5AER **BEPF3AEL BEPF3AER**

5 DAY

- 3/4" thick veneered plywood with doors attached.
- Depth can be increased in 3" increments up to 36" deep.
- Panel will have veneered exterior and Natural Maple laminated interior standard. Specify MIP for matching veneered interior.
- Door 25 doors will be high gloss and match edgebanding selection.
- Door 33 doors will have horizontal grain with matching
- Door 36 doors will have vertical grain with matching edgebanding.

	Cust				
ı	100	D.D.(	ממי	ID	- 00

COSTONI INCUNITATIONS					
APC	DPSRR	ID	RD	MFO	MIP
STD	•	•			•

rinish tech	ilidaez
Distressing	Heirlooming
•	•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BASE PANEL with FILLER** ATTACHED and AUTHENTIC **ENDS, SINGLE DOOR**

Overlay (Left)

Filler



Full

Panel -Overlay (Left) Filler —11/2" or 3"—



#### **BEPF3AERSD**

- 3/4" thick veneered plywood with doors attached.
- Depth can be reduced in 3" increments down to 9" deep.
- Panel will have veneered exterior and Natural Maple laminated interior standard. Specify MIP for matching veneered interior.
- Door 25 doors will be high gloss and match edgebanding selection.
- Door 33 doors will have horizontal grain with matching edgebanding.
- Door 36 doors will have vertical grain with matching edgebanding.

#### Custom Modification

C031	OIII MIO	ulli	uiio	113	
APC	DPSRR	ID	RD	MFO	MIP
STD	•		•		•

Finish Techniques		
Distressing	Heirlooming	
•	•	


#### Species Availability (Wood)

-p-u			, ,,			
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
•	Δlder	•	Hickory	•	•	

#### Species Availability (All Laminates)

spoules Availability (All Lamillates)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### TALL PANEL with FILLER ATTACHED and AUTHENTIC ENDS



Full Overlay (Left) Filler 11/2" or 3"- TEP2484F1.5AEL TEP2484F1.5AER TEP2484F3AEL TEP2484F3AER TEP2487F1.5AEL **TEP2487F1.5AER** TEP2487F3AEL TEP2487F3AER TEP2490F1.5AEL TEP2490F1.5AER TEP2490F3AEL TEP2490F3AER TEP2493F1.5AEL TEP2493F1.5AER TEP2493F3AEL TEP2493F3AER TEP2496F1.5AEL TEP2496F1.5AER TEP2496F3AEL TEP2496F3AER

- 3/4" thick veneered plywood with doors attached.
- Depth can be increased in 3" increments up to 36" deep.
- Panel will have veneered exterior and Natural Maple laminated interior standard. Specify MIP for matching veneered interior.
- · Door 25 doors will be high gloss and match edgebanding selection.
- Door 33 doors will have horizontal grain with matching edgebanding.
- Door 36 doors will have vertical grain with matching edgebanding.

C03	OIII MIO	ulliv	uiio	113		
APC	DPSRR	ID	RD	MF0	MIP	INVFRM
STD	•	•		•	•	•

Finish Tech	niques
Distressing	Heirloom

PANELS & SKINS

Speci	species Availability (vvoou)						
Rustic		Rustic					
Alder	Alder	Cherry	Hickory	Maple	0ak		
•	Alder	•	Hickory	•	•		

	, ,				
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
hox color	hox color	hox color	hox color	hox color	

322

TEP84F1.5AELSD TEP84F1.5AERSD

TEP84F3AELSD

TEP84F3AERSD

TEP87F1.5AELSD

TEP87F1.5AERSD

TEP87F3AELSD

TEP87F3AERSD TEP90F1.5AELSD

TEP90F1.5AERSD

TEP90F3AELSD

TEP90F3AERSD

TEP93F1.5AELSD

TEP93F1.5AERSD

TEP93F3AELSD

TEP93F3AERSD

TEP96F1.5AELSD

TEP96F1.5AERSD

TEP96F3AELSD

#### TEP96F3AERSD

- 3/4" thick veneered plywood with doors attached.
- Depth can be reduced in 3" increments down to 9" deep.
- On non-miter doors, the tall door on the bottom will have two vertical panels.
- Panel will have veneered exterior and Natural Maple laminated interior standard. Specify MIP for matching veneered interior.
- Door 25 doors will be high gloss and match edgebanding selection.
- Door 33 doors will have horizontal grain with matching edgebanding.
- Door 36 doors will have vertical grain with matching edgebanding.

#### **Custom Modifications**

-1/4" reveal

APC DPSRR ID RD MFO MIP INVFRM • •

	•		
	•		•
Di	stressi	ng	Heirlooming

Finish Techniques

	species Ava	iability (1100a
- 1	Pustic	Pustic

Ī	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **VANITY DESK LEGS**

Full Overlay

(Left)

Filler



## VDL2129WD VDL2132WD

- All panels are finished 2 sides and front edge.
- VDL\_\_WD in Stains: 3/4" thick veneered furniture board.
- VDL\_\_WD in Paints: 3/4" thick veneered or solid furniture board.

#### igues sing Heirlooming

Custom Mo	Finish T	
ID	RD	Distressi

#### Species Availability (Wood)

			, ,,			
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
•	Alder	•	Hickory	•	•	


#### ilahility (All Laminatos)


Species Availability (All Laminates)								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
hox color	hox color	hox color	hox color	hox color				

#### **DESCRIPTION**

#### **WOOD V-GROOVED with** TRIPLE BEADED FRONT 3/4" PANELS







	Depth
<b>BEPVG</b> (34 1/2")	24 3/4"
TEP1284VG <sup>†</sup>	12 3/4"
TEP1296VG <sup>†</sup>	12 3/4"
TEP84VG <sup>†</sup>	24 3/4"
TEP87VG <sup>†</sup>	24 3/4"
TEP90VG <sup>†</sup>	24 3/4"
TEP93VG <sup>†</sup>	24 3/4"
TEP96VG <sup>†</sup>	24 3/4"
VBEP29VG	21 3/4"
VBEP32VG	21 3/4"
WEP42VG	12 3/4"

- · Veneer on MDF core.
- V-groove on 3" centers.
- <sup>†5</sup> day Express Response not available on items greater

IIIuII TU .						
Custom Mo	difications					
ID	RD					

#### Finish Techniques Distressing Heirlooming

## Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
				•	

	Horiz. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color		

30'

30'

341/2"

341/2"

#### DECORATIVE DOOR PANEL KITS Base End

231/4"

231/4"

Grain

Grain



BED

# BEDSD

- Door panel kits include Base End Panel Skin and doors with attachment screws for field installation.
- Not compatible on cabinets specified with FPEB. Use Authentic Ends modification for decorative doors with FPEB.
- Door 25 doors will be high gloss and match edgebanding selection.
- Door 33 doors will have horizontal grain with matching edgebanding.
- Door 36 doors will have vertical grain with matching edgehanding.

Custom Modifications					Finish Techniques		
DPSRR	ID	RD	MFO		Distressing	Heirlooming	
•					•	•	


Species	Avai	lability	(W	ood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•
	rudoi		THEROTY		

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### DECORATIVE DOOR PANEL KITS Tall End





TED2484 TED2487 TED2490 TED2493

**TED2496** 

TED2484SD TED2487SD TED2490SD TED2493SD TED2496SD

- Door panel kits include Tall End Panel Skin and doors with attachment screws for field installation.
- Not compatible on cabinets specified with FPEB. Use Authentic Ends modification for decorative doors with FPEB.
- On non-miter doors, the tall door on the bottom will have two vertical panels.
- Door 25 doors will be high gloss and match edgebanding selection.
- Door 33 doors will have horizontal grain with matching edgebanding.

   Poor 34 doors will have vertical grain with matching.
- Door 36 doors will have vertical grain with matching edgebanding.

<b>Custom Modifications</b>				Fi	nish Tech	ıniques	
DPSRR	ID	RD	MFO	] D	istressing	Heirlo	oming
•			•		•	•	•
Species Availability (Wood)							
		Aldor	Rustic	Charry	Rustic	Manlo	Oak

#### 

Species Availability (All Laminates)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
hov color	hov color	hov color	hov color	hov color	

#### **DECORATIVE DOOR PANEL KITS Wall End**

Grain

231/4"



WED1218

WED1221

WED1224

WED1227

WED1230

WED1233

WED1236

WED1239

WED1242

WED2418

WED2421

WED2424

WED2427

WED2430

WED2433

WED2436

WED2439

WED2442

WED2418SD

WED2421SD

WED2424SD

WED2427SD

WED2430SD

WED2433SD

WED2436SD

WED2439SD

WED2442SD

- $\bullet\;$  Door panel kits include Wall End Panel Skin and doors with attachment screws for field installation.
- Custom door sizes not available.
- Not compatible on cabinets specified with FPEB. Use Authentic Ends modification for decorative doors with
- Door 25 doors will be high gloss and match edgebanding
- Door 33 doors will have horizontal grain with matching
- edgebanding.

  Door 36 doors will have vertical grain with matching

eugebullullig.						
<b>Custom Modifications</b>						
DPSRR	ID	RD	MFO			

Finish Techniques				
Distressing Heirlooming				
•	•			

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


#### ries Availahility (All Laminates)

species Availability (All Edillillates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		


324

18" 21" 24" 27" 30" 33" 36" 39" or 42"


18" 21" 24" 27" 30" 33" 36" 39" or 42"



# WAINSCOTING, 34 $1/2^{\prime\prime}$ or 40 $1/2^{\prime\prime}$ HIGH



WAIN1534.5-WAIN2440.5



WAIN3034.5-WAIN4840.5

WAIN1534.5

WAIN1834.5

WAIN2134.5

WAIN2434.5

WAIN1540.5

WAIN1840.5

WAIN2140.5

**WAIN2440.5** 

WAIN3034.5

WAIN3634.5

WAIN4834.5

WAIN3040.5

**WAIN3640.5** 

WAIN4840.5

WAIN6034.5

**WAIN6040.5** 

#### WAIN7234.5

#### **WAIN7240.5**

- Full Overlay Styles only.
- Panel is 1 1/2" thick including doors. Non-operating doors are applied to 3/4" thick rail and stile frame.
- Flush Toekick standard.
- $\bullet$  Wainscoting panel backs are not finished, but are sealed to prevent warping and cracking.
- All faces and edges will be finished.
- For use on bars or islands, attach panel by securing the panel face frame through the inside of the applicable cabinet.
- For wall applications, the screw heads used for the panel face frame attachment to the wall can be concealed behind the doors and drawer fronts.


	Overall	Number	Number of Frame	Door
Product Code	Width	of Doors	Center Stiles	Width
WAIN15	15"	1	0	14 1/2"
WAIN18	18"	1	0	17 1/2"
WAIN21	21"	1	0	20 1/2"
WAIN24	24"	1	0	23 1/2"
WAIN30	30"	2	1	14 1/2"
WAIN36	36"	2	1	17 1/2"
WAIN48	48"	2	1	23 1/2"
WAIN60	60"	4	3	14 1/2"
WAIN72	72"	3	2	23 1/2"

Door height on 34 1/2'' high panels is 29 1/2''. Door height on 40 1/2'' high panels is 35 1/2''.


Custom	Modifi	cations
EX	FTK	VTK
•	STD	•

Door Options
DPSRR
•





WAIN6034.5-WAIN6040.5



WAIN7234.5-WAIN7240.5

#### **CUSTOM PANELS, DOORS, & DRAWER FRONTS**


All custom panels and doors can be ordered through 20/20. For manual orders, please fax the order form to customer service. See page 329.

Due to customized ordering, Decorative Appliance Panels may not be returned.

Custom Panels & Doors (DAPNL.. and DADOOR..) square footage requirements are calculated by multiplying the height and width for each panel and door (square footage = width x height (in inches)/144).
Premium finish upcharge will be applied.

#### **Custom Panels**

326



#### DAPNL1/4 DAPNL3/4

- DAPNL1/4 includes 1/4" finished veneer on MDF core, panel cut to fit appliance doors. Panels mount to the appliance using trim kits provided by the appliance
- DAPNL1/4 is finished on face only, edges are not finished.
- DAPNL3/4 kit includes 3/4" furniture board core veneer panel finished on both sides, and all four edges. Panel is cut to fit appliance doors, and mounts to the appliance using trim kits provided by the appliance supplier.
- Custom sizes available in 1/16" increments.
- DAPNL3/4 can be ordered in APC.

	Maximum Width	Minimum Width	Maximum Height	Minimum Height
DAPNL1/4	48"	5"	96"	5″
DAPNL3/4*	48"	5"	48"	5″
DAPNL3/4**	30"	5"	96"	5"

\*If DAPNL3/4 is 48" high or less \*\*If DAPNL3/4 is greater than 48" high Grain on panels will follow the height dimension (vertical)

#### **Finish Techniques**

Distressing	Heirlooming

#### Species Availability (Wood)


				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **DESCRIPTION**

#### **Custom Panels, Premium**



## MODEL

## DAPNL1/4P DAPNL3/4P DAPNL1/4HGP DAPNL3/4HGP

- DAPNL1/4P and DAPNL1/4HGP are 1/4" thick laminated MDF panels cut to fit appliance doors. Laminated on face only, edges are not finished.
- DAPNL3/4P and DAPNL3/4HGP are 3/4" thick laminated MDF panels. Vertical and horizontal grain panels are laminated on both sides with edgebanding on all four edges. High Gloss panels have high gloss on front of panel, back of panel is white laminate. Edgebanding on all four edges will match door and drawer front edgebanding selection.
- DAPNL1/4P and DAPNL3/4P are available for use with Door 36 or Door 37 featuring vertical grain or with Door 25 featuring high gloss.
- DAPNL1/4HGP and DAPNL3/4HGP are available for use with Door 33 featuring horizontal grain.
- Panel is cut to fit appliance doors, and mounts to the appliance using trim kits provided by the appliance
- Custom sizes available in 1/16" increments.

M - J-1	Panel	Maximum	Minimum	Maximum	Minimum
Model	Туре	Width	Width	Height	Height
DAPNL1/4P	Vertical Grain or High Gloss	48″	5″	96"	5″
DAPNL3/4P (48" high or less)	Vertical Grain or High Gloss	48″	5″	48″	5″
DAPNL3/4P (>48" high)	Vertical Grain or High Gloss	30″	5″	96"	5″
DAPNL1/4HGP	Horizontal Grain	96″	5″	48″	5″
DAPNL3/4HGP	Horizontal Grain	48″	5″	48″	5″
DAPNL3/4HGP (>48" wide)	Horizontal Grain	96"	5″	30″	5″

#### Finish Techniques

Distressing	Heirlooming


#### Availability (Wood)

Spec	,				
	Rustic	CI	Rustic		0.1
Alder	Alder	Cherry	Hickory	Maple	Uak


	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
•	•*	•	•	•

<sup>\*</sup>Only available on DAPNL1/4HGP and DAPNL3/4HGP.


#### **Custom Doors, No Hinge Routing**



Overlay Application (no Backer Panel)



Framed Application



#### **DADOORB**

#### **DADOORHG**

- DADOORB is a custom sized door with a vertical grain center panel.
- DADOORHG is a custom sized door with a horizontal grain center panel. Stiles and rails are built as doors with a single center panel.
- DADOORHG will utilize a flat panel on raised panel styles when width or height is less than 10".
- Includes a 3/4" thick door made to a custom size for the appliance front. No backer panel included.
  - -Some appliances require a .10" spacer and/or a 1/4" backer panel.
  - -The 1/4'' backer panel may be ordered separately (see DAPNL1/4).
- All doors will be specified "NO HINGE ROUTE". Backs may have identification marks, be unfinished, and have 3/16" diameter holes used during finish processing. For these reasons, these doors are not suitable for use as cabinet doors.

Door

Available

Avnilnhle

- DADOORB not available in Door 19, Door 25, Door 33, Door 36, Door 37, and Door 44. DADOORHG not available in Door 19, Door 25, Door 33, Door 36, Door 37, Door 44, and Door 46. For Decorative Appliance Panels, standard door sizes must be ordered.
- Custom sizes available in 1/16" increments.
- CG modification available, maximum size is 23 1/2" x 43" for DADOORB and 43" x 23 1/2" for DADOORHG.
- Not available on MDF door styles. If desired for use with MDF, order as Maple.

#### Finish Techniques



	Model	Style Type	Width Range*	Available Height Range*
	DADOORB	Non-Miter Styles	7 1/2" to 25 7/8" ** (<3" wide rails/stiles)	7 1/2" to 47 7/16" (<3" wide rails/stiles)
Grain			8 1/2" to 25 7/8" (3" wide rails/stiles)	8 1/2" to 47 7/16" (3" wide rails/stiles)
Grain	DADOORB	Non-Miter Styles	7 1/2" to 25 7/8" ** (<3" wide rails/stiles)	47 1/2" to 82" (<3" wide rails/stiles)
Grain			8 1/2" to 25 7/8" (3" wide rails/stiles)	47 1/2" to 82" (3" wide rails/stiles)
	DADOORB	Non-Miter Styles	25 15/16" to 35 3/4" (<3" wide rails/stiles)	7 1/2" to 47 7/16" (<3" wide rails/stiles)
Grain Grain			25 15/16" to 35 3/4" (3" wide rails/stiles)	8 1/2" to 47 7/16" (3" wide rails/stiles)
t t	DADOORB	Non-Miter Styles	25 15/16" to 35 3/4" (<3" wide rails/stiles)	47 1/2" to 82" (<3" wide rails/stiles)
Grain Grain			25 15/16" to 35 3/4" (3" wide rails/stiles)	47 1/2" to 82" (3" wide rails/stiles)
Grain	DADOORB	Miter Styles	8" to 25 7/8"	8" to 61"
←— Grain ——	DADOORHG	Non-Miter Styles	7 1/2" to 42 1/4" (<3" wide rails/stiles)	7 1/2" to 23 3/4" (<3" wide rails/stiles)
			8 1/2" to 42 1/4" (3" wide rails/stiles)	8 1/2" to 23 3/4" (3" wide rails/stiles)
← Grain →	DADOORHG	Miter Styles	8" to 61"	8" to 24"
***************************************			receive a flat center nanel	


<sup>\*</sup>Any door with a minimum width or height dimension less than 10" will receive a flat center panel.


\*\*DADOORB in Door 46 has a maximum width of 23 1/2" for a single width center panel, doors between 23 9/16" and
35 3/4" wide have a center mullion between the center panels.

328


#### **Custom Drawer Fronts**

Overlay Application (with Backer Panel)





Framed Application



#### **5-piece Drawer Fronts: DA5PCDF**

- DASPCDF is a custom sized 5-piece drawer front with a flat panel on raised panel styles when width or height is less than 10".
- DASPCDF is available on door styles where 5-piece drawer fronts are available as standard or optional. Requires a 5-piece drawer front selection, see chart below for available options.
- DASPCDF not available in miter door styles, MDF door styles, Door 31, Door 37, and Door 43.
- Includes a 3/4" thick drawer front made to a custom size for the appliance front. No backer panel included.
- —Some appliances require a .10" spacer and/or a 1/4" backer panel.
- -The 1/4'' backer panel may be ordered separately (see DAPNL1/4).
- Backs may have identification marks and have 3/16" diameter holes used during finish processing.
- Custom sizes available in 1/16" increments.

## **Slab Drawer Fronts:**

#### **DASLBDF**

- DASLBDF is a custom sized slab drawer front.
- DASLBDF is available on door styles where slab drawer fronts are available as standard or optional. Requires a slab drawer front selection, see chart below for available options.
- DASLBDF not available in Door 35 and Door 44.
- Includes a 3/4" thick drawer front made to a custom size for the appliance front. No backer panel included.
- -Some appliances require a .10" spacer and/or a 1/4" backer panel.
- -The 1/4" backer panel may be ordered separately (see DAPNL1/4).
- Backs may have identification marks and have 3/16" diameter holes used during finish processing.
- Custom sizes available in 1/16" increments.

#### Finish Techniques



	Model	Drawer Front Type	Available Width Range	Available Height Range
← Grain ←	DA5PCDF *	5-piece Drawer Front Non-Miter Styles	8 1/2" to 35 1/2" **	6 1/4" to 16 1/2"
DASLBDF ***		Slab Drawer Front	7" to 47 1/2"	5 1/2" to 17"

- \*Grain direction is vertical on Door 15 DFF5PCNR and Door 46.
- \*\*Maximum width on Door 46 is 23 1/2"
- \*\*\*Grain direction is vertical on Door 19 and Door 36.

#### **Drawer Front Options**

	DFF5PC	DFR5PC	DFF5PCNR	DFSLB	DFF5PCSLBT	DFR5PCSLBT	DFF5PCNRST	DFSLBT
DA5PCDF	•	•	•		•	•	•	•
DASLBDF				•	•	•	•	•

**CUSTOM PANELS, DOORS, & DRAWER FRONTS** 


						DEC		PPLIANCE PANE Use one orde : Book for door style availa	er form per applianc
TEP 1:	Provide Orde	er Informatio	n*				<u> </u>	and c	center panel configuration
						#:			
Bill To:						0:			
TEP 2:				– <i>Circle Choice</i> (For ap		rcle one appliance	type below per orde	r form)	
. [	• • •	and Name ar	nd Model Numb	er				nul alara d	S
efrigerator/l	reezer	Side-by-Side	Side-by-Side w/		Top/Bottom			Dishwasher/Trash C Ice Maker/Wine Coo	ompactor/ oler
Single Door	Side-by-Side A B	w/Dispenser	Dispenser & TV	Top/Bottom A I A	w/Drawers	French Door  A B	Under Counter	Dishwasher Dishwas Standard Standar	her Trash Compactor/
		B	B E	B   B	B —	<u>                                      </u>	A	A A B	A
Single Door w/Grill	Side-by-Side w/Grill	Side-by-Side w/Dispenser & Grill	Side-by-Side w/ Dispenser/TV & Grill	Top/Bottom w/Grill		French Door w/Dispenser	Under Counter w/Drawers	Dishwasher Dishwasl Double Single	
A I	A B	A C	A C B E	A I A I B I		A B C	A — B — C —	Drawer Drawer	
TEP 3:	Provide Dime	onsions in In	rhos*						
			ze Panel(s) and/or	Door(s)					
DAPNL1/	4, DAPNL1/	-		3/4P, DAPNL1/	-	-			_
						-		square inches	]
						•		square inches	
						•		square inches	total square inche
						•		square inches	
	oor Sizes — Dim	oors and D ensions for Pan	<b>Prawer Fronts</b> Bels with Standard S		acturer)	-		·	,
DADOORB				— Provide Choice B				<b>,</b>	
l				in. width x	in	. height $=$ _		square inches	1
2				in. width x	in	. height $=$ _		square inches	
3				in. width x	in	. height = _		square inches	<b>)</b>
4				in. width x	in	. height = _		square inches	total square inche
	·			in. width x	in	. height $=$ _		square inches	J
TEP 4:	Determine Pr	<b>rice*</b> (Refer t	o Price Book for cost p	per square foot)					
tal square i	inches from Ste	ep 3	÷ 144	square inches = tot	al square footag	e x \$	cost per sq	uare foot = \$	
									Total Cost
TED E			**If pro	emium finish is usec	l, multiply total	cost by premi	ium upcharge p	ercentage = \$	
TEP 5:	Customer Sig	nature*	-		-	-			


\*ALL FIELDS REQUIRED TO PROCESS ORDER.

I accept full responsibility for the accuracy of the design above. Signature:\*

330

#### **Custom Doors with Hinge Routing**





bore: 8mm dia. x 11mm deep

bore: 35mm dia.

203/4 3/32

15/32"

#### **DOORBL**

#### **DOORBR**

- Plastic mollies pressed in 8mm holes to accept screws to anchor the hinges to the back of these doors.
- · Hinges must be ordered separately and specified as full overlay.
- Available in all door styles except Door 19, Door 25, Door 33, Door 36, Door 37, and Door 44. For Door 25, Door 33, and Door 36, use DOORSLAB (see page 331). For Door 19, Door 37, and Door 44, standard door sizes must be ordered.

  Doors are finished on bib sides and routed for higgs.
- CG modification available, maximum size is 23 1/2" x 43".
- Custom dimensions are required when placing the order and can be specified in 20/20.
- Not available on MDF door styles. If desired for use with MDF, order as Maple.

#### Finish Techniques


Distressing Heirlooming

	Door Style Type	Available Width Range*	Available Height Range
	Non-Miter Styles	7 1/2" to 24" (<3" wide rails/stiles)	10" to 47 7/16" (<3" wide rails/stiles)
Grain		8 1/2" to 24" (3" wide rails/stiles)	10" to 47 7/16" (3" wide rails/stiles)
Coin Coin Coin Coin Coin Coin Coin Coin	Non-Miter Styles	7 1/2" to 24" (<3" wide rails/stiles) 8 1/2" to 24" (3" wide rails/stiles)	47 1/2" to 72" (<3" wide rails/stiles) 47 1/2" to 72" (3" wide rails/stiles)
Grain	Miter Styles	8" to 24"	10" to 61"

\*Any door with a minimum width dimension less than 10" will receive a flat center panel.

331

# **Custom Doors with Hinge Routing,**



bore: 8mm dia. - x 11mm deep - bore: 35mm dia. x 11mm deep

203/4" 3/32" 23/8 15/32

#### **DOORSLAB**

- Available in slab door styles: Door 19, Door 25, Door 33, and Door 36.
- Doors are finished on both sides and routed for hinges.
   Hinges must be ordered separately and specified full overlay.
- Plastic mollies pressed in 8mm holes to accept screws to anchor the hinges to the back of these doors.
- Custom dimensions are required when placing the order and can be specified in 20/20.

#### Finish Techniques

Distressing	Heirlooming

	Door Style Type	Available Width Range	Available Height Range
Grain	Vertical Grain or High Gloss	5" to 24"	10″ to 72″
←— Grain ——	Horizontal Grain	5" to 24"	10" to 48"

#### **ARCHITECTURAL ACCENTS**



#### All embellishments marked with the \*\* follow these guidelines:

- Products are shown with availability and exceptions noted. Finish technique upcharges
- Items will be shipped loose for field attachment.

#### **Product Characteristics**

Natural characteristics of wood carved items are wider color range, irregularity of surface texture, and more noticeable variations in finish. It is imperative to understand the variations these characteristics entail and therefore will not be considered defective.

#### **Ordering Process**

332

- To ensure product ships with the cabinet order, include on same order. Orders not placed together may not ship together.
- Express Response program is available for 12 day delivery.
- Must specify wood species, finish, and technique, if different than the rest of the order.
   Since these items are ordered on an "as-required" basis, no changes or cancellations will be accepted after 24 hours from acknowledgment of order.

#### **MOULDING SPECIFICATIONS**

Mouldings specified as 8' nominal length have a usable length range of 93" up to 99". Mouldings specified as 10' nominal length have a usable length range of 117" up to 123". Be sure to order the correct amount of moulding length to work around required cuts with minimal butt ioints.

#### **DESCRIPTION**

#### MODEL


#### **CROWN MOULDING**

#### **CLASSIC TALL CROWN**



#### **CLTCROWN8** CLTCROWN10 ◆

- CLTCROWN8 is one 8' section.
- CLTCROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached, can be used for top mount or face frame applications. For top mount applications on stained finishes, it is not recommended to pull the moulding forward with the cleat visible due to possible color variation with the face frame and moulding.



#### Finish Techr irlooming

Distressing	Hei
•	

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in Cherry and Maple.

#### cioe Availability (All Laminatoe)

species Availability (All Edillinates)								
	Horiz. Grain Vert. Grai		Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
box color	box color	box color	box color	box color				

Only available in Cherry and Maple box colors.

#### **DESCRIPTION**

#### **CORNICE TALL CROWN**



#### **COTCROWN8** COTCROWN10 +

MODEL

- COTCROWN8 is one 8' section.
- COTCROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached, can be used for top mount or face frame applications. For top mount applications on stained finishes, it is not recommended to pull the moulding forward with the cleat visible due to possible color variation with the face frame and moulding.

I IIII3II ICCIII	iiidaea
Distressing	Heirlooming
•	•

#### Species Availability (Wood)

			•	•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

#### **COVE CROWN**



⊢1¹/2" <del>| |7/16"</del> 3¹/2"−

#### **COVECROWN8** COVECROWN10 +

- COVECROWN8 is one 8' section.
- COVECROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached, can be used for top mount or face frame applications. For top mount applications on stained finishes, it is not recommended to pull the moulding forward with the cleat visible due to possible color variation with the face frame and moulding.

#### Finish Techniques

Distressing	Heirlooming
•	•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

<sup>•</sup> Only available in Cherry and Maple box colors.

#### **FULL OVERLAY CROWN**



#### **FOLCROWN8**

• One 8' section.

• Attached cleat for top-mount application.

#### **Finish Techniques** Distressing Heirlooming

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

- P				
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
hov color	hov color	hov color	hov color	hov color

37/16

#### **INSCROWN8**

- One 8' section.
- Designed for use with all 2 1/4" insert mouldings.

#### **Finish Techniques**



#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)


	, .		-	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **LARGE STRAIGHT ANGLE CROWN**



#### LSACROWN8 LSACROWN10 +

- LSACROWN8 is one 8' section.
- LSACROWN10 is one 10' section. 5 day Express Response not available.
- · Cleat shipped unattached, can be used for top mount or face frame applications. For top mount applications on stained finishes, it is not recommended to pull the moulding forward with the cleat visible due to possible color variation with the face frame and moulding.





Distressing	Heirlooming
•	•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•


Only available in Cherry and Maple.

#### Species Availability (All Laminates)

species Availability (All Edillilates)					
Horiz. Grain		Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

<sup>•</sup> Only available in Cherry and Maple box colors.

#### **MEDIUM STRAIGHT ANGLE CROWN**



#### **MSACROWN8** MSACROWN10 +

5 DAY

- MSACROWN8 is one 8' section.
- MSACROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached, can be used for top mount or face frame applications. For top mount applications on stained finishes, it is not recommended to pull the moulding forward with the cleat visible due to possible color variation with the face frame and moulding.

# **Finish Techniques**

	Distressing	Heirlooming
	•	•
A ! l .	:!: /\W!\	

#### Species Availability (Wood)

Aldor	Rustic	Chorry	Rustic Hickory	Manlo	Oak
Aluei	Aluei	CHEITY	HICKOLY	muhie	UUK
•	Alder	•	Hickory	•	•

Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

<sup>◆</sup> Only available in Cherry and Maple box colors.

#### STRAIGHT ANGLE **CROWN**

-11/2"-111/16"-

**DESCRIPTION** 



#### **SACROWN8** SACROWN10 +

- SACROWN8 is one 8' section.
- SACROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached, can be used for top mount or face frame applications. For top mount applications on stained finishes, it is not recommended to pull the moulding forward with the cleat visible due to possible color variation with the face frame and moulding.

#### Finish Techniques

Distressing Heirlooming

#### Species Availability (Wood)

			•	•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color


Only available in Cherry and Maple box colors.

#### **TALL CROWN**



#### MTCROWN8 MTCROWN10 ◆

- MTCROWN8 is one 8' section.
- MTCROWN10 is one 10' section. 5 day Express Response not available



# Finish Techniques

Distressing Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


Only available in Cherry and Maple.

#### Species Availability (All Laminates)

-	openios strumusim, vim zummusos,							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
box color	box color	box color	box color	box color				

Only available in Cherry and Maple box colors.

#### **SHAKER CROWN**



#### SHKRCRM8 5 DAY

- Top mount moulding.
- One 8' section.

#### Finish Techniques Distressing Heirlooming


#### Species Availability (Wood)

			/ (		
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

334



## LSHAKER8

## LSHAKER10 +

- LSHAKER8 is one 8' section.
- LSHAKER10 is one 10' section. 5 day Express Response not available.

i iiii sii icciiiiqocs					
Distressing	Heirlooming				
•	•				

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


Only available in Cherry and Maple.

#### Species Availability (All Laminates)

		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

#### LARGE SHAKER CROWN, **PREMIUM**



## LSHAKER8P LSHAKER 10P

- LSHAKER8P is one 8' section.
- LSHAKER10P is one 10' section. 5 day Express Response not available.
- Horizontal grain except on High Gloss.

#### **Finish Techniques**

Distressing	Heirlooming	

#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak
•	•	•*	•*	•*

<sup>\*</sup>LSHAKER10P not available in Laminate AJ and Laminate AK.

#### **SMALL COVE CROWN MOULDING**



#### **SMCOVECROWN8** SMCOVECROWN10 ◆

- SMCOVECROWN8 is one 8' section.
- SMCOVECROWN10 is one 10' section. 5 day Express Response not available.

#### Finish Techniques

Distressing	Heirlooming
•	•

#### Species Availability (Wood)

			,	•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

Only available in Cherry and Maple.

#### Species Availability (All Laminates)


openies in anazimi, tran zaminares,							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

<sup>◆</sup> Only available in Cherry and Maple box colors.

## **DESCRIPTION SMALL CROWN**

#### SCM8 SCM10 +

- May be face mounted if used with a cleat.
- SCM8 is one 8' section.
- SCM10 is one 10' section. 5 day Express Response not available.
- Moulding can be used as standard or inverted.



### Species Availability (Wood)

			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
•	Alder	•	Hickory	•	•	

Only available in Cherry and Maple.

#### Species Availability (All Laminates)

-	, tem,							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
box color	box color	box color	box color	box color				


<sup>•</sup> Only available in Cherry and Maple box colors.

#### **SOLID-WOOD CROWN**



#### SWCRM8 SWCRM10 +

- · May be face mounted if used with a cleat.
- SWCRM8 is one 8' section.
- SWCRM10 is one 10' section. 5 day Express Response not available.
- Moulding can be used as standard or inverted.



#### Cuarias Averilability (Maad)

Species Availability (vvood)						
Alder	Rustic Alder	Cherry	Rustic Hickory	Manle	Oak	
7 11 11 11 11	711401		111111111	mapio	oun	
•	Alder	•	Hickory	•	•	

Only available in Cherry and Maple.

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	


Only available in Cherry and Maple box colors.

# SOLID-WOOD LARGE CROWN



# SWLCRM8 SWLCRM10

- May be face mounted if used with a cleat.
- SWLCRM8 is one 8' section.
- SWLCRM10 is one 10' section. 5 day Express Response not available.
- Moulding can be used as standard or inverted.



#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color


Only available in Cherry and Maple box colors.

# SOLID-WOOD TALL CROWN



# SWTCRM8 SWTCRM10 \*

- May be face mounted if used with a cleat.
- SWTCRM8 is one 8' section.
- SWTCRM10 is one 10' section. 5 day Express Response not available.
- Moulding can be used as standard or inverted.



#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Finish Techniques

Heirlooming

Only available in Cherry and Maple.

#### Species Availability (All Laminates)

oponios in annumity (in annumitor)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

<sup>◆</sup> Only available in Cherry and Maple box colors.

# SOLID-WOOD VICTORIAN CROWN

**DESCRIPTION** 



# SWVCRM8 SWVCRM10 \*

- May be face mounted if used with a cleat.
- Designed for braided, dentil, egg & dart, or rope moulding application.
- SWVCRM8 is one 8' section.
- SWVCRM10 is one 10' section. 5 day Express Response not available.

#### Finish Techniques

Distressing Heirlooming

•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in Cherry and Maple.


#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

#### STARTER MOULDINGS

#### SOFFIT FILLER MOULDING



# SFM8 SFM10 ◆

5 DAY

- SFM8 is one 8' section.
- SFM10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached, can be used for top mount or face frame applications. For top mount applications on stained finishes, it is not recommended to pull the moulding forward with the cleat visible due to possible color variation with the face frame and moulding.

#### Finish Techniques

Distressing	Heirlooming
	•

#### Species Availability (Wood)

			,	•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Manlo	Oak
Aluei	Aluel	CHEITY	HICKUTY	muple	UUK
•	Alder	•	Hickory	•	•


Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

<sup>•</sup> Only available in Cherry and Maple box colors.

#### STARTER MOULDING



# STR8 STR10 \*

- STR8 is one 8' section.
- STR10 is one 10' section. 5 day Express Response not available.
- Attached cleat for top-mount application.

#### Finish Techniques

Distressing	Heirlooming

#### Species Availability (Wood)

			,	,	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in Cherry and Maple.

#### Species Availability (All Laminates)

opened in anazim, tem cammares,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

 $<sup>\</sup>buildrel \bullet$  Only available in Cherry and Maple box colors.

336

#### **MODEL**

#### STARTER MOULDING, **SHAKER**



## STRS8



- STRS8 is one 8' section.
- STRS10 is one 10' section. 5 day Express Response not available.
- Attached cleat for top-mount application.

#### Finish Techniques

Distressing	Heirlooming
•	•

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


◆ Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

#### STARTER MOULDING, **SHAKER PREMIUM**



#### STRS8P

5 DAY

- One 8' section.
- Horizontal grain except on High Gloss.

#### **Finish Techniques**

Distressing Heirlooming


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
•	•	•	•	•	

#### **MOULDING INSERTS**



#### **BRAIDM**

- · Designed to face mount on SWVCRM8.
- One 8' section.

#### **Finish Techniques**

Distressing	Heirlooming

#### Species Availability (Wood)

			,	•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Beech	•	Beech

#### Species Availability (All Laminates)

	Horiz, Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **DESCRIPTION**

**CELTIC INSERT** 



## **INSERTCELT**

• One 8' section.

MODEL

- Designed to be used with Insert Crown.
- Pattern is 6" repeat.


#### **Finish Techniques** Distressing Heirlooming



#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	

#### **DENTIL**



#### **MDENTIL8**

5 DAY

- Designed to face mount on SWVCRM8.
- One 8' section.

#### Finish Techniques

Distressing Heirlooming

#### Species Availability (Wood)

Alder	Rustic	Charry	Rustic Hickory	Manla	Oak
Aluci	Aluci	CHETTY	THICKUTY	mupic	Ouk
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz, Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss		on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **EGG & DART**



#### EGD8

- Designed to face mount on SWVCRM8.
- One 8' section.

## Finish Techniques

Distressing	Heirlooming


#### ies Availability (Wood)

- 1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
				•	

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
box color	box color	box color		

## **ROPE**



#### RPM8

- Designed to face mount on SWVCRM8.
- One 8' section.

# Finish Techniques

Di	stressi	ng	Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	, .		•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### DESCRIPTION

**BATTEN** 

11/4"

#### MODEL

**BATTEN8** 

• One 8' section.

# ACCENT MOULDING





Acanthus Detail

## ACAM

• One 8' section.

# Finish Techniques Distressing Heirlooming

#### 3

Species Availability (Wood)						
	Rustic		Rustic			
Alder	Alder	Cherry	Hickory	Maple	0ak	
•	Alder	•	Beech	•	Beech	

#### Species Availability (All Laminates)

			•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	Beech

#### Species Availability (All Laminates)

Alder

species Availability (All Edillinates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

Alder • Hickory

Species Availability (Wood)

# 337


#### **BACK PANEL MOULDING**



#### BPM8

• One 8' section.

 Designed to provide a decorative edge between cabinet and panel-corner seam.



# Distressing Heirlooming


**Finish Techniques** 

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Species Availability (Wood)

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
box color	box color	box color	box color	box color



# 5 DAY

#### SM8 SM10 +

- SM8 is one 8' section.
- SM10 is one 10' section. 5 day Express Response not available.

#### Finish Techniques

Finish Techniques
Distressing Heirlooming

Rustic Alder Cherry Hickory Maple Oak

Distressing	Heirlooming					

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

<sup>•</sup> Only available in Cherry and Maple box colors.

#### **CABINET PANEL EDGE**


End Pane

Back

1/4" Panel







# Finish Techniques Distressing Heirlooming •


#### Species Availability (Wood)

species Availability (vvoou)							
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak		
•	Alder	•	Hickory	•	•		

#### Species Availability (All Laminates)

· · · · · · · · · · · · · · · · · · ·						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

## FLAT SCRIBE, PREMIUM



#### SM8P SM10P

- SM8P is one 8' section.
- SM10P is one 10' section. 5 day Express Response not available.
- Horizontal grain except on High Gloss.

#### Finish Techniques

Distressing	Heirlooming	

#### Species Availability (Wood)


	spoulds Availability (1100a)						
		Rustic		Rustic			
l	Alder	Alder	Cherry	Hickory	Maple	Oak	

#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak
•	•	•*	•*	•*

<sup>\*</sup>SM10P not available in Laminate AJ and Laminate AK.

# COUNTERTOP EDGE



# Traditional

# TCM8

CCM8

• One 8' section.

Finish Techniques					
	Distressing	Heirlooming			
		•*			
	*Available on	TCM8 only			

#### Species Availability (Wood)

			•	•	
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### LIBRARY MOULDING



#### **LBRM**

• One 8' section.



Finisl	h Tech	nique
Distre	essina	Heirlo

Species Availability (vvooa)								
	Rustic		Rustic					
Alder	Alder	Cherry	Hickory	Maple	Oak			
•	Alder	•	Hickory	•	•			

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### SINGLE BEAD MOULDING



#### SBM8



#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **MIRROR FRAME**

21/8" — 5/8"

3/4"

3/4"

338



#### WMF8

 Pre-grooved. • One 8' section.

# Finish Tech

#### Distressing Heirlooming


#### Species Availability (Wood)

Alder	ĺ	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
	ſ	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

opened recumulating (ran Lammares)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

#### **SINGLE BEAD PILASTER**



#### SBP8

- One 8' section.
- Can be used vertically between cabinets for an inset look.

#### Finish Techniques

Distressing	Heirlooming
	•

#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **OGEE EDGE**



#### **OGEEM**

5<sub>DAY</sub>

• One 8' section.

#### Finish Techniques Distressing Heirlooming



#### Alder Alder Cherry Hickory Maple Oak Hickory Alder

Rustic

Species Availability (All Laminates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

#### **SMALL SCRIBE**



## **SCRIBE8**

## SCRIBE10 ◆

- SCRIBE8 is one 8' section.
- SCRIBE10 is one 10' section. 5 day Express Response not available.

#### Finish Techniques

Distressing	Heirlooming				

#### Species Availability (Wood)

			•	•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
_					
•	Alder	•	Hickory	•	•


Only available in Cherry and Maple.

#### Species Availability (All Laminates)

openes in an annual y transcription					
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

<sup>•</sup> Only available in Cherry and Maple box colors.

## **SINGLE BEAD EDGE**



#### 5<sub>DAY</sub> SBE8

• One 8' section.

#### **Finish Techniques**

Distressing	Heirloomi
	•

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
,ao.	,		111111111	mapio	Ouit
•	Δlder	•	Hickory	•	•

Species Availability (All Lallilliates)						
	Horiz. Grain		Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	ox color box color		box color	box color		

#### **SMALL SCRIBE, PREMIUM**



#### SSM8P SSM10P

- SSM8P is one 8' section.
- SSM10P is one 10' section. 5 day Express Response not available.
- Horizontal grain except on High Gloss.

#### **Finish Techniques**

Distressing	Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak

#### Species Availability (All Laminates)

			•	
	Horiz. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak
•	•	•*	•*	•*

<sup>\*</sup>SSM10P not available in Laminate AJ and Laminate AK.

#### **SOFFIT TRIM MOULDING**

3/4"

17/32

21/2



# TSTM8

- TSTM10 + • TSTM8 is one 8' section.
- TSTM10 is one 10' section. 5 day Express Response not available.

#### **Finish Techniques**

Distressing	Heirlooming				

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

<sup>•</sup> Only available in Cherry and Maple box colors.


#### TRIPLE BEAD EDGE



#### **TBEM**



#### **Finish Techniques** Distressing Heirlooming



ecies Availability (Wood)						
	Rustic	Rustic				

#### Alder Alder Cherry Hickory Maple Oak Alder Hickory

Species	Availability (	(All Laminates)		
	Horiz Grain	Vert Grain	Vert (	

High Gloss	Horiz. Grain on Maple		Vert. Grain on Cherry	Vert. Grain on Oak
box color		box color	box color	box color

#### TRIPLE BEAD PILASTER

41/2"

**DESCRIPTION** 



#### TBP8

- Finished beaded front and two 4 1/2" sides.
- Can be used vertically between cabinets for an inset look.
- One 8' section.

#### Finish Techniques

Distressing Heirlooming

339

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

ur I el	Horiz. Grain	Vert. Grain		Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **WIDE SCRIBE**



#### **WSCRIBE**

• One 8' section.

#### **Finish Techniques** Distressing Heirlooming

# Species Availability (Wood)

Alder	Rustic	Charry	Rustic Hickory	Manla	Oak
Aluci	Aluci	CHGHY	THICKUTY	mupic	Ouk
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **UNDER PANEL** MOULDING



#### UPM8

- One 8' section.
- ullet Can be used on edges of 1/4" thick panels to conceal end grain.





# Distressing Heirlooming

Finish Techniques

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
		•		•	

#### Species Availability (All Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	

#### **UNDER PANEL MOULDING, PREMIUM**



#### **UPM8P**

- One 8' section.
- Horizontal grain except on High Gloss.
- ullet Can be used on edges of 1/4'' thick panels to conceal end grain.





#### Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)


- 1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
	•	•	•	•

#### **BASEBOARD**

340





#### BBM8

#### BBM10 +

- BBM8 is one 8' section.
- BBM10 is one 10' section. 5 day Express Response not available.
- BBM8 can be used in place of standard toekick to provide a surface for glaze hang-up on premium finishes.

#### Finish Techniques

Distressing	Heirlooming
•	•

#### Species Availability (Wood)

A	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
	•	Alder	•	Hickory	•	•


• Only available in Cherry and Maple.

#### Species Availability (All Laminates)

opoulos recumularity (run numinusos)						
Horiz. Grain		Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

lacktriangle Only available in Cherry and Maple box colors.

#### **BASEBOARD** -**FURNITURE**





• One 8' section.

#### **Finish Techniques**

Distressing	Heirlooming
•	•


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **BASEBOARD - SCULPTED**





#### **BBMSC**

- One 8' section.
- BBMSC can be used in place of standard toekick to provide a surface for glaze hang-up on premium finishes.

#### Finish Techniques

Distressing	Heirlooming			
	•			

#### Species Availability (Wood)

species Availability (1100a)					
Δlder	Rustic Alder	Cherry	Rustic Hickory	Manle	Onk
Aluci	Aluci	CHOITY	THEROTY	Mupic	Ouk
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

#### **DESCRIPTION**

#### **BASEBOARD - SHAKER**



#### BBMSH8

MODEL

#### BBMSH10 +

- BBMSH8 is one 8' section.
- BBMSH10 is one 10' section. 5 day Express Response not available.

#### Finish Techniques

Distressing	Heirlooming				
•	•				

#### Species Availability (Wood)

			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
Alder	Rustic Alder	Cherry	Rustic Hickory	Manle	Oak
711001	711001	ciioiij	THEREOT 1	mapio	Oun
•	Alder	•	Hickory	•	•


◆ Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

<sup>•</sup> Only available in Cherry and Maple box colors.

#### **BASEBOARD - SWOOPED**



- **BBMSW** • One 8' section.
- BBMSW can be used in place of standard toekick to provide a surface for glaze hang-up on premium finishes.

#### Finish Techniques

Distressing	Heirlooming			
	•			

#### Species Availability (Wood)


Species Availability (1100a)					
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
	Alder	•	Hickory	•	•

	, ,		,	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **TOEBOARDS**



TB8LAM18 \*
TB8WD14
TB8LAM12 \*



- TB8LAM18 is 1/8" laminated furniture board (White only).
- TB8WD14 in Stains: 1/4" thick veneered furniture board.
- TB8WD14 in Paints: 1/4" thick veneered or solid furniture board.
- TB8LAM12 is 1/2" laminated furniture board (White only).
- One 8' section.

#### Finish Techniques

Distressing	Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

• Only available in White Laminate.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

Only available in White laminate.

#### TOEBOARDS, PREMIUM



#### **TB8P14**

- 1/4" thick laminated MDF.
- One 8' section.
- · Horizontal grain except on High Gloss.

#### Finish Techniques

Distressing	Heirlooming

#### Species Availability (Wood)

- 1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak


#### Species Availability (All Laminates)

sheries w	Species Availability (All Lallillates)				
	Horiz. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak	
•	•	•	•	•	

#### **TOEKICK CAP**

1/4"

41/2"



#### TKC

**5**<sub>DAY</sub>

• Sold in pairs.

# Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
Manle	Manle	Manle	Onk	•	•

#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

# DESCRIPTION LIGHT RAILS

3/4" = 3/8"

# CAP MOULDING 5 DAY

#### CAPM



# Finish Techniques Distressing Heirlooming

es Availability (Wood)						
Rustic Alder	Cherry	Rustic Hickory	Maple	0ak		
Alder	•	Hickory	•	•		

341

#### Species Availability (All Laminates)

Specie Alder


	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### CABINET PANEL EDGE SQUARE



#### **CPES**

- One 8' section.
- Standard application must be shimmed at the notch or used with an under-cabinet skin if used with full overlay styles. Inverted application does not require a shim or nanel
- Standard application can be used as a top-mount moulding.



#### Finish Techniques

Distressing	Heirlooming
•	•

#### Species Availability (Wood)

Aldar	Rustic	Charm	Rustic	Manla	Oak
Aluei	Aluel	Cherry	Hickory	maple	UUK
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### FURNITURE BASE LIGHT RAIL



#### FBLR8

• One 8' section.



#### Species Availability (All Laminates)

	, ,			
			Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Alder

Hickory

#### **DESCRIPTION**

**SMALL LIGHT RAIL** 

#### MODEL

#### **LIGHT BAFFLE**

19/16

342





LB2

• One 8' section.

#### Finish Techniques Distressing Heirlooming

#### ocios Availability (Wood)

spoulds Availability (viola)					
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

# MOULDING



**SMLR** 



Species Availability (Wood) Rustic Rustic Alder Cherry Hickory Maple Oak

Finish Techniques

Distressing Heirlooming


Species Availability (All Laminates)

Alder

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### LIGHT BAFFLE, **PREMIUM**

3/4"



#### LB2P

5 DAY

- One 8' section.
- · Horizontal grain except on High Gloss.

#### Finish Techniques

ocios Availak		
	Distressing	Heirlooming

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak


#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple			
•	•	•	•	•

#### **LIGHT RAIL MOULDING**



• One 8' section.



#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **LIGHT RAIL CAP**



#### **SOFFITA**

- One 8' section.
- Must be shimmed at the notch or used with an under-cabinet skin if used with full overlay styles.

#### **Finish Techniques**

Distressing	Heirlooming
	•


#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

# **VALLEY FORGE**



#### VFR8 • One 8' section.

• Must be shimmed at the notch or used with an under-cabinet skin if used with full overlay styles.

#### Finish Techniques Distressing Heirlooming

# Species Availability (Wood)

Rustic Alder Cherry Hickory Maple Oak

Species Availability (All Laminates)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
hox color	hox color	hox color	hox color	hox color			

#### **LIGHT RAIL CAP -SHAKER**



#### SOFFITE

- One 8' section.
- Must be shimmed at the notch or used with an under-cabinet skin if used with full overlay styles.

#### **Finish Techniques**

Distressing	Heirlooming
	•

## Species Availability (Wood)


ALI	Rustic	Cl	Rustic		0.1
Alder	Alder	Cherry	Hickory	Maple	Uak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### Alder Hickory

	, .		•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color



#### Species Availability (All Laminates)

		Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
hox color	hox color	hox color	hox color	hox color

**CONTEMPORARY** 

**LIGHT RAIL** 

JINSERTLRC

One 8' section.

Designed for use with all 3/4" insert mouldings.

Alder Species Availability (All Laminates)

Species Availability (Wood)

High Gloss on Maple on Maple vert. Grain Vert. Grain on Oak

box color box color box color


Finish Techniques

Rustic Alder Cherry Hickory Maple

Distressing Heirlooming



**DESCRIPTION** 



• One 8' section.

- Horizontal grain except on High Gloss.

#### **Finish Techniques** Distressing Heirlooming

343


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak

#### Species Availability (All Laminates)

Spotios A	species Availability (All Ealillians)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
•	•	•	•	•			


#### **CORNER MOULDINGS**



#### DCM8

box color

- $\bullet$  Designed to set cabinets at a  $45^{\circ}$  corner application using 3/4" end panels.
- One 8' section.
- Not compatible on cabinets with Furniture Ends (FPEB) or Authentic Ends (AUTHL/AUTHR/AUTHB).





#### Finish Techniques


Distressing	Heirlooming

#### Species Availability (Wood)

	•	Alder	•	Hickory	•	•	
ļ	Alder	Alder	Cherry	Hickory	Maple	0ak	

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color





• One 8' section.

#### Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)


Γ		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

## LARGE OUTSIDE CORNER



#### LOSC8

• One 8' section.



## Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

Finish Techniques

Distressing Heirlooming

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **OUTSIDE CORNER**



#### OCM8

One 8' section.

## **Finish Techniques** Distressing Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple		Vert. Grain on Oak
box color	box color	box color	box color	box color

#### **OUTSIDE CORNER, PREMIUM**



#### OCM8P

- One 8' section.
- · Horizontal grain except on High Gloss.

#### Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak


#### Species Availability (All Laminates)

sheries w	1631			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
•	•	•	•	•

#### **OUTSIDE CORNER 135°**



OC135



• One 8' section.

Finish Tech	niques
Distressing	Heirlooming

#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

		1 Vert. Grain	Vert. Grain	Vert. Grain
	ss on Maple		on Cherry	on Oak
box col	or box color	box color	box color	box color

# QUARTER ROUND MOULDING

344



#### QRM



# 11/<sub>16</sub>" Radius

## Finish Techniques

Distressing	Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

, , ,			-	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color


# SHOE - CONVEX INSIDE CORNER



#### SHM8

• One 8' section.

# Finish Techniques Distressing Heirlooming





Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
•	Alder	•	Hickory	•	•	

#### Species Availability (All Laminates)

	, .			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### WINDOW CASING

# WINDOW CASING - TRADITIONAL



#### WCT8

• One 8' section.

# 21/4"

#### o Section.


Finish Tech	niques
Distressing	Heirlooming
	•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

-	· · · · · · · · · · · · · · · · · · ·						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

JRCPV30



**AV36** 

**AV48** 

- Side shoulders are 8" wide (6" trimmable each end).
- Bottom edge has 3/16" radius.
- 3/4" thick.

#### Finish Techniques




#### Species Availability (Wood)

				•		
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak	
•	Alder	•	Hickory	•	•	

#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color



#### **FV36**

**FV48** 

FV60

**FV72** 

- Side shoulders are 8" wide (6" trimmable each end).
- Bottom edge has 3/16" radius profile on face.
- 3/4" thick.

#### Finish Techniques

Distressing	Heirlooming
•	•


#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Δlder	•	Hickory	•	•


#### Species Availability (All Laminates)

			•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### RAISED PANEL ARCH **VALANCE**







#### JRPV30

JRPV36

JRPV42

JRPV48

JRPV54

JRPV60

JRPV72

- Trimmable up to 1 3/4" per side.
- · Recommended for use with hearths, see page 153.
- Center height 8".
- Raised panel profile is unique to this item and does not match any door style.
- Ends are pocket drilled for installation to adjacent cabinet frames.

#### **Finish Techniques**

Distressing	Heirlooming
•	•

#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

Species Availability (All Laminates)						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Oak		
hov color	hov color	hov color	hov color	hov color		

# **RECESSED PANEL ARCH**

**DESCRIPTION** 



13/64

 Trimmable up to 1 3/4" per side. Recommended for use with hearths, see page 153.

- Center height 8"

- Ends are pocket drilled for installation to adjacent cabinet

#### Finish Techniques Distressing Heirlooming

345

## Species Availability (Wood)


species Availability (1100a)						
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
•	Alder	•		•	•	

#### Species Availability (All Laminates)

	, .		•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **STRAIGHT VALANCE**

valance profile



## **VV48**

**VV96** VV120 \*

#### Trimmable. 3/4" thick.

## Finish Techniques

Distressing Heirlooming

#### Species Availability (Wood)

					,	
	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
	•	Alder	•	Hickory	•	•


• Only available in Cherry and Maple.

#### Species Availability (All Laminates)

spotios A	species Availability (All Edillinates)									
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Oak						
box color	box color	box color	box color	box color						

Only available in Cherry and Maple box colors.


**MISSION ROSETTE** 



-27/8"

346

# **ROSETTEMIS**



• Apply with small brad.

**Finish Techniques** Distressing Heirlooming

#### Species Availability (Wood)

species rivaliasility (1100a)					
Rustic Alder Alder		Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	


#### Species Availability (All Laminates)

Horiz. Grain		Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### PLINTH BLOCK FILLER, 3"




#### FFP3X8 (Fluted)



Species	Availab	ility	(All L	amina	tes)
	Horiz	Grain	Vert	Grain	Vert

opoulos realization, trais cuminatos,								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
box color box color		box color	box color	box color				

#### **BUFFET LEG,** 34 1/2" HIGH



## **JBUFFETLEG**

• Trimmable.

Speci	ies Ava	ilability	(Wood	)	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•		•	•


**Finish Techniques** 

Distressing Heirlooming

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	
	High Gloss	High Gloss Horiz. Grain on Maple	High Gloss Horiz. Grain on Maple on Maple	High Gloss Horiz. Grain Vert. Grain Vert. Grain on Maple on Maple on Cherry	

#### **BUNGALOW LEG,** 3" WIDE, 34 1/2" HIGH



## **BUNLEG3**

• Trimmable.

# Finish Techniques Distressing Heirlooming


#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### **BUNGALOW LEG,** 5" WIDE, 34 1/2" HIGH



# **BUNLEG5**

#### Species Availability (Wood) Rustic Alder Cherry Hickory Maple Oak

Finish Techniques Distressing Heirlooming

#### Species Availability (All Laminates)

Alder

openes resultaning (can auminition)						
	Horiz. Grain		Vert. Grain	Vert. Grain	Vert. Grain	
		on Maple	on Maple	on Cherry	on Oak	
	box color box color		box color	box color	box color	

#### COSMO LEG, 35 1/4" HIGH

33/4"

351/4





#### **JCOSMOLEG**

• Trimmable.

Leg is designed with three pieces joined together.



#### Species Availability (Wood)

species Availability (1100a)					
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

Species Availability (All Laminates)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

#### ENGLISH ISLAND COLUMN, 5" WIDE, 35 1/4" HIGH

151/4

351/4



#### **ENGISLCOLUMN**

• Trimmable.



	, .		•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Species Availability (All Laminates)								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
box color	box color	box color	box color	box color				

# **ENGLISH COUNTRY**

271/4"



#### **JENGCNTYLEG**

## **Finish Techniques** Distressing Heirlooming

#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

## LEG, 35 1/4" HIGH





#### **ENGLISH BAR COLUMN,** 42 1/4" HIGH

151/4'

22

421/4



#### **ENGBARCOLUMN**

• Trimmable.




#### Species Availability (Wood)

ahor.	pocios Aranasimy (vioca)						
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak		
•	Alder	•		•	•		

#### Species Availability (All Laminates)

-p, (,								
Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain					
on Maple	on Maple	on Cherry	on Oak					
box color box color		box color	box color					
	Horiz. Grain on Maple	Horiz. Grain on Maple on Maple	Horiz. Grain Vert. Grain on Maple on Cherry					

#### **ESTATE LEG, SMALL,** 2 3/4" WIDE, 35 1/4" HIGH



# **JESTATELEGS**

Trimmable.

Finish Techniques						
Distressing	Heirlooming					


#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **ESTATE LEG SPLIT,** SMALL, 23/4" WIDE, 35 1/4" HIGH



# **JESTATELEGSS**

Trimmable.

#### **Finish Techniques** Distressing Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Oak	
	box color	box color	box color	box color	box color	

#### **ESTATE LEG,** 35 1/4" HIGH 33/4"

1113/16

209/16"

27/8"

33/4"

351/4

348





**JESTATELEG** 

#### Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)

	1 ' '				
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	, , , , , , , , , , , , , , , , , , , ,				
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### GAELIC LEG, 4 1/2" WIDE, 35 1/2" HIGH

. 18<sup>3</sup>/<sub>4</sub>"

**DESCRIPTION** 

|41/2"|

41/2"

351/2



#### **GAELICLEG**

Trimmable.

i	اسانسا	:l:+ /\/\\	
		Distressing	Heirlo

Finish Techniques

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

# FRENCH COUNTRY LEG, 3 3/4" WIDE, 35 1/4" HIGH

111/4"

151/4

33/4"

351/4

351/4



## **JFRNCNTYLEG**

• Trimmable.

# Finish Techniques



#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Vert. Grain	Vert. Grain	Vert. Grain
on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color
	on Maple	on Maple on Maple	on Maple on Maple on Cherry

#### ISLAND LEG, 2-SIDED, 35 1/4" HIGH

33/4"

33/4"

351/4

21/4 Taper 2 Sides



#### **2SISLLEG**

• Trimmable.



#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### FRENCH COUNTRY LEG, 5" WIDE, 35 1/4" HIGH

111/4

15<sup>1</sup>/4"


41/2



## **JFRNCNTYLEGL**

Trimmable.






#### Cuccios Aveilebility (All Leminetos)

Alder

Species Availability (All Laminates)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

#### ISLAND LEG, 4-SIDED, 35 1/4" HIGH

261/4"



Taper 4 Sides

# **4SISLLEG**

#### Trimmable.



Finish Techniques

#### Species Availability (All Laminates)

-poulos strainasiii j (stil zailililaiss)							
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
	High Gloss	on Maple	on Maple	on Cherry	on Oak		
	box color	box color	box color	box color	box color		

5"

351/4"

3"

341

Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

# 349

# ISLAND LEG TAPERED, 35 1/4" HIGH



ISLEGTPRD

• Trimmable.



## Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	, ,		•	
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

## METRO BAR COLUMN, 42 1/4" HIGH

31/2

Taper 4 Sides

|33/4"|

33/4"

421/4"



#### **METBARCOLUMN**

• Trimmable.

## Finish Techniques

Distressing Heirlooming

## Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
box color	box color	box color	box color	box color



Glaze in Mission Detail



# JSPLEGSS Trimmable

# Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### METRO ISLAND COLUMN, 34 5/8" HIGH

3019/32"



## 5 METISLCOLUMN

- Trimmable.
- Leg is designed with three pieces joined together.

#### Finish Tochnique

i iiii jii iccii	iliques
Distressing	Heirlooming
	•

#### Species Availability (Wood)

- spot	,				
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

species A	Species Availability (All Ealilliates)							
Horiz. Gr		Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak				
box color box color		box color	box color	box color				

#### SPOOL LEG, 34 1/2" HIGH



#### SPLEG

Trimmable.

# Finish Techniques Distressing Heirlooming •

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak	
•	Alder	•		•	•	

#### Species Availability (All Laminates)

-processing (constitution)					
			Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color box color		box color	box color	box color

350


**SQUARE ISLAND LEG,** 

#### **SQUARE ISLAND LEG,** 3" x 3", 35 1/4" HIGH



JSQISLLEG3

# Finish Techniques



# Distressing Heirlooming

	 J	
		•
 	 ٠.	

## Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

351/4

421/4



#### JSQISLLEG6

Species Availability (vvooa)						
	Rustic		Rustic			
Alder	Alder	Cherry	Hickory	Maple	0ak	
•	Alder	•		•	•	

Finish Techniques

Distressing Heirlooming

#### Species Availability (All Laminates)

opened it analy (in Laminares,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### **SQUARE ISLAND LEG,** 4" x 4", 35 1/4" HIGH



**JSQISLLEG4** 

• Trimmable.

#### **Finish Techniques** Distressing Heirlooming

		•
ocios Avnilak	ility (Wood)	

-p/				,	
Alder	Rustic	Charm	Rustic	Manla	Oak
Aluel	Aluel	Cherry	Hickory	maple	UUK
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **SQUARE BAR LEG,** 4" x 4", 42 1/4" HIGH





Alder

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple		Vert. Grain on Oak
box color	box color	box color	box color	box color

#### **SQUARE ISLAND LEG,** 5" x 5", 35 1/4" HIGH

351/4

351/4





#### **JSQISLLEG5**

# **Finish Techniques**

Distressing	Heirlooming
	•


#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

Species Availability (All Edillilates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

#### **SQUARE BAR LEG,** 6" x 6", 42 1/4" HIGH



# **JSQBARLEG6**

Trimmable.

#### **Finish Techniques** Distressing Heirlooming

#### rios Availahility (Wood)


Species Availability (1100a)						
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
•	Alder	•		•	•	

#### Species Availability (All Laminates)

openies in anazim, tim zaminares,					
	Horiz. Grain		Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### **SQUARE ISLAND LEG, METAL SLEEVE,** 3" x 3", 35 1/4" HIGH





#### 3SQLEGALS-35 3SQLEGWIS-35

- Trimmable from top of leg.
- Finishes available: Brushed Aluminum Sleeve (ALS) and Wrought Iron Sleeve (WIS).
- Constructed of three 1" solid-wood sections.

rinish techniques					
Heirlooming					
•					


## Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

			•	
		Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

**SQUARE ISLAND LEG, METAL SLEEVE,** 4" x 4", 35 1/4" HIGH





#### **4SQLEGALS-35 4SQLEGWIS-35**

- Trimmable from top of leg.
- Finishes available: Brushed Aluminum Sleeve (ALS) and Wrought Iron Sleeve (WIS).
- Constructed of four 1" solid-wood sections.

#### Finish Techniques

Distressing	Heirlooming
	•


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **SQUARE ISLAND LEG, METAL SLEEVE,** 5" x 5", 35 1/4" HIGH





#### **5SQLEGALS-35 5SQLEGWIS-35**

- Trimmable from top of leg.
- Finishes available: Brushed Aluminum Sleeve (ALS) and Wrought Iron Sleeve (WIS).
- Constructed of five 1" solid-wood sections.

#### Finish Tack

i iiii sii icciiiiqocs					
Distressing	Heirlooming				
	•				


#### Species Availability (Wood)

species Availability (vvoou)							
	Rustic		Rustic				
Alder	Alder	Cherry	Hickory	Maple	0ak		
•	Alder	•		•	•		

#### Species Availability (All La

Species Availability (All Laminates)							
	Horiz. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

#### **SQUARE LEG with** TAPERED FOOT, 3" WIDE, 35 1/4" HIGH



# **SQLEGTAP3**

## Trimmable.

Finish Techniques Distressing Heirlooming


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **SQUARE LEG with** TAPERED FOOT, 4" WIDE, 35 1/4" HIGH



#### **SQLEGTAP4**

• Trimmable.

#### Finish Technic

Distressing	Heirlooming
	•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•


#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **TURNED POST** ISLAND LEG, 35 1/4" HIGH

21/2

Taper 4 Sides





#### **TURNEDPOST**

Trimmable.

## Finish Techniques

Distressing Heirlooming

#### Species Availability (Wood)

				•	
	Rustic	c.	Rustic		0.1
Alder	Alder	Cherry	Hickory	Maple	Uak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

. 105/8'

1915/16"

33/4"

352



**JURNLEG** 

• Trimmable.

#### Finish Techniques



#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
		•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

High Gloss on Maple on Maple on Cherry on Oak box color box color box color box color		Horiz. Grain		Vert. Grain	
box color box color box color box color box color			on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

#### URN LEG, 5" WIDE, 35 1/4" HIGH

105/8

1915/16"

5"

351/4



# JURNLEGL

#### **Finish Techniques** Heirlooming Distressing


#### Species Availability (Wood)

			•	•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	, .			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### ABBE FOOT, 4" HIGH





#### **ABFOOT**

· Recommended for applications without toekicks.

# **Finish Techniques**

Distressing	Heirlooming
	•


#### Species Availability (Wood)

				•	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

			Vert. Grain	Vert. Grain	Vert. Grain
ı	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

#### COSMO FOOT, 4" HIGH **JCOSFOOT**



#### Species Availability (All Laminates)

species Availability (All Lallillates)				
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### **CRAFTSMAN FOOT,** 4 1/2" HIGH

**DESCRIPTION** 



#### **JCRAFTFOOT**

Trimmable.

## Finish Techniques Distressing Heirlooming


#### ecies Availahility (Wood)

- 1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•


#### Species Availability (All Laminates)

	Horiz. Grain		Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### KENSINGTON BUN FOOT, 4 1/2" HIGH







#### Finish Techniques

Distressing	Heirlooming
	•

#### Species Availability (Wood)

species Availability (1100a)					
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color


Onk


on Oak

on Maple on Maple on Cherry


box color box color box color box color


box color box color box color box color







High Gloss










Species Availability (All Laminates)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	



Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

**EMBELLISHMENTS** 

box color box color box color box color

4 1/2" HIGH

354

Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

TAPERED LEG, 6" HIGH



**TAPLG** • Trimmable.



## Finish Techniques

Distressing	Heirlooming
	•

## Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	

#### Species Availability (All Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

**TOEKICK TULIP FOOT,** 4 5/8" HIGH



#### **TKTLFOOT**

• Trimmable.



#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

TULIP FOOT, 4 5/8" HIGH

— 15/8"



#### **TLFOOT**

Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)

•	Alder	•		•	•
Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### 2" DECORATIVE **SPLIT TURNINGS**

63/8

15/16" \_\_\_



**SPTRINGEND** (Sold in Pairs)

• Ends sold separately from split turnings. • 5 day Express Response not available on Architectural

SPTRINGSPOOL30 (Half Round)

SPTRINGSPOOL96 (Half Round)

Finish Techniques				
Distressing	Heirlooming			
	•			


### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### ecies Availability (All Laminates)

species Availability (All Edillinates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Oak		
box color	box color	box color	box color	box color		

## **SPTRINGEND**



SPTRINGSPOOL\_

#### 9" SMALL CORBEL



61/16

#### **SMCORBEL**

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

ĺ	Distressing	Heirlooming
		•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

- P	opened in analy (in Landing of						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

#### 13" LARGE CORBEL



Rosette Detail

93/16"

#### **LGCORBEL**

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### **Finish Techniques**


Distressing	Heirlooming
	•

#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color



#### 9" ART CORBEL



#### **T** ((



 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

Distressing	Heirlooming
	•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

Species Availability (All Editiliares)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

# 9" CLASSIC REVIVAL CORBEL

**DESCRIPTION** 



#### **CORBELCR9**

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.



Distressing	Heirlooming
	•


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

		, .			
I		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
ı	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color





Glaze in Recess Detail

#### JCORBELCOS13D

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### **Finish Techniques**

Distressing	Heirlooming
	•


#### Species Availability (Wood)

•	Alder	•		•	•
Alder	Alder	Cherry	Hickory	Maple	0ak
	Rustic		Rustic		

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### 7" COVE CORBEL



# 5 DAY CORBELCOVE7

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

Distressing	Heirlooming
	•

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

species M	1631			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings. **EMBELLISHMENTS** 

111/4

#### 11 1/4" COVE CORBEL

111/4"



#### **CORBELCOVE11**

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

Distressing	Heirlooming
Distrossing	•

#### Species Availability (Wood)


Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### cies Availability (All Laminates)

11 1			species revailability (rail Edillinates)						
	z. Grain Vert. G	Grain Vert. Grai	n Vert. Grain						
High Gloss on	Maple on Ma	aple on Cherry	on Oak						
box color box	color box co	olor box colo	r box color						

# 356

#### 6" MISSION CORBEL





#### **CORBELMIS6**

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

Distressing	Heirlooming
	•

#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•		•	•

#### Species Availability (All Laminates)

		Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### 9" MISSION CORBEL





#### **CORBELMIS9**

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

i iiiisii Teciiiiiques				
Distressing	Heirlooming			
	•			


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

	· · · · · · · · · · · · · · · · · · ·			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### 5" OLD WORLD CORBEL





#### **CORBELOWD5**

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Te

Distressing	Heirlooming		
	•		

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

Species Availability (All Lallillates)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
hox color	hox color	hox color	hox color	hox color	

#### 11 1/4" SNACK BAR **SUPPORT**



#### SBS

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

Distressing	Heirlooming
	•


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

Species Availability (All Editiliares)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

#### 11 1/2" ARTS & **CRAFTS BRACKET**



#### **JBRACKETART**

Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

riman reciniques				
Distressing	Heirlooming			
	•			


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
box color	box color	box color	box color	box color

#### 12" CRAFTSMAN **OPEN BRACKET**





#### **JCORBELCRAFTO**

Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

rinish lech	niques
Distressing	Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### ciae Averilability (All Laurinatae)

Species Availability (All Laillillates)						
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Oak	
	box color	box color	box color	box color	box color	

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

357

# 6 1/2" SMALL

61/2"





#### JCORBELSHKR7

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

	Distressing	Heirlooming	
Γ		•	

#### Species Availability (Wood)

Alder		Cherry	Maple	Oak
•	Alder	•	•	•

#### Species Availability (All Laminates)

spoulds Availability (All Edillinates)					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color box color		box color	box color	box color	

#### 9" TRIAD CORBEL, **NARROW**



113/16"

#### **CORBELTRIAD9N**

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•


#### Species Availability (All Laminates)

Species Availability (All Edillilates)					
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

# Glaze in Corner Detail

#### 13 3/8" MEDIUM **SHAKER CORBEL**

— 31/4" —



#### JCORBELSHKR14

Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

Distressing	пешооппп
	•


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•

#### Species Availability (All Laminates)

opened in analy, (in animares,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### 12" TRIAD CORBEL



Glaze in Corner Detail

#### **CORBELTRIAD12**

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques


Distressing Heirlooming

pecies Availability (Wood)								
	Rustic		Rustic					
lder	Alder	Cherry	Hickory	Maple	0ak			
_	Aldor	•		•	_			

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

#### 5 1/2" TRIAD CORBEL



#### **CORBELTRIAD6**

Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

Distressing	Heirlooming
	•


#### Species Availability (Wood)

- 1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
	Rustic	CI.	Rustic		0.1
Alder	Alder	Cherry	Hickory	Maple	Uak
•	Alder	•		•	•

#### Species Availability (All Laminates)

Species Availability (All Lallilliates)							
Horiz. Grain		Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Oak			
box color	box color	box color	box color	box color			

#### 9" BAUHAUS CORBEL



#### CORBELBAUAL9 **CORBELBAUWI9**

- Finishes available: Brushed Aluminum (AL) and Wrought Iron (WI).
- Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques Distressing Heirlooming

#### Species Availability (Wood)


-pou			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

# MBELLISHMENTS



#### CORBELBAUAL12 CORBELBAUWI12

- Finishes available: Brushed Aluminum (AL) and Wrought /8" Iron (WI).
- Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

#### Finish Techniques

Distressing Heirlooming

#### Species Availability (Wood)

	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Oak	
box color	box color	box color	box color	box color	

#### SINGLE OUTLET COVER





#### Finish Techniques

Distressing Heirlooming

#### Species Availability (Wood)

41.1	Rustic	CI.	Rustic		0.1
Alder	Alder	Cherry	Hickory	Maple	Uak
•	Alder	•		•	•

#### Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	
box color	box color	box color	box color	box color

#### **SINGLE ROCKER PLATE**





# JSRC

#### Finish Techniques

Distressing Heirlooming


#### Species Availability (Wood)

				•	
	Rustic		Rustic		
Alder	Alder	Cherry	Hickory	Maple	0ak
•	Alder	•		•	•

				•	
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
	box color	box color	box color	box color	box color

#### **CONTEMPORARY EMBELLISHMENTS**


#### **METAL FEET, SQUARE**



#### **FOOTMETALSQBS FOOTMETALSQPS**

- BS = Brushed Stainless
- PS = Polished Stainless


#### **TOUCH LATCH**




#### **TOUCHLATCH**

- Nylon gray mechanism with bumper tip.
- · Face frame will need to be field drilled for insertion of the TOUCHLATCH, requires 25/64" (10mm) drill bit.
- Can be field adjusted for door gap depth, no tools required.
- For use on full overlay door styles only.
- Requires a soft touch to open the door, and door must be pushed closed to reset the TOUCHLATCH mechanism.
- Only for use on hinged doors, and can be used without decorative hardware. Not compatible with non-hinged doors such as pull-outs, Wall Vertical-lift (WVL..). For drawers, pull-outs, and other non-compatible cabinets, PULLH105, PULLH106, and PULLH107 are recommended (see page 367).

#### MID-CENTURY TRIANGLE BRACKET, 12 3/4" DEEP






#### TRIBRKT12GMG TRIBRKT12WI TRIBRKT12SS

- Finishes available: Gun Metal Gray (GMG), Wrought Iron (WI), and Stainless Steel (SS).
- Includes matching hardware.
- Pre-drilled mounting holes for easy installation.
- Designed for a 12" deep, 3/4" thick shelf to be placed inside bracket. See Exterior Shelf (ES12..) on page 361 and Modern Corner Shelf (MDCCRNSHLF) on page 360. When used with MDCCRNSHLF, four brackets are recommended.
- 1/4" material thickness.
- Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.
- Must be properly installed into a structural member of the wall.
- Sold individually. Recommended to use two brackets on shelves up to 48" wide, additional brackets should be added on wider shelves.


#### INDUSTRIAL BRACKET, LOOP, 8 7/8" DEEP



#### **BRACKETIND9SS BRACKETIND9GMG BRACKETIND9WI**

- On the stainless steel versions, the screws are countersunk.
- Finishes available: Stainless Steel (SS), Gun Metal Gray (GMG), and Wrought Iron (WI).
- Open area for 8" deep shelf placement is 15/16" high, shelf is to be secured with a screw in the bottom loop.
- Pre-drilled mounting holes for easy installation.
- 1/4" material thickness.
- · Must be properly installed into a structural member of the wall.
- Sold individually. Recommended to use two brackets on shelves up to 48" wide, additional brackets should be added on wider shelves.

#### **INDUSTRIAL BRACKET,** LOOP, 12 7/8" DEEP




#### **BRACKETIND13SS BRACKETIND13GMG BRACKETIND13WI**

- On the stainless steel versions, the screws are countersunk.
- Finishes available: Stainless Steel (SS), Gun Metal Gray
- (GMG), and Wrought Iron (WI).

  Open area for 12" deep shelf placement is 15/16" high, shelf is to be secured with a screw in the bottom loop.
- Pre-drilled mounting holes for easy installation.
- 1/4" material thickness.
- Must be properly installed into a structural member of the wall.
- Sold individually. Recommended to use two brackets on shelves up to 48" wide, additional brackets should be added on wider shelves.

**DESCRIPTION** 

#### INDUSTRIAL BRACKET, STRAIGHT, 8 1/2" DEEP




360

#### STBRACKETIND9SS STBRACKETIND9G **STBRACKETIND9WI**

- On the stainless steel versions, the screws are countersunk.
- Finishes available: Stainless Steel (SS), Gun Metal Gray (G), and Wrought Iron (WI).
- · Pre-drilled mounting holes for easy installation.
- 1/4" material thickness.
- Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.
- · Must be properly installed into a structural member of the wall.
- Sold individually. Recommended to use two brackets on shelves up to 48" wide, additional brackets should be added on wider shelves.

#### **INDUSTRIAL BRACKET,** STRAIGHT, 12 1/2" DEEP



#### STBRACKETIND13S STBRACKETIND13G STBRACKETIND13W

- On the stainless steel versions, the screws are countersunk.
- Finishes available: Stainless Steel (S), Gun Metal Gray (G), and Wrought Iron (W).
- · Pre-drilled mounting holes for easy installation.
- 1/4" material thickness.
- Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.
- · Must be properly installed into a structural member of the
- Sold individually. Recommended to use two brackets on shelves up to 48" wide, additional brackets should be added on wider shelves.

#### SHELF SUPPORT BRACKET. **SATIN NICKEL**


#### **SHELFBRKTSN**

- Sold in pairs.
- Can be used with glass shelves 0.28"-0.75" (7-19mm) thick, or wood shelves 0.5"-1.61" (12-41mm) thick.
- Must be properly installed into a structural member of the llnw
- Maximum shelf load varies with shelf depth. For a 12" deep shelf, maximum shelf load is 50 lbs. each including shelf weight.





#### **FLOATING SHELVES**



Maximu	m weignt
Capacity	per Shelf
FS24	25 lbs.
FS30	31 lbs.
FS36	37 lbs.
FS42	43 lbs.
FS48	50 lbs.
FS54	56 lbs.
FS60	62 lbs.

#### **FS24**

**FS30** 

**FS36 FS42** 

FS48 \*

FS54 \*

FS60 \*

- 3/4" thick solid-wood front, back, and ends. 3/8" thick veneered Medium Density Fiberboard (MDF) top and bottom. When a Paint finish is specified, veneer may not be applied. Front and ends are mitered together.
- · Includes wood mounting plate with metal brackets. Once installed, mounting system is fully concealed.
- Not trimmable.

#### Finish Techniques

Distressing	Heirlooming

#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
•	Alder	•		•	•


Only available in Cherry and Maple.

#### Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

#### FLOATING SHELVES, **STAINLESS STEEL**




/	
Maximum \	Veight
Capacity pe	r Shelf
SSFSH2410	40 lbs.
SSFSH3010	50 lbs.
SSFSH3610	60 lbs.

#### SSFSH2410 SSFSH3010 SSFSH3610

- Stainless steel shell on wood frame. Includes hanging bracket and installation hardware.
- Includes wood mounting plate with metal brackets. Once installed, mounting system is fully concealed.

#### MODERN CORNER SHELF, 30" x 30" x 3/4"



#### **MDCCRNSHLF**

- Constructed of 3/4" wood panels.
- Top, bottom, front, and sides are finished, back two edges are not finished.
- Compatible with the Mid-century Triangle Bracket (TRIBRKT12\_\_\_, see page 359).

#### Finish Techniques


•	

#### Species Availability (Wood)

Δlder	Rustic Alder	Cherry	Rustic Hickory	Manle	Onk
•	Alder	•	HICKOTY	Mupic	•

	, ,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

MODERN CORNER FLOATING SHELF, 30" x 30" x 2 1/2"



#### **MDFLCRNSHLF**

- Installation kit included.
- Maximum weight capacity is 52 lbs.
- 3/4" thick solid-wood front and ends. 3/8" thick veneered top and bottom.
- Not trimmable.

#### Finish Techniques

Distressing	Heirlooming
	•


#### Species Availability (Wood)

Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oal
•	Alder	•		•	•

#### Species Availability (All Laminates)

	, ,								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Oak					
box color	box color	box color	box color	box color					

EXTERIOR SHELVES, 12", 18", 21", or 24" DEEP



ES1218 ES1224

ES1230 ES1236

ES1248

ES1296<sup>†</sup>

ES1818 ES1824

ES1830

ES1836 ES1848

ES1896<sup>†</sup>

ES2118

ES2124 ES2130

ES2136

ES2148 ES2196<sup>†</sup>

ES2418

ES2424

ES2430

ES2436

ES2448 ES2496<sup>†</sup>

- Wood 3/4" panels are veneered furniture board finished both sides, and front and side edges (back edge is not finished).
- Not available in wood grain laminates.
- Shelves can be ordered in APC.

†5 day Express Response not available on items over 48".

# Custom Modifications ID RD Distressing Heirlooming

#### Species Availability (Wood)

				-	
Alder	Rustic	Charry	Rustic Hickory	Manlo	Oak
Aluei	Aluel	CHEITY	HICKUTY	mupie	UUK
•	Δlder	•	Hickory	•	•

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color

107/32 or 22<sup>7</sup>/<sub>32</sub>"

362

SK912

SK1212

SK1512

SK1812

SK2112 SK2412

SK2712

SK3012 SK3312

SK3612 SK3912

SK4212

SK4812

SK924

SK1224

SK1524

SK1824

SK2124 SK2424

SK2724

SK3024

SK3324

SK3624

SK3924

SK4224

SK4824

- SK\_\_12 includes one 10 7/32" deep shelf. SK\_\_24 includes one 22 7/32" deep shelf.
- Each kit includes 8 shelf pegs.
- · Shelving material specific to construction option. See page 36 for construction details.
- · Specify material when ordering.
- Full Depth Shelves will be shipped separate from the cabinet.
- If matching interior is desired, order shelf kit (SK\_ with Matching Interior Plywood (MIP) modification.

Custo	om Mo	difica	tions
ID	MIP	RD	WLI

• • •

Construction Upgrade
APC
•

**GLASS SHELF KIT,** 9" DEEP

JGSK1209

JGSK1509 JGSK1809

JGSK2109

**JGSK2409 JGSK2709** 

JGSK3009

JGSK3309 **JGSK3609** 

- JGSK cannot be trimmed.
- Kit includes two 1/4" glass shelves.
- Example: JGSK1209 = 10 9/32" x 7 3/16" to fit W1230x9 cabinet.
- · Not compatible with the FFD modification.
- All glass shelf kits will be drop shipped separately from the cabinet order.



JGSK912

JGSK1212

JGSK1512

JGSK1812

JGSK2112

JGSK2412

JGSK2712

JGSK3012 JGSK3312

JGSK3612

- JGSK cannot be trimmed.
- Kit includes two 1/4" glass shelves.
  Example: JGSK1512 = 13 9/32" wide x 10 3/16" deep fits in W1530x12 Deep Cabinet.
- All glass shelf kits will be drop shipped separately from the cabinet order.

#### **Custom Modifications**

ID	RD
•	

#### **GLASS SHELF KIT,** DIAGONAL



JGSKDW24 (Fits DW..2424) **JGSKDW27** (Fits DW..2727)

- JGSK cannot be trimmed.
- Kit includes two 1/4" glass shelves.
- Not available for 24" and 27" high Diagonal Wall cabinets. Shelf will not fit through door opening.
- Not available for Diagonal Wall cabinets specified with Peninsula modification.
- All glass shelf kits will be drop shipped separately from the cabinet order.

#### LIGHTING

- LEDs are a solid state lighting source. LEDs are more efficient, durable, and safer than older light sources.

  • CW = Cool White (Kelvin rating: 5000)

  • WW = Warm White (Kelvin rating: 3200)

- Installed lighting products are not available in California, with the exception of the Battery Strip Light (BATTLTI).

#### LED PUCK LIGHTING, **STANDARD**



#### PUCK18CW PUCK18WW

- Contains 18 LED diodes with a life span of 50,000 hours.
- Measures less than 1/4" for low profile surface mounting.
- 65° beam angle.
- Compatible with Dimmable Driver (DIMM241512) and Power Extension Cable (CABL2500).
- Available in: warm or cool white in plastic housing with an aluminum color finish.
- Puck dimension is 2.56" x 2.56" (65mm x 65mm).
- Power usage: 1.25 watts.
- Voltage: 24V Compatibility.

#### LED PUCK LIGHTING, HIGH DEFINITION



surface mount



flush mount

#### **PUCK24WW**

- Contains 24 LED diodes with a life span of 50,000 hours.
- Surface or flush mounted (remove ring for flush) mounting).
- 50° beam angle.
- Compatible with Dimmable Driver (DIMM241512) and Power Extension Cable (CABL2500).
- Available in: warm or cool white light in aluminum housing.
- Puck diameter is 2.58" (65.5mm) and height is 0.41" (10.5mm).
- · Power usage: 1.65 watts.
- Voltage: 24V Compatibility.

#### **LED FLEXIBLE STRIP**



#### FLEX12CW FLEX12WW FLEX36WW



- Linkable and trimmable in increments of either  $3^{\prime\prime}$ (FLEX12..) or 3 1/4" (FLEX36..), not to exceed a total of 18'
- Adhesive back
- Compatible with Dimmable Driver (DIMM121512) and Flex Driver Connection Lead (LEADDFLX2500).
- Suggested use: installed over cabinet, under cabinet, in cabinet, and on the toekick.
- Available in: warm or cool white.
- FLEX12.. Dimensions: Length 11.81" (300mm), Width 0.31" (8mm), and Depth 0.1" (2.5mm).
- FLEX36.. Dimensions: Length: 39.37" (1000mm), Width 0.31" (8mm), and Depth 0.1" (2.5mm).
- Power usage: 0.8 watts (FLEX12..) and 2.5 watts (FLEX36..).
- Voltage: 12V Compatibility.

#### **LED RIGID STRIP** RIGID12CW RIGID12WW **RIGID24WW**

THE THE PARTY OF T



- Suggested use: straight runs (use link wires for corners).
- Available in 12 or 24 diodes per stick.
- · Easy-to-clean, protective shell.
- Compatible with Dimmable Driver (DIMM121512) and Rigid Driver Connection Cable (CABLRIDG2500).
- Available in: warm or cool white.
- Includes brackets and screws for easy installation.
- 50,000 hour life span.
- Dimensions (12 Diodes): Length 11.81" (300mm), Width 0.31" (8mm), and Depth 0.24" (6mm).
- Dimensions (24 Diodes): Length 11.22" (285mm), Width 0.31" (8mm), and Depth 0.24" (6mm).
- Power usage: 0.8 watts (RIGID12..) and 1.5 watts (RIGID24..).
- Voltage: 12V Compatibility.

#### **BATTERY STRIP LIGHT**

DESCRIPTION

#### (0 0 0 0 0 0 0

#### **BATTLTI**

- Battery operated (4) AAA batteries (not included).
- Motion activated
- Low power usage (0.3W).
- Plastic aluminum finish.
- Dimensions: Length 11.93" (303mm), Width 0.67" (17mm), and Depth 0.55" (14mm).
- Easy adhesive install.

5 DAY


#### STANDARD DRIVERS



STAND1264 STAND2464



#### STAND121512



#### STAND123012 STAND243012



STAND242012

# STAND1264 STAND2464 STAND121512 STAND123012 STAND243012

STAND242012


 Product Codes list the driver voltage, watts, and connector ports, such as STAND123012 is 12V, 30W, and 12 connector ports.

		Voltage	Wattage (Max Load)	Connector Ports
STAND1	264	12	6	4
STAND2	464	24	6	4
STAND1	21512	12	15	12
STAND1	23012	12	30	12
STAND2	43012	24	30	12
STAND2	42012	24	20	12

#### **AC DIMMABLE DRIVERS** (DAYBREAK)







• Drivers can be hard wired or used with included plug head. Multiple drivers can be used with a single wall dimmer switch and voltages can be mixed.

	Voltage	Wattage (Max Load)	Connector Ports
DIMM121512	12	15	12
DIMM241512	24	15	12

# 364





#### IR1224

- Compatible with both 12V and 24V products.
- Can be installed inside or under a cabinet or recessed into moulding. Turns on and off by passing hand in front of it or when cabinet door is opened or closed.



recess

surface mount

• LEDs are a solid state lighting source. LEDs are more efficient, durable, and safer than older light sources.

#### **POWER EXTENSION CABLE**




#### **CABL2500**

- Provides an additional 98.43" to reach those fixtures which are out of reach with the standard power leads.
- Features a male connector on one end and a female connector on the other.
- Compatible with PUCK18 \_\_ and PUCK24 \_\_

#### **FLEX DRIVER CONNECTION LEAD**



#### LEADDFLX2500



- Lead length is 98"
- Compatible with FLEX12\_ and FLEX36\_ \_.

#### **FLEX INTER CONNECTIONS**



#### **CONNFLXCRN50**




LEADFLXIC500 LEADFLXIC1500

#### CONNFLXCRN50 LEADFLXIC500 LEADFLXIC1500

- · Used with the LED flexible strips to connect strips together while allowing a gap between sections.
- CONNFLXCRN50 is 1.97" (50mm) and is recommended for the connection of two flexible strips around a corner.
- . LEADFLXIC500 is 19.69" (500mm), suggested use is around small obstructions.
- LEADFLXIC1500 is 59" (1500mm), suggested use is around large appliances such as microwaves and refrigerators.
- Compatible with FLEX12\_ \_ and FLEX36\_ \_.

# **RIGID DRIVER**

DESCRIPTION



#### CABLRIGD2500

- Required to connect the first LED strip in a series to the
- · Cable length is 98".
- Compatible with RIGID12\_ and RIGID24\_ ...

#### **RIGID INTER CONNECTIONS**



# CABLRIGCRN30 CABLRIGIC300

- LEADRIC1500 • Used with the LED rigid strips to connect strips together
- while allowing a gap between sections. • CABLRIGCRN30 is 1.18" (30mm) and is recommended for the connection of two rigid strips around a corner.
- CABRIGIC300 is 11.81" (300mm).
- LEADRIC1500 is 59" (1500mm), suggested use is around large appliances such as microwaves and refrigerators.
- Compatible with RIGID12\_ \_ and RIGID24\_ \_.

#### CABLRIGIC300

CABLRIGCRN30



LEADRIC1500

#### **RIGID STRIP END CAP**



# 5<sub>DAY</sub>

#### **ENDRIG**

- · Used to provide a clean and professional termination of the rigid strip light series.
- Compatible with RIGID12\_ \_ and RIGID24\_ \_.

#### **QUATTRO DIMMING RECEIVER**



#### **QDIMREC**

- Wireless RF control for an easy, no wire installation.
- Unlimited receiver locations per zone.
- Up to 100' of wireless operation even through obstacles like walls.
- 256 levels of extra smooth dimming.
- Soft start On/Off for gradual dimming.

#### **QUATTRO WALL CONTROLLER**





#### **Q4ZONECON**

- Wireless RF control for an easy, no wire installation.
- Unlimited receiver locations per zone with Quattro Dimming Receiver.
- Detachable face for easy handheld remote operation and battery changing.
- . Up to 100' of wireless operation even through obstacles
- Multiple switches per zone for easy 2, 3, or 4 way control.
- · Can be ganged (grouped) with wall switches or outlets behind a single cover plate.
- . Includes low cost, long life lithium 3V battery for up to 10 years of operation.

#### **ANTIQUE PEWTER**



**DECORATIVE HARDWARE - KNOBS & PULLS** 



# KNOBM148

L: 2 5/8" W: 5/8" P: 1 1/4"



#### KNOBM206

D: 1 1/4" P: 1 1/16"



#### PULLM364

C/C: 3" L: 4 5/8" W: 1 7/16" P: 15/16"



#### PULLM475

C/C: 3 3/4" L: 5" W: 9/16" P: 1"







#### KNOBT1017

C/C: 1 1/4" L: 2" W: 11/16" P: 1 ]/4" Pairs best with PULLT1015



C/C: 7" L: 8" W: 11/16" P: 1 1/2" Pairs best with KNOBT1017



**P** = Projection (Hardware Depth)

L = Length

**W** = Width  $\mathbf{B} = \mathsf{Base}$ 

**C/C** = Center to Center

Installation screws included with each hardware piece.

Breakoff screws available for purchase separately as BRKOFFSCREW, see page 383. Larger pulls may not be compatible with 5-piece drawer fronts on face frame openings of 9" wide or less. See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.



**DESCRIPTION** 

#### KNOB1912

D: 1 1/4" P: 1 13/16"



#### KNOBH951

L: 1 3/4" W: 1" P: 1"

B: 1 1/16" x 1/2"



#### PULLH952

C/C: 3" L: 4 1/4" W: 1 1/2" P: 11/16"



#### PULLM383

C/C: 5 1/16" L: 6" W: 1/2" P: 1 1/16"



# 5<sub>DAY</sub>



#### KNOB1901

L: 1 7/16" W: 1 1/4" P: 1 1/8" B: 15/16"



#### PULL1902

C/C: 128mm L: 6 1/3" W: 1 1/10" P: 1 1/16"







#### KNOBH116

L: 1 5/16" W: 1 1/4" P: 1 1/8" B: 3/8"



#### PULLH115

C/C: 128mm L: 6 3/8" W: 1/2" P: 1"

366





#### KNOBH136

L: 1 3/4" W: 1/2" P: 1 1/8" B: 1/2"

#### PULLH130

C/C: 128mm L: 6 3/8" W: 7/16" P: 1 1/8"

#### PULLH132

C/C: 224mm L: 10" W: 1/2" P: 1 3/8"







#### KNOBRH20

L: 1 7/16" W: 1 7/16" P: 1 3/32"

#### PULLRH21

C/C: 3" L: 4 39/64" W: 25/32" P: 1 3/16"

#### **CAST IRON**





#### KNOBM1820

L: 1 5/16" W: 1 5/16" P: 1"

- **D** = Diameter
- **P** = Projection (Hardware Depth)
- L = Length **W** = Width
- $\mathbf{B} = \mathsf{Base}$ **C/C** = Center to Center

Installation screws included with each hardware piece.

Breakoff screws available for purchase separately as BRKOFFSCREW, see page 383. Larger pulls may not be compatible with 5-piece drawer fronts on face frame openings of 9" wide or less. See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.

# **DESCRIPTION**

**CHROME** 





#### **KNOB1906**

L: 1 1/16" W: 1 1/16" P: 1 1/8" B: 3/8"

#### **PULL1905**

C/C: 128mm L: 6 3/8" W: 9/16" P: 1"

#### **PULL1904**

C/C: 3 3/4" L: 5 1/4" W: 1" P: 1"

#### **GOLD**





#### KNOB1908

L: 1 1/4" W: 1 1/4" P: 1" B: 3/8" Pairs best with PULL1907

#### **PULL1907**

C/C: 160mm L: 67/10" W: 2/5" P: 1 1/5" Pairs best with KNOB1908

#### KNOB1909


L: 1 1/4" W: 1 1/4" P: 1 1/8" B: 3/4" Pairs best with PULL1910 or PULL1911

#### **PULL1910**

C/C: 224mm L: 9 9/16" W: 3/4" P: 1 5/16" Pairs best with KNOB1909 or PULL1911

#### **PULL1911**

C/C: 192mm L: 8 3/8" W: 3/4" P: 1 1/4" Pairs best with KNOB1909 or PULL1910



**HAMMERED** 

**BRONZE** 

367

C/C: 160mm L: 7 1/8" W: 3/4" P: 1"

Pairs best with PULLH122

PULLH122

C/C: 12" L: 12 3/4" W: 7/8" P: 1 3/16" Pairs best with PULLH120

PULLH105

C/C: 1" L: 1 3/4" W: 1" P: 1 3/4" Pairs best with PULLH106 or PULLH107

PULLH106

C/C: 160mm L: 7" W: 1" P: 1 3/4" Pairs best with PULLH105 or PULLH107

PULLH107

C/C: 12" L: 13" W: 1" P: 1 13/16" Pairs best with PULLH105 or PULLH106

**SATIN NICKEL** 













5<sub>DAY</sub>





L: 17/16" W: 11/16" P: 1" B: 1/2"



C/C: 160mm L: 6 5/16" W: 9/16" P: 1 1/16"





**P** = Projection (Hardware Depth)

L = Length

**W** = Width

 $\mathbf{B} = \mathsf{Base}$ 

**C/C** = Center to Center

Installation screws included with each hardware piece.
Breakoff screws available for purchase separately as BRKOFFSCREW, see page 383. Larger pulls may not be compatible with 5-piece drawer fronts on face frame openings of  $9^{\prime\prime}$  wide or less. See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.







368









KNOB1420

D: 1 1/4" P: 1 1/8"

KNOBH100 D: 1 3/8" P: 1 3/8" B: 3/4"

KNOBH118 L: 1 5/16" W: 1 5/16" P: 1 3/16" B: 7/8"

KNOBM549 D: 7/8" P: 1"

PULLH50 C/C: 5" L: 5" W: 5/16" P: 1 1/4"

PULLH63 C/C: 96mm L: 4 1/8" W: 1/2" P: 1 1/16"

PULLH957 C/C: 3" L: 4 1/4" W: 1 1/2" P: 11/16"

**D** = Diameter

**P** = Projection (Hardware Depth)

L = Length

**W** = Width

 $\mathbf{B} = \mathsf{Base}$  $\mathbf{C}/\mathbf{C} = \mathbf{Center}$  to  $\mathbf{Center}$ 

Installation screws included with each hardware piece.
Breakoff screws available for purchase separately as BRKOFFSCREW, see page 383. Larger pulls may not be compatible with 5-piece drawer fronts on face frame openings of  $9^{\prime\prime}$  wide or less. See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.

**SATIN NICKEL** (cont'd)

**DESCRIPTION** 





PULLM381

C/C: 5 1/16" L: 6" W: 1/2" P: 1 1/16"

PULLM430 C/C: 5 1/16" L: 7" W: 15/32" P: 17/16"

PULLM570 C/C: 5 1/16" L: 5 7/8" W: 1/2" P: 1 3/16"

**SILVER STONE** 







KNOBH127

D: 1 1/2" P: 1" B: 7/8"

PULLH128 C/C: 160mm L: 7 1/2" W: 3/4" P: 1 1/16" KNOBH135

Pairs best with PULLH129

Pairs best with KNOBH135 or PULLH131 PULLH131 C/C: 224mm L: 10"

W: 1/2"
P: 1 3/8"
Pairs best with KNOBH135
or PULLH129

C/C: 128mm L: 7 3/8" W: 1/2" P: 1 1/4" Pairs best with PULLH142

L: 1 3/4" W: 1/2" P: 1 1/8" B: 1/2"

or PULLH131

PULLH129

C/C: 128mm L: 6 3/8" W: 7/16" P: 1 1/8"

**PULLT1018** 

C/C: 5 1/16"

**TUSCAN BRONZE** 















C/C: 160mm L: 7 1/8" W: 3/4" P: 1"

369



### PULLM1674

C/C: 3" L: 4 5/8" W: 1 7/16" P: 15/16"

L: 6" W: 1/2" P: 1 1/16"



#### PULLH142

or PULLH143

PULLH141

C/C: 192mm L: 9 15/16" W: 1/2" P: 1 1/4" Pairs best with PULLH141 or PULLH143

#### PULLH143

C/C: 384mm L: 17 1/2" W: 1/2" P: 1 1/4" Pairs best with PULLH141 or PULLH142

- **D** = Diameter
- **P** = Projection (Hardware Depth)
- L = Length
- **W** = Width  $\mathbf{B} = \mathsf{Base}$
- **C/C** = Center to Center

Installation screws included with each hardware piece.
Breakoff screws available for purchase separately as BRKOFFSCREW, see page 383. Larger pulls may not be compatible with 5-piece drawer fronts on face frame openings of  $9^{\prime\prime}$  wide or less. See page 81 for 5-piece drawer front dimensions when specifying decorative hardware.

#### **DECORATIVE HARDWARE - FAUX HINGES**

- Faux Strap Hinge: For 12"-33" high doors use 2 faux hinges. For 36" high and above use 3 faux hinges.
- Faux Barrel Hinge: For 12"-36" high doors use 2 faux hinges. For 39" high and above use 3 faux hinges.
- Requires field installation.
- For use with Door 26 door style.

  1/4" space filler or extended stile modification recommended when applying faux hinges (strap or barrel) on cabinets with varied depths or next to an appliance to allow for full swing clearance.

370







HINGEFH1

Faux Barrel Hinge Pairs best with the following hardware finishes: Black Iron

Blackened Bronze Bronze Highlight Cast Iron

Hammered Bronze

Ice Tea Silver Stone

Tuscan Bronze

**PEWTER** 





HINGEFH2

Faux Barrel Hinge Pairs best with the following hardware finishes: Antique Pewter

Black Black Mist Blackened Bronze Chrome

**BLACK** 





**HINGEFH3** 

Faux Strap Hinge

Pairs best with the following hardware finishes: Antique Pewter

Black

Black Iron Black Mist

Blackened Bronze

Bronze Highlight

Cast Iron

Chrome

Hammered Bronze

Ice Tea Satin Nickel

Silver Stone

Stainless Steel

**BASE MIXER KIT** 






#### **MIXKITFHSC18** MIXKITFHSC21 **MIXKITFHSC24**

- · Smart close closing feature.
- Mixer shelf will be 3/4" thick natural finished veneer plywood, mixer shelf dimensions:

18" wide: 11 3/4" wide x 20" deep. 21" wide: 14 3/4" wide x 20" deep. 24" wide: 17 3/4" wide x 20" deep.

- Maximum Weight Capacity for Mixer Shelf: 60 lbs.
- · Mixer shelf locks in the fully open position. Release brackets lower the mixer shelf back into the cabinet.
- · When in closed position, clearance above shelf is 17 5/8"; clearance below shelf is 7 3/4".
- · Recommended for use in cabinets specified with APC.

#### **BASE PAN STORAGE**



BPS24

BPS30

BPS36

Model	Application
BPS24	24" Base
BPS30	30" Base
BPS36	36" Base

- · Roll tray not included.
- Insert consists of solid Maple sides and shelves. Back is edgebanded plywood.

#### **BASE WASTEBASKET LIDS**



#### **BWBLID BWBFHLID**

- Designed to be used with BWB\_ \_, DWB\_ \_, and VWB\_ \_. Lids are included with BBTP\_
- BWBLID fits 35 quart wastebaskets. On double wastebasket cabinets, BWBLID can only be used on the front wastebasket.
- BWBFHLID fits 50 quart wastebaskets.
- Sold individually.

	BWBLID	BWBFHLID
Model	(35 qt. wastebasket)	(50 qt. wastebasket)
BWB15	✓	
BWB152		
BWB18	✓	
BWB21	✓	
BWB15FH		✓
BWB18FH		1
BWB15FH2		
BWB18FH2	Front only	
BWB15FHRT2		
BWB18FHRT2	Front only	
BWB21FH		Front only
BPT15WB		
BPT18WB		
BPT15WBFH		
BPT18WBFH		
DWB152921FH	✓	
DWB182921FH	✓	
DWB152924FH	✓	
DWB182924FH	Front only	
VBWB153421	✓	
VWB153221	✓	
VWB153221RT		
VWB153421	1	
VWB153421RT	/	



**BRMCLP** 





# CABMAT30 CABMAT33 CABMAT36

- Designed to capture spills and is removable for cleaning.
   See CabMat<sup>™</sup> modification for easy size selection by
- cabinet model.
- Not trimmable. Can also be used in wider cabinets but will create a small void of unprotected area along the end panels.

	Liquid Capacity		Cabine	et Size
Model	Gallons	Liters	Width	Depth
CABMAT30	2.0	7.6	30"	24"
CABMAT33	2.4	9.0	33″	24"
CABMAT36	2.7	10.2	36"	24"



# CABMATV24 CABMATV30 CABMATV36

- Designed to capture spills and is removable for cleaning.
   See CabMat<sup>™</sup> modification for easy size selection by cabinet model.
- Not trimmable. Can also be used in wider cabinets but will create a small void of unprotected area along the end panels.


	Liquid Capacity		Cabinet	Size
Model	Quarts	Liters	Face Frame Opening	Depth
CABMATV24	2.5	2.4	21″-24″	21″
CABMATV30	3.3	3.1	27″-30″	21″
CABMATV36	3.9	3.7	33″	21″

#### **COOKING UTENSIL DIVIDER**




CUDD30 CUDD36

• Pre-assembled natural wood drawer insert (does not fit roll trays).



191/4"





#### **CUTLERY INSERT WOOD ORGANIZER**




**CIW15** CIW18

> CIW21 CIW24







Model	Application
CIW15	15" Base
CIW18	18" Base
CIW21	21" Base
CIW24	24" Base

- Pre-assembled natural wood drawer insert.
- Place a cabinet with a CIW next to the dishwasher for

372

#### **WOOD TIERED CUTLERY DIVIDER DRAWER**

WTCD15

WTCD18

WTCD21

WTCD24


WTCD30


WTCD36


911/16"	201/4"
bottom	top


Model	Application
WTCD15	15" Base
WTCD18	18" Base
WTCD21	21" Base
WTCD24	24" Base
WTCD30	30" Base
WTCD36	36" Base


- · Replaces standard drawer. Uses existing cabinet member drawer hardware.
- · Requires field installation of drawer front.
- For use with 24" deep cabinets only.
- Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1 3/8".
- Top divider slides front-to-back.















# **WOOD TIERED K-CUP\* DRAWER**

#### KCUP18

- Holds 40 K-Cups.
- Exterior Wood Tiered K-Cup drawer box height is 3 3/4", interior height of top tier is 1 5/8", and interior height of bottom tier is 1 3/8".
- The Wood Tiered K-Cup Drawer is compatible with K-Cup pods only.
- Replaces standard drawer. Uses existing cabinet member drawer hardware.
- Requires field installation of drawer front.
- Only for use with 24" deep cabinets that are 18" wide or have a 15" wide frame opening for the drawer.
- Top divider slides front-to-back.

\*K-Cup is a registered trademark of Keurig Green Mountain,




#### **EDGEBANDING**



# **EDGEBAND10WD EDGEBAND10P EDGEBAND10NML EDGEBAND10WHL**


- Edgebanding will come in a 10' length. Recommended for use on panels 3/4" thick or less, edgebanding width will need to be field-trimmed.
- Finger joints may be visible on unfinished veneer and clear coated edgebanding.
- · Edgebanding does not come pre-glued.
- EDGEBAND10WD is unfinished veneer, available in Alder, Cherry, Maple, Oak, Rustic Alder, and Rustic Hickory.
- EDGEBAND10P is available in High Gloss Laminate AF, High Gloss Laminate AG, Laminate AH, Laminate AI, Laminate AJ, Laminate AK, Laminate AL, Laminate AM, and Laminate AN.
- EDGEBAND10NML is Natural Maple Laminate.
- EDGEBAND10WHL is White Laminate.

#### **ANGLED HEAT SHIELDS**





- ANGLHEATSHIELD is a pair of 1/16" thick, white powder coated metal shields.
- ANGLHSHIELDSS is a pair of 1/16" thick, stainless steel metal shields.
- Heat Shield is used to deflect heat from self-cleaning ovens away from cabinet doors and drawer fronts.
- For use when additional 1/8" cannot be added to the oven manufacturer's recommended space requirement.
- Cabinet door cannot be hinged on the same side as the angled heat shield, not compatible with double door cabinets. Installs on the front of the face frame of each cabinet adjacent to the oven.




**OVEN INSTALLATION KIT** 


**OCINSTALLKIT** 

requirements.

373

#### STRAIGHT HEAT SHIELDS





#### **STRTHEATSHIELD STRTHSHIELDSS**

- STRTHEATSHIELD is a pair of 1/16" thick, white powder coated metal shields.
- STRTHSHIELDSS is a pair of 1/16" thick, stainless steel metal shields.
- Heat Shield is used to deflect heat from self-cleaning ovens away from cabinet doors and drawer fronts.
- For use when additional 1/8" can be added to the oven manufacturer's recommended space requirement.
- Installs on the side of the face frame of each cabinet adjacent to the oven.

#### PEGGED DISH ORGANIZER




239/16"

PDO (8 Posts & Board)

Weight limit is 400 lbs. per pair.

#### PDOPOSTS (4 Posts)




• For use in 36" wide drawer base cabinets in 6 3/8" or 10" deep drawers, trimmable for cabinets less than 36" wide. Not recommended for use in roll trays.

• Recommended for supporting built-in appliances such as ovens, microwaves, and warming drawers. Refer to

appliance manufacturer specifications for installation

- Pegged Board is 19/32" thick.
- 29 15/16" x 19 1/2".
- Posts are 6" high.


#### **K-CUP\* INSERT**



#### **WBCPOKCUP**

- Holds 44 K-Cups, compatible with K-Cup pods only.
- Wire K-Cup rack for easy field installation on either the left or right side. Compatible with all heights of 3" wide box column pull-outs (WBCPO.., see page 137). Depending on height of pull-out, shelves can be used above or below insert for additional storage:
- 30" and 33" high include 4 shelves, not compatible with insert.
- 36" and 39" high include 5 shelves, one shelf recommended for use with insert.
- 42" high includes 6 shelves, two shelves recommended for use with insert.
- \*K-Cup is a registered trademark of Keurig Green Mountain, Inc.


#### LID ORGANIZERS





5 DAY

• LO is designed to be in any standard roll tray in a 24" deep cabinet.



#### **LINEN CLOSET HAMPER** LINER



#### **LCHAMPERLNR** 5 DAY

Replacement cloth liner for use with LCRH188421, L188421BH, VBH183421, and VH183221FH.

#### **POTS & PANS PULL-OUT**




• For use in 24" wide cabinets.

# Shelf Depth (front to back)

#### PPP30


For use in 30" wide cabinets.

#### PPP




374

#### POWERGLIDE™ COMPACT DRAWER OUTLET





#### DRWPWR1

- Outlet has a total rated capacity of 15 amps.
- Includes two 120V electrical plug-ins and two 2.1 amp rated USB charging ports.
- Cord has 3 ft. of length hanging freely from back mounting bracket. The cord is 14 gauge wire and features a standard 3-prong plug and is required to be plugged into an approved AFCI/GFCI dual function outlet for all applications.
- Outlet is ETL approved-compliant for electrical and other safety standards to U.S. and Canadian safety including UL standards.
- Requires field installation including a 4.25" x 2.13" square hole to be cut into the back of the drawer box.
- Outlet face plate measures 5.22" x 2.3" and will extend 3/4" into drawer box.
- A minimum drawer box height of 2 5/8" is required for installation.
- For use in base cabinet widths of 18" to 36".
- For use in cabinet depths of 15", 18", 21", and 24".
- Also available as an installed modification, see DRWPWR on page 52.



# and teatures plugged into





# STR

- Metal
- 5" wide x 17 3/4" long x 1 1/2" high.
- · Fits in any sink cabinet.

#### EZ-ORG™ MODULAR PULL-OUT RACKS

DESCRIPTION

**SLIDING TOWEL RACK** 



#### EZORG18 EZORG24

- EZORG18 includes four pull-out racks installed onto a wood base for use in an 18" wide or wider cabinet. Outside rack dimensions: one 5 7/8" wide x 5 3/4" high one 3 1/4" wide x 10 3/4" high two 2 3/8" wide x 10 3/8" high
- EZORG24 includes six pull-out racks installed onto a wood base for use in a 24" wide or wider cabinet.
  Outside rack dimensions:
  one 5" wide x 5 3/8" high
  two 3 1/4" wide x 10 3/4" high
  three 2 3/8" wide x 10 3/8" high
- Entire pull-out must be installed as one unit, cannot remove racks from wood base for individual installation.
- Racks feature natural finish wood shelves with wire racks and frosted front and back panels. Guides are full extension and do not feature smart close.
- Maximum Weight Capacity: 2 3/8" and 3 1/4" wide racks: 7 lbs. 5" and 5 7/8" wide racks: 20 lbs.
- Must be installed on the floor of the cabinet. Cannot be installed on an adjustable shelf.
- Field installation requires attaching wood base to cabinet bottom with pre-drilled mounting holes, includes 4 screws and instructions.
- Installation height clearance of 12" minimum is recommended.


#### **POWER POD**



JPWRPODBK (Black)
JPWRPODSS (Stainless Steel)
JPWRPODGM (Gun Metal Black)

- Includes: independent power switch, three electrical sockets, and two USB ports (located above power switch).
- 18" of clearance required below surface mount location; and 3 9/16" diameter hole is required in countertop to install.
- This item requires field installation. This accessory cannot be installed above drawers.
- Safe for countertop installation: rated IP54-splash proof from splashing water and water jets per IPX waterproof specifications; and is ETL approved-compliant for electrical and other safety standards to North America safety including: UL, ANSI, CSA, ASTM, and NFPA standards.
- When installed, top lip of strip sits on top of countertop with a pivoting handle. Handle is pulled up to bring bottom of power strip to countertop.
- Cord is 8 ft. long and features a standard 3-prong plug for use in any household outlet. 10 amps.

#### **SPICE RACKS**



# SRCH12 SRCH15 SRCH18

Model	A	В	Fits
SRCH12	77/8"	8 13/50"	B15, B30, B33
SRCH15	10 5/8"	11"	B18, B36
SRCH18	13 5/8"	14"	B21, B24 L or R

- A = Hole Centers Width
- B = Outside Overall Widths
- Designed for Base cabinets only. Mounts to door top and hottom rails
- Spice Rack is chrome.

SPD18

#### **SPICE RACK PULL-DOWN**



# 5<sub>DAY</sub>

- Spice Rack Pull-down dimensions: 8 15/16" high x 14 13/16" wide x 10 5/16" deep.
- Extends 3 3/4" below and 9 1/4" in front of the cabinet box when fully extended.
- Maximum Weight Capacity: 15 lbs.
- Must be installed on the floor of the cabinet. Cannot be installed on an adjustable shelf.

#### **SHELF PULL-DOWN**




#### SHLFPD36

- Shelf Pull-down dimensions: 18 11/64" high x 28 1/4" wide x 8 1/2" deep.
- Clearance dimensions: 19 3/8" high x 15 3/8" wide.
- Maximum Weight Capacity: 26 lbs.
- Must be installed on the floor of the cabinet. Cannot be installed on an adjustable shelf.

#### **TOEKICK VACUUM**



#### TOEKICKVAC



- 120V compact vacuum cleaner for field installation into the toekick area of base cabinets. Toekick area must be routed for vacuum to be inserted and screwed into place.
- Flooring installation must be compatible with the vacuum by ensuring the bottom of the cabinet is flush with the top of the flooring to allow clearance for the tray to open to access the bag and filter. The flooring should either be installed under the cabinets or the cabinets can be raised to the flooring level.
- Vacuum is 120V-60Hz, rated current of 5 amps, and rated input power is 650W.
- Cord is 10 ft. from the right side of the unit and features a standard 3-prong plug for use in any household outlet.
- Built-in switch can be gently tapped to turn the unit on and off.
- Should not be installed in a sink base, bathroom, outdoors, or in other wet environments. Do not expose to moisture, rain, or snow. Do not pick up water or sweep water into the vacuum.
- For installation in the front toekick, cabinet must have a minimum depth of 22" and a minimum width of 18". For installation in an end panel, cabinet must have a minimum depth of 21" and a minimum width of 21".
- TOEKICKVAC includes three reusable 0.5 gallon vacuum bags and one HEPA filter.
- Plastic faceplate features a stainless steel look.
- An air exhaust opening equal to 8" sq (50 cm sq) is required in an area adjacent to the TOEKICKVAC at the rear or side of the cabinet, where cabinets are tight to the floor

#### **TILT-OUT TRAYS, PLASTIC**




# **TOT15**

# **TOT18**

- · Kit includes two white plastic trays and one pair of tilt-out hinges that attaches to the inside of the false panel.
- One tilt-out tray per false panel on cabinets less than 30" wide and greater than 36" wide, two tilt-out trays attached to one false panel on 30"-36" wide cabinets.
- Clean using a mild soap and water. Avoid scalding water.

ı	Model	Width	Application
	T0T15	11"	SB30, SB33
	TOT18	14 1/4″	SB36, SB39, SB42, SB24, SB27, SB48

#### TILT-OUT TRAYS, STAINLESS STEEL SLIM



TOTSSS10 TOTSSS13 TOTSSS16 TOTSSS19 TOTSSS25 TOTSSS31

- · Contains one tray and one pair of tilt-out hinges that attaches to the inside of the false panel.
- One tilt-out tray per false panel.
- Tray is 1 11/16" deep and protrudes 3/4" into cabinet.

Model	Width	Application
TOTSSS10	10"	ACS36, VSB15
TOTSSS13	13″	SB39, ACS39, VSB18, VSB39, 2VSD36, 2VSD42,
		2VSD48, VSD60, 6VSD42FP
TOTSSS16	16"	SB21, SB42, SB45, VSB21, VSB42, VSB45,
		2VSD45, VSD54FP, VSD60FP, VSDS54, VSDS57,
		VSDS60, 6VSD45
TOTSSS19	19″	SB24, SB27, SB48, ACS42, VSB24, VSB27,
		VSB48, VSB54, 2VSD54, 2VSD60, VSD24FP,
		VSD27FP, 6VSD48FP, 6VSD54FP, 6VSD57FP,
		6VSD60FP, 8VSD48FP, 8VSD60FP
TOTSSS25	25"	SB30, SB33, VSB30, VSB33, VSB60, VSD30FP,
		VSD33FP, VSD42FP, VSD45FP, VSWD30FP
TOTSSS31	31″	SB36, VSB36, VSD36FP, VSD48FP, VSWD36FP

#### TRAY DIVIDER, CHROME


121/4



#### **CTDK**

- CTDK: Includes 1 divider, 3 clips, and 3 screws.
- Tray divider is chrome wire.

#### TRAY DIVIDER KIT



TDKIT15 TDKIT18 TDKIT21 TDKIT24 TDKIT27

- Cabinets need full top and bottom for field installation of tray divider kits.
- Dividers are sized for a 24" deep cabinet, depth can be modified during field installation. Installation screws included
- Tray dividers are Natural Maple laminated plywood. When specified with WLI, dividers are white laminated plywood. Rails are always Natural Maple.

Model	Application	Wall Cabinets	Tall Cabinets — Upper Section
TDKIT15	Fits 15" high frame opening	Most 18" high wall cabinets	Upper section of 84" high utility, oven cabinets with 15" high frame opening
TDKIT18	Fits 18" high frame opening	Most 21" high wall cabinets	Upper section of 87" high utility, oven cabinets with 18" high frame opening
TDKIT21	Fits 21" high frame opening	Most 24" high wall cabinets	Upper section of 90" high utility, oven cabinets with 21" high frame opening
TDKIT24	Fits 24" high frame opening	Most 27" high wall cabinets	Upper section of 93" high utility, oven cabinets with 24" high frame opening
TDKIT27	Fits 27" high frame opening	Most 30" high wall cabinets	Upper section of 96" high utility, oven cabinets with 27" high frame opening

#### TRAY DIVIDER ROLL-OUT KIT



2<sup>3</sup>/<sub>32</sub>" Opening Width


TDRO12

# TDRO15

- TDR012: 2 removable dividers (3 compartments). TDR015: 3 removable dividers (4 compartments).
- Utilizes smart close undermount guides.
- Installation hardware included.



10'



#### **VANITY CHROME ROLL-OUT RACK**



#### VCRR1521 VCRR1821



- VCRR1521 requires installation to a fixed shelf or cabinet frame opening of 12".
- VCRR1521 installed dimensions: 19 3/4" deep x 11" wide x 5 3/4" high.
- VCRR1821 requires installation to a fixed shelf or cabinet bottom in a minimum 21" deep cabinet with a minimum frame opening of 15".
- VCRR1821 installed dimensions: 19 3/4" deep x 14" wide x 5 3/4" high.
- · Roll-out rack is full extension.
- · See chart for recommended cabinet list, requires sufficient field plumbing clearance.

	Applicable Cabinet Width		
Model	VCRR15	VCRR18	
DDO2921	15"	18"	
L188421BH		18" (upper section)	
LC188421		18" (lower section)	
LT188421		18"	
LTD188421, LTD188421BH		18"	
2VSD21	54" (side doors)	36", 60" (side doors)	
6VSD21, 6VSD21FP		42"	
V21	15″	18"	
VB21	15", 30"	18", 36"	
VSB21	15", 30"	18", 36"	
VSD21	27"	30"	
VSWD21FP	30″	36"	
VU188421		18"	

# **VANITY WASTEBASKET**

**DESCRIPTION** 



#### **VWB**


- Bottom mount zinc colored smart close guide with 20
- quart gray wastebasket inserted in chrome support.

   Dimension of insert: 8 37/64"W x 16 39/64"H x 17 3/4"D.

**WALL SUSAN KITS 5** DAY WSK33 WSK36 18" Diameter

For 30", 33", or 36" High Cabinet **(** 

WSK30 WSK33 WSK36




WSK30

**WSK39** 

WSK42

• 30"-36" kits include pole and two 18" diameter plywood shelves. 39" and 42" kits include pole and three 18" diameter plywood shelves.

#### **WINE GLASS HOLDERS**



**WGH30** (7 slots)

WGH33 (7 slots)

WGH36 (8 slots)

Maximum wine glass base is 3" diameter.

Wine Glass Holder is finished.

• May be trimmed to fit smaller cabinets.

• Designed for installation under a wall cabinet (between end panels and behind face frame).

# Species Availability (Wood)

Alde	Rustic er Alder		Rustic Hickory	Maple	Oak
•	Alder	•	Hickory	•	•

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
High Gloss	on Maple	on Maple	on Cherry	on Oak
box color	box color	box color	box color	box color



For 18" Deep Cabinets

RT1218SP

RT1518SP

RT1818SP

RT2118SP

RT2418SP

RT2718SP RT3018SP

RT3318SP

RT3618SP RT3918SP

RT4218SP

RT4518SP

RT4818SP

For 21" Deep Cabinets

RT1221SP

RT1521SP

RT1821SP

RT2121SP

RT2421SP

RT2721SP

RT3021SP

RT3321SP

RT3621SP

RT3921SP

RT4221SP

RT4521SP

RT4821SP

For 24" Deep Cabinets

RT12SP

RT15SP

RT18SP

RT21SP

RT24SP

RT27SP

RT30SP

RT33SP

RT36SP

RT39SP

RT42SP

RT45SP

RT48SP

- RT\_\_SP's include roll tray, roll tray brackets, hardware, screws, and installation instructions.
- 39"-48" wide Roll Tray Kits will contain 1 roll tray. QTY of 2 must be ordered to achieve a roll tray in both cabinet openings.

#### **Custom Modifications**

ID	RD
	•



For 18" Deep Cabinets

**DRT1218** 

**DRT1518** 

**DRT1818** 

**DRT2118** 

**DRT2418** 

**DRT2718 DRT3018** 

**DRT3318** 

**DRT3618** 

**DRT3918** 

**DRT4218** 

**DRT4518 DRT4818** 

For 21" Deep Cabinets

**DRT1221** 

**DRT1521** 

**DRT1821** 

**DRT2121** 

**DRT2421** 

**DRT2721** 

**DRT3021** 

**DRT3321 DRT3621** 

**DRT3921** 

**DRT4221** 

**DRT4521** 

**DRT4821** 

For 24" Deep Cabinets

DRT12

DRT15

DRT18

DRT21

DRT24

DRT27

DRT30

DRT33

DRT36

DRT39

DRT42 DRT45

DRT48

- $\bullet~$  DRT\_ \_'s include deep roll tray, deep roll tray brackets, hardware, screws, and installation instructions.
- 39"-48" wide Deep Roll Tray Kits will contain 1 roll tray. QTY of 2 must be ordered to achieve a roll tray in both cabinet openings.

Custom Modifications

COSTOIL	ITIU	ulliculion
ID		RD

378

For 18" Deep Cabinets

RT1518ET

RT1818ET

RT2118ET

**RT2418ET** RT2718ET

RT3018ET

RT3318ET **RT3618ET** 

RT3918ET

RT4218ET

RT4518ET

RT4818ET

For 21" Deep Cabinets

RT1521ET

RT1821ET

RT2121ET

RT2421ET

RT2721ET

RT3021ET

RT3321ET

**RT3621ET** 

RT3921ET

RT4221ET

RT4521ET

RT4821ET

For 24" Deep Cabinets

RT15ET

RT18ET

RT21ET

RT24ET

RT27ET

RT30ET RT33ET

RT36ET

RT39ET

RT42ET

RT45ET


RT48ET

- $\bullet$  EasyTrax  $^{\text{TM}}$  uprights are required, must be purchased separately (see page 379).
- RT-ET's contain roll tray, hardware, wooden hardware mounting bracket, screws and installation instructions.
- 39"-48" wide Roll Tray Kits will contain 1 roll tray. QTY of 2 must be ordered to achieve a roll tray in both cabinet

COZIONI IMO	anncanc
ID	RD
	•

**DEEP ROLL TRAY KIT -EASYTRAX**<sup>TM</sup>

**DESCRIPTION** 



For 18" Deep Cabinets

DRT1218ET

DRT1518ET

DRT1818ET

**DRT2118ET** 

DRT2418ET

DRT2718ET DRT3018ET

DRT3318ET

DRT3618ET

DRT3918ET

DRT4218ET

DRT4518ET DRT4818ET

For 21" Deep Cabinets

DRT1221ET

DRT1521ET

DRT1821ET

DRT2121ET

DRT2421ET

DRT2721ET

**DRT3021ET** 

**DRT3321ET** 

DRT3621ET

**DRT3921ET** 

**DRT4221ET** 

DRT4521ET

DRT4821ET

For 24" Deep Cabinets

DRT12ET

DRT15ET

DRT18ET

DRT21ET

DRT24ET

DRT27ET

DRT30ET

DRT33ET

DRT36ET DRT39ET

DRT42ET

DRT45ET

DRT48ET

- $\bullet$  EasyTrax  $^{\text{TM}}$  uprights are required, must be purchased separately (see page 379).
- DRT-ET's contain roll tray, hardware, wooden hardware mounting bracket, screws and installation instructions.
- 39"-48" wide Deep Roll Tray Kits will contain 1 roll tray. QTY of 2 must be ordered to achieve a roll tray in both cabinet openings.


**Custom Modifications** 









**ETUPRIGHT** 



**ETUPRIGHTOV** 



ETUPRIGHT40.5



ETUPRCS ETUPR40.5CS

# **ETUPRIGHT ETUPRIGHTOV** ETUPRIGHT40.5 **ETUPRCS** ETUPR40.5CS

- EasyTrax™ system allows quick field installation of adjustable height roll trays with front and rear uprights to support roll tray guides.
- ETUPRIGHT contains 2 front and 2 rear uprights. ETUPRIGHT contains 2 front and 2 rear uprights.
   QTY required: Base, Base Full Height, and 34 1/2" high Vanities = 1
   Utility Cabinets = 3
   42" and 48" wide cabinets = 2.
   ETUPRIGHTOV contains 2 front and 2 rear uprights.

- QTY required: Desk and 32" high Vanity = 1.

   ETUPRIGHT40.5 contains 2 front and 2 rear uprights.
  QTY required: 40 1/2" high Base cabinets = 1.
- ETUPRCS and ETUPR40.5CS recommended for DRT39ET-DRT48ET kits to secure drawer guide in ET system on cabinets with center stiles.

#### **DRAWER GUIDE KITS**





DGKIT\_\_PG

380

12", 15", 18", 21", or 24"

#### DGK21DDFX DGK24DDFX

- · Side-mount progressive full extension guide utilized on all drawers of DDFD\_\_\_\_\_ cabinets.
- Maximum Weight Capacity: 125 lbs. per pair.
- Kit includes guide hardware for one drawer box (cabinets, drawer members wood vertical mounting rails and screws) Dimension refers to cabinet depth.



DGKIT12PG DGKIT15PG DGKIT18PG **DGKIT21PG DGKIT24PG** 

- Undermount full extension smart close Premium Guide
- Maximum Weight Capacity: 90 lbs. per pair.
- Kit includes guide hardware for one drawer box (cabinets and drawer members, sockets and screws) Dimension refers to cabinet depth.



DGKIT12RTSP DGKIT15RTSP **DGKIT18RTSP DGKIT21RTSP DGKIT24RTSP** 

- Undermount full extension smart close Premium Guide utilized on roll travs.
- Maximum Weight Capacity: 90 lbs. per pair.
- · Kit includes guide hardware for one drawer box (cabinets and drawer members, sockets and screws) Dimension refers to cabinet depth.

#### **DRAWER GUIDE BACK SOCKETS**



#### **BKSOCKET-PG BKSOCKET-SP**

- BKSOCKET-PG used with smart close drawer guides (12"-24" deep).
- BKSOCKET-SP used with smart close roll tray guides.
- Sold in pairs.





#### **DGBOXLOCK DGBOXLOCKB9**

- DGBOXLOCK used with smart close drawer guides.
- DGBOXLOCKB9 used with smart close drawer guides on cabinets with drawers with a face frame opening of 7 1/2" or less.
- Sold in pairs.

#### **DRAWER GUIDE** SPACER BLOCK





#### **SPACERBLK**

- Sold in pairs.
- For use with DGKIT..PG and DGKIT..SP kits when RD is used for depths other than in 3" increments.
- One SPACERBLK required for each inch of depth.
- Not required for use with 23", 20", 17", 14" depth.



#### FALSEPNLCLIP50 PFALSEPNLCLIP50

- Use to secure false front on sink base.
- Sold in pairs.

#### **DESCRIPTION**

**ROLL TRAY PLUG IN** 

#### RTBKSXSP

- For use with roll tray hardware to prevent interference
- with door hinges. Also included in roll tray hardware kit. • Includes four end panel brackets, two vertical stile brackets, and screws.

**BRACKET** 



#### STAIN, PAINT, & TOUCH-UP TOOLS

#### **STAIN & PAINT**




#### **QUARTCOLOR**

SSC

#### **SSCCLEAR**

- **SSCMATTESH**
- Wiping stains can be sprayed at low pressure.
  Specify finish name and wood type when ordering.
- QUARTCOLOR sold in quarts.
- SSC is a 384 mL aerosol can available in Paint colors.
- SSCCLEAR is a 384 mL aerosol can in clear.
- SSCMATTESH is a 384 mL aerosol can in clear with a matte sheen.
- QUARTCOLOR and SSC will match the cabinet box color when ordered in High Gloss Laminate AF, High Gloss Laminate AG, Laminate AH, Laminate AI, Laminate AJ, Laminate AK, Laminate AL, Laminate AM, and Laminate AN.
- For Touch-up Kits and Glaze Pens, see below.

#### **TOUCH-UP TOOLS**





## TUK

#### MTUK

#### **GLAZEPEN**

- $\bullet\,$  Touch-up Kit includes a full size touch-up marker and an 8 cm fill stick. A small glaze pen is also included when ordered with glaze finishes.
- Mini Touch-up Kit includes a small touch-up marker and a 4 cm fill stick. No glaze pen included with glaze finishes.
- GLAZEPEN available in glaze colors only.
- GLAZEPEN works on finished doors and does not require a separate top coat.

#### **CABINET CARE KIT** (PURE&SIMPLE™)

TUK



#### **CABCLEANKIT**



MTUK

- PURE&SIMPLE™ Cabinet Care Kit includes one 16 ounce spray bottle of cleaning solution and a small microfiber
- Safe for use on wood and laminate cabinet surfaces.

STAIN, PAINT, & TOUCH-UP TOOLS







#### **38NPOHINGE**

- Integrated smart close.
- · 6-way adjustable.
- 1/2" partial overlay 107° hinge.
- For use on Base Transition Cabinets (BTC), Diagonal Wall (DW) and Diagonal Base (DAB) Cabinets, 36" Angled Corner Sink Bases (ACS) & Fronts (ACSF), and Wall Top Hinge (WTH) Cabinets with Modified Full Overlay (MFO).
- Sold in pairs.

#### **38CFOHINGE**

- Integrated smart close.
- 6-way adjustable.
- 107° full overlay hinge.
- · For use on all full overlay cabinets not specified by other hinges.
- Sold in pairs.

#### **38BFOVHINGE**

- Integrated smart close.
- 4-way adjustable.
- Face-mount 107° full overlay hinge.
- For use on oven cabinets with 3" wide face frames (OSB, OCD, OMC, OCS, and TBMWB), and 36"-42" high WRMW cohinets
- Sold in pairs.

#### **32049HINGE**

- 90° Corner Self-Closing Center Hinge.
- For use on ER, BLS, SLS, BER, BERAS, and CS cabinets.
- Sold in pairs.

#### 942HINGE

- For use on BSC, BLS, SLS, BER, BERAS, CS, and ER cabinets.
- Sold in pairs.

#### **7299HINGE**

- Mirror Hinge For use on TV and MC cabinets.
- Sold in pairs.

# **RESTRICTION CLIP**



#### HINGERESCLIP

- depths to prevent the door damage caused by opening into an adjacent cabinet.
- Restricts hinges to 86° opening capability.
- Works only with the 38NPOHINGE and 38CFOHINGE.
- Sold in pairs.

#### **DESCRIPTION**

**HINGE SHIM** 

#### HINGESHIM5

MODEL

- Install between the face frame and hinge to allow additional adjustment of doors. Can be used to reduce gap between butt doors.
- Each shim is 1/32" thick and can be stacked to achieve desired overlay reduction.
- · Pack of 5 metal shims.
- · Compatible with all hinges except face-mount.

# **LIDSTAY**



#### **LIDSTAY**

5 DAY

- Sold in pairs.
- Recommended for field installed wall top hinge applications 12" to 18" high.

#### **LIDSTAY - HEAVY DUTY**



#### LIDSTAYHD

- One heavy duty lid stay hinge required per cabinet.
- Recommended for field installed wall top hinge applications of 21" high cabinets.

#### **WALL TOP HINGE ANGLE RESTRICTION CLIPS**



#### WTHRESCLIP75

- For use on 9" high Wall Top Hinge cabinets only.
- Restricts opening angle of the door to 75°.
- Prevents the door from hitting the ceiling or an object above, also keeps the handle within reach on very high cabinets.
- Sold in pairs (two clips required per cabinet).









- For use in applications with cabinets installed at varying

5 DAY

**PDM** 

SHELFPEGS (pkg. 24)

SHELFPEGSCTR (pkg. 6)

- BRKOFFSCREW is a pack of 25 breakaway screws for use with decorative hardware pulls and knobs.
- INSTALLSCR4 and INSTALLSCREWS are screws for cabinet installation through the cabinet back to the wall studs (includes a pack of 4 or 100).
- PDM creates a smooth and silent self-closing motion and includes all installation hardware.
- RETCLIP250BAG: 6 retainer clips for use with glass inserts in mullion and cut-for-glass doors.
- SHELFPEGS are 3mm steel pins with clear plastic shoulders.
- SHELFPEGSCTR is a package of 6 clear plastic shelf clips with 0.96" usable depth with 1/4" diameter pegs used on center mullions of full depth shelves (cabinets 39"-48" wide), BC\_, BEC24, BFH\_ \_CIA, BFH\_ \_COA, W\_\_CIA, WC\_\_, WEC\_\_D, and cabinets specified with FFD\_ with adjustable shelves.

DOORS, DRAWER FRONTS, & DRAWERS

#### **DOORS & DRAWER FRONTS**



Standard Door Size, 18" High or Less Standard Door Size, 21" to 30" High

Standard Door Size, 33" or Higher

Standard Door Size, No Hinge Route, 18" High or Less

Standard Door Size, No Hinge Route, 21" to 30" High

Standard Door Size, No Hinge Route, 33" or Higher

#### **Any Drawer Front Only**

- Door heights are based on full overlay for equivalent applications.
- · All applicable modification and premium finish upcharges will apply.
- Backs of "NO HINGE ROUTE" doors may have identification marks, be unfinished, and have 3/16" diameter holes used during finish processing. For these reasons, these doors are not suitable for use as cabinet doors.

#### **DRAWERS**



#### **Complete Drawer**

#### **Drawer Box Only**

- All applicable modification and premium finish upcharges will apply.
- Complete Drawer and Drawer Box Only do not include drawer guides. They must be ordered separately.


**DESCRIPTION** 

**PARTS** 


# **MISCELLANEOUS**







#### **SHELFPEGS**



#### **SHELFPEGSCTR**

383

#### STACK MOULDING KITS

**MOULDING STACK 1** 

- Moulding stacks do not ship assembled; field assembly is required. Assembly
  instructions can be viewed in 20/20 spec pages and will also ship with moulding
- When ordered as a kit, only one finish can be specified. To order with more than one finish, moulding pieces must be ordered separately.

  • Moulding stacks include Assembly Instructions. Cleats and finish nails not included.

П

П

П

П

H.

11 H.

- How to place a stack moulding in 20/20:

-TBP8

-ICM8

TBP8

Finish Nails

Finish Nails\*

Finish Nails

-SWCRM8

TF396FH

- → Moulding
   → Top Mouldings or Bottom Mouldings
   → Stacked Mouldings

- Drag and drop desired moulding stack onto wall cabinets
   Mouldings specified as 8' nominal length have a usable length range of 93" up to 99". Mouldings specified as 10' nominal length have a usable length range of 117" up to 123". Be sure to order the correct amount of moulding length to work around required cuts with minimal butt joints.



#### STKMLD1

• Not recommended for use when taking application to the ceiling.

#### **Finish Techniques**

	Distressing	Heirlooming
TBP8		•
SWCRM8	•	•
ICM8		
TF396FH	•	

#### Species Availability (Wood)


	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
TBP8	•	Alder	•	Hickory	•	•
SWCRM8	•	Alder	•	Hickory	•	•
ICM8	•	Alder	•	Hickory	•	•
TF396FH	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

Species Availability (All Edillidaes)							
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
	High Gloss	on Maple	on Maple	on Cherry	on Oak		
TBP8	box color	box color	box color	box color	box color		
SWCRM8	box color	box color	box color	box color	box color		
ICM8	box color	box color	box color	box color	box color		
TF396FH	box color	box color	box color	box color	box color		

# 384

#### \*Cleats and finish nails not included.



Cleat

Top of Cabinet

Face Frame

Finish Nails



#### STKMLD2

• Not recommended for use when taking application to the ceiling.

#### Finish Techniques


	Distressing	Heirlooming
SWVCRM8	•	•
VFR8		•
TF396FH	•	


#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
SWVCRM8	•	Alder	•	Hickory	•	•
VFR8	•	Alder	•	Hickory	•	•
TF396FH	•	Alder	•	Hickory	•	•

Specie	Species Availability (All Edillilates)						
			Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
		High Gloss	on Maple	on Maple	on Cherry	on Oak	
SWVCR	N8	box color	box color	box color	box color	box color	
VFR8		box color	box color	box color	box color	box color	
TF396F	Н	box color	box color	box color	box color	box color	

#### **MOULDING STACK 3**





\*Cleats and finish nails not included.

# **5** DAY

#### STKMLD3

 Not recommended for use when taking application to the ceiling.

Finish Techniques

	Distressing	Heirlooming
SWVCRM8	•	•
LB2		
VFR8		•
TBP8		•


Species Availability (Wood)

-poulos / trains	,	,	,				
	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
SWVCRM8	•	Alder	•	Hickory	•	•	,
LB2	•	Alder	•	Hickory	•	•	
VFR8	•	Alder	•	Hickory	•	•	
TBP8	•	Alder	•	Hickory	•	•	


Species Availability (All Laminates)

-poulos // m. a.m. / (/ m. a.m. / m. / m. / m. / m. / m. / m.							
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
	High Gloss	on Maple	on Maple	on Cherry	on Oak		
SWVCRM8	box color	box color	box color	box color	box color		
LB2	box color	box color	box color	box color	box color		
VFR8	box color	box color	box color	box color	box color		
TBP8	box color	box color	box color	box color	box color		

#### **MOULDING STACK 5**







# **5** DAY

#### STKMLD5

 Not recommended for use when taking application to the ceiling.

#### Finish Techniques

	Distressing	Heirlooming
SWVCRM8	•	•
RPM8		
MDENTIL8		
TF396FH	•	


#### Species Availability (Wood)

			,	•			
		Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
SW	VCRM8	•	Alder	•		•	•
RPA	۸8	•	Alder	•		•	•
MD	ENTIL8	•	Alder	•		•	•
TF3	96FH	•	Alder	•		•	•


#### Species Availability (All Laminates)

		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
SWVCRM8	box color	box color	box color	box color	box color
RPM8	box color	box color	box color	box color	box color
MDENTIL8	box color	box color	box color	box color	box color
TF396FH	box color	box color	box color	box color	box color

#### **MOULDING STACK 6**



\*Cleats and finish nails not included.



# 5<sub>DAY</sub>

#### STKMLD6

 Not recommended for use when taking application to the ceiling.

#### Finish Techniques

	Distressing	Heirlooming
SHKRCRM8	•	•
SM8		
TF396FH	•	

#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
SHKRCRM8	•	Alder	•	Hickory	•	•
SM8	•	Alder	•	Hickory	•	•
TF396FH	•	Alder	•	Hickory	•	•


	II: 1 Cl	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
SHKRCRM8	box color	box color	box color	box color	box color
SM8	box color	box color	box color	box color	box color
TF396FH	box color	box color	box color	box color	box color

386

#### **MOULDING STACK 7**



\*Cleats and finish nails not included.



# 5 DAY

#### STKMLD7

Not recommended for use when taking application to the ceiling.

#### Finish Techniques

	Distressing	Heirlooming
SWVCRM8	•	•
ACAM		
TF396FH	•	
TSTM8		

#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
SWVCRM8	•	Alder	•	Hickory	•	•
ACAM	•	Alder	•	Beech	•	Beech
TF396FH	•	Alder	•	Hickory	•	•
TSTM8	•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

	High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak	
SWVCRM8	box color	box color	box color	box color	box color	
ACAM	box color	box color	box color	box color	Beech	
TF396FH	box color	box color	box color	box color	box color	
TSTM8	box color	box color	box color	box color	box color	

#### **MOULDING STACK 8**



\*Cleats and finish nails not included.



#### STKMLD8

 Not recommended for use when taking application to the ceiling.

#### Finish Techniques

Distressing	Heirlooming
•	•
	•
•	
	Distressing  •


#### Species Availability (Wood)


		Rustic		Rustic		
	Alder	Alder	Cherry	Hickory	Maple	0ak
SWCRM8	•	Alder	•	Hickory	•	•
RPM8	•	Alder	•	Hickory	•	•
TBP8	•	Alder	•	Hickory	•	•
TF396FH	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
SWCRM8	box color	box color	box color	box color	box color
RPM8	box color	box color	box color	box color	box color
TBP8	box color	box color	box color	box color	box color
TF396FH	box color	box color	box color	box color	box color

#### **MOULDING STACK 10**





Finish Nails\*

\*Cleats and finish nails not included.



#### STKMLD10

 Not recommended for use when taking application to the ceiling.


#### Finish Techniques

	Distressing	Heirlooming
VV96	•	•
SWCRM8	•	•
SCM8	•	•
LB2		

#### Species Availability (Wood)

		Rustic		Rustic		
	Alder	Alder	Cherry	Hickory	Maple	0ak
VV96	•	Alder	•	Hickory	•	•
SWCRM8	•	Alder	•	Hickory	•	•
SCM8	•	Alder	•	Hickory	•	•
LB2	•	Alder	•	Hickory	•	•

	High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
VV96	box color	box color	box color	box color	box color
SWCRM8	box color	box color	box color	box color	box color
SCM8	box color	box color	box color	box color	box color
LB2	box color	box color	box color	box color	box color



Face Frame



# STKMLD11

Finish Techniques							
	Distressing	Heirlooming					
SWVCRM8	•	•					
TF696FH	•						
TCM8		•					

#### Species Availability (Wood)


	_					
		Rustic		Rustic		
	Alder	Alder	Cherry	Hickory	Maple	0ak
SWVCRM8	•	Alder	•	Hickory	•	•
TF696FH	•	Alder	•	Hickory	•	•
TCM8	•	Alder	•	Hickory	•	•


#### Species Availability (All Laminates)

Spotios Avail	ability (All	Eummaros,			
Horiz		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
SWVCRM8	box color	box color	box color	box color	box color
TF696FH	box color	box color box color		box color	box color
TCM8	box color	box color	box color	box color	box color



\*Cleats and finish nails not included.







#### STKMLD13

Finish Techniqu		
	Distressing	Heirlooming
IDO		


#### Species Availability (Wood)


		Rustic		Rustic		
	Alder	Alder	Cherry	Hickory	Maple	0ak
LB2	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	, .				
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
LB2	box color	box color	box color	box color	box color

#### **MOULDING STACK 14**







#### STKMLD14

Finish Techniques							
	Distressing	Heirlooming					
LB2							
TF396FH	•						

#### Species Availability (Wood)


		Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
ŀ	LB2	•	Alder	•	Hickory	Mupic	•
	TF396FH	•	Alder	•	Hickory	•	•


	High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak	
LB2	box color	box color	box color	box color	box color	
TF396FH	box color	box color	box color	box color	box color	

<sup>\*</sup>Cleats and finish nails not included.

<sup>\*</sup>Cleats and finish nails not included.

#### **MOULDING STACK 16**





# 5 DAY

#### STKMLD16

• Not recommended for use when taking application to the ceiling.

#### Finish Techniques

	Distressing	Heirlooming
SWVCRM8	•	•
MDENTIL8		
LB2		


#### Species Availability (Wood)


	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
SWVCRM8	•	Alder	•		•	•
MDENTIL8	•	Alder	•		•	•
LB2	•	Alder	•		•	•

#### Species Availability (All Laminates)

species Availability (All Edillians)						
			Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
		High Gloss	on Maple	on Maple	on Cherry	on Oak
	SWVCRM8	box color	box color	box color	box color	box color
	MDENTIL8	box color	box color	box color	box color	box color
	LB2	box color	box color	box color	box color	box color

#### \*Cleats and finish nails not included.





\*Cleats and finish nails not included.



#### STKMLD17

 Not recommended for use when taking application to the ceiling.

#### Finish Techniques


	Distressing	Heirlooming
SWCRM8	•	•
LB2		
BRAIDM		
TSTM8		


#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak	
SWCRM8	•	Alder	•	Hickory	•	•	
LB2	•	Alder	•	Hickory	•	•	
BRAIDM	•	Alder	•	Beech	•	Beech	
TSTM8	•	Alder	•	Hickory	•	•	

#### Species Availability (All Laminates)

opened realisming (real numbers)								
	High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak			
SWCRM8	box color	box color	box color	box color	box color			
LB2	box color	box color	box color	box color	box color			
BRAIDM	box color	box color	box color	box color	Beech			
TSTM8	box color	box color	box color	box color	box color			





\*Cleats and finish nails not included.



#### STKMLD18


#### Finish Techniques


	Distressing	Heirlooming
SCM8	•	•
TF396FH	•	
VFR8		•

#### Species Availability (Wood)

-p						
		Rustic		Rustic		
	Alder	Alder	Cherry	Hickory	Maple	0ak
SCM8	•	Alder	•	Hickory	•	•
TF396FH	•	Alder	•	Hickory	•	•
VFR8	•	Alder	•	Hickory	•	•

	High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
SCM8	box color	box color	box color	box color	box color
TF396FH	box color	box color	box color	box color	box color
VFR8	box color	box color	box color	box color	box color







#### STKMLD19

#### **Finish Techniques**

	Distressing	Heirlooming
MDENTIL8		
TCM8		•


#### Species Availability (Wood)


	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
MDENTIL8	•	Alder	•		•	•
TCM8	•	Alder	•		•	•

#### Species Availability (All Laminates)

Species Availa	Species Availability (All Editinates)							
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
	High Gloss	on Maple	on Maple	on Cherry	on Oak			
MDENTIL8	box color	box color	box color	box color	box color			
TCM8	box color	box color	box color	box color	box color			







#### STKMLD20

#### Finish Tachniquas

rinish techniques						
	Distressing	Heirlooming				
SWCRM8	•	•				
VV96	•	•				

#### Species Availability (Wood)


	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
SWCRM8	•	Alder	•	Hickory	•	•
VV96	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
SWCRM8	box color	box color	box color	box color	box color
VV96	box color	box color	box color	box color	box color

\*Cleats and finish nails not included.





#### STKMLD21

#### **Finish Techniques**

	Distressing	Heirlooming
SWLCRM8	•	•
TF396FH	•	
VFR8		•


#### Species Availability (Wood)

		Rustic		Rustic		
	Alder	Alder	Cherry	Hickory	Maple	0ak
SWLCRM8	•	Alder	•	Hickory	•	•
TF396FH	•	Alder	•	Hickory	•	•
VFR8	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

· · · · · · · · · · · · · · · · · · ·						
			Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
		High Gloss	on Maple	on Maple	on Cherry	on Oak
	SWLCRM8	box color	box color	box color	box color	box color
	TF396FH	box color	box color	box color	box color	box color
	VFR8	box color	box color	box color	box color	box color

\*Cleats and finish nails not included.





#### STKMLD22

#### **Finish Techniques**

	Distressing	Heirlooming
SWVCRM8	•	•
SBE8		•
SFM8		•


#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
SWVCRM8	•	Alder	•	Hickory	•	•
SBE8	•	Alder	•	Hickory	•	•
SFM8	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
SWVCRM8	box color	box color	box color	box color	box color
SBE8	box color	box color	box color	box color	box color
SFM8	box color	box color	box color	box color	box color

\*Cleats and finish nails not included.





#### STKMLD23

 Not recommended for use when taking application to the ceiling.

#### Finish Techniques


	Distressing	Heirlooming
COTCROWN8	•	•
LB2		
SBE8		•

#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
COTCROWN8	•	Alder	•	Hickory	•	•
LB2	•	Alder	•	Hickory	•	•
SBE8	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	II:-l- Cl	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
COTCROWN8	box color	box color	box color	box color	box color
LB2	box color	box color	box color	box color	box color
SBE8	box color	box color	box color	box color	box color





#### STKMLD24

Not recommended for use when taking application to the ceiling.

#### Finish Techniques

	Distressing	Heirlooming
SMCOVECROWN8	•	•
TF396FH	•	
TBP8		•


#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
SMCOVECROWN8	•	Alder	•		•	•
TF396FH	•	Alder	•		•	•
TBP8	•	Alder	•		•	•

species realization, true sammares,						
			Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
		High Gloss	on Maple	on Maple	on Cherry	on Oak
	SMCOVECROWN8	box color	box color	box color	box color	box color
	TF396FH	box color	box color	box color	box color	box color
	TBP8	box color	box color	box color	box color	box color

#### **MOULDING STACK 25**





#### STKMLD25

• Not recommended for use when taking application to the ceiling.

#### Finish Techniques

	Distressing	Heirlooming
TF396FH	•	

#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	Oak
	,	111401		11101011	mapio	Ouit
TE396FH	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)


sheries war	Species Availability (All Lullilliates)								
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
	High Gloss	on Maple	on Maple	on Cherry	on Oak				
TF396FH	box color	box color	box color	box color	box color				

391

\*Cleats and finish nails not included.

#### **MOULDING STACK 26**





INSCROWN8 INSERTCELT

-SFM8

Door

Finish Nails\*

Top of Cabinet

Face Frame



#### STKMLD26

#### **Finish Techniques**

	Distressing	Heirlooming
INSCROWN8		•
TF396FH	•	
TSTM8		

#### Species Availability (Wood)

		Rustic		Rustic		
	Alder	Alder	Cherry	Hickory	Maple	Oak
INSCROWN8	•	Alder	•		•	•
TF396FH	•	Alder	•		•	•
TSTM8	•	Alder	•		•	•

#### Species Availability (All Laminates)

species Avuill	Species Availability (All Lullillates)								
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
	High Gloss	on Maple	on Maple	on Cherry	on Oak				
INSCROWN8	box color	box color	box color	box color	box color				
TF396FH	box color	box color	box color	box color	box color				
TSTM8	box color	box color	box color	box color	box color				

#### **MOULDING STACK 27**









#### STKMLD27

#### Finish Techniques

	Distressing	Heirlooming
INSCROWN8		•
INSERTCELT		•
SFM8		•

#### Species Availability (Wood)

		Rustic		Rustic		
	Alder	Alder	Cherry	Hickory	Maple	0ak
INSCROWN8	•	Alder	•		•	•
INSERTCELT			•		•	
SFM8	•	Alder	•		•	•

#### Species Availability (All Laminates)


		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain
	High Gloss	on Maple	on Maple	on Cherry	on Oak
INSCROWN8	box color	box color	box color	box color	box color
INSERTCELT	box color	box color	box color	box color	box color
SFM8	box color	box color	box color	box color	box color

<sup>\*</sup>Insert must be purchased separately. Cleats and finish nails not included.

#### **MOULDING STACK 28**







#### STKMLD28

• Not recommended for use when taking application to the ceiling.

#### Finish Techniques

	Distressing	Heirlooming
FOLCROWN8		•
BBM8	•	•

#### Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Rustic Hickory	Maple	0ak
FOLCROWN8	•	Alder	•	Hickory	•	•
BBM8	•	Alder	•	Hickory	•	•

#### Species Availability (All Laminates)

	High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple	Vert. Grain on Cherry	Vert. Grain on Oak
FOLCROWN8	box color	box color	box color	box color	box color
BBM8	box color	box color	box color	box color	box color

## 393

# HEIRLOOMING FINISH AGREEMENT KO

Dear MasterBrand Customer,

Congratulations on your selection of MasterBrand cabinetry with an Heirlooming finish. Because of its unique characteristics, this finish is quite different from other cabinetry finishes you may be familiar with. Your satisfaction is important to MasterBrand Cabinets, and we want you to fully understand the characteristics that make an Heirlooming Finish unique.

The finish will be sanded through the base coat to expose the surface of the wood. This type of sand through on the edges and profiles creates a naturally worn appearance. If a finish is chosen with a glaze, the glaze will be applied after sanding has been done. This will enhance those areas of exposed wood to take on the darker characteristics of the applied glaze.

Normal Characteristics of Painted, Sand-Through Finishes include:

Hairline Cracking Visible textures of natural grain patterns Variation in rub through and wear techniques

Accordingly, we ask that the following agreement be signed for Heirlooming Finish orders.

5 5	variations of wood with Heirlooming finish are desirable. As such, I agree not and dealer listed below responsible in the event that these characteristics are pected.
Customer Signature	Dealer Signature
Customer Name (please print)	Dealer Name (please print)
	Dealer Purchase Order Number

PAINT FINISH AGREEMENT

Dear MasterBrand Customer,

Congratulations on your selection of MasterBrand cabinetry in a Paint or Paint with Glaze finish. Because of its unique characteristics, this finish is quite different from other cabinetry finishes you may be familiar with. Your satisfaction is important to MasterBrand Cabinets, and we want you to fully understand the characteristics that make painted finishes so distinctive.

It is important to realize that the beauty of wood cabinetry comes from the natural qualities of wood itself. MasterBrand Cabinets utilizes only select solid hardwoods and veneers. The beauty of these genuine woods lies in the variation of the grain. The textures of those natural grain patterns often remain visible with paint finish and should be accepted as inherent characteristics when selecting painted cabinetry. When ordering painted Maple 5-piece styles (except Door 46), the door's center panel will be constructed of MDF material.

On both Maple and MDF, seam lines and hairline cracking at stile, rail and panel joints are normal characteristics of painted finishes and should not be considered a reason for product replacement. Over time, there may be a slight color shift in the paint finish due to the continued exposure to natural and artificial light sources. We mention these characteristics because neither MasterBrand Cabinets nor your MasterBrand dealer can be responsible for these conditions and variations.



Example of front joint separation



Example of front joint separation



Example of end joint separation

Accordingly, we ask that the following agreement be signed for Paint Finish orders.

I have read the foregoing and find the characteristic variations of wood and MDF with painted finish are desirable. As such, I agree not to hold MasterBrand Cabinets and/or the MasterBrand dealer listed below responsible in the event that these characteristics are later found by me to be less desirable than I had expected.

Customer Signature	Dealer Signature
Customer Name (please print)	Dealer Name (please print)
	Dealer Purchase Order Number

### **RUSTIC ALDER DESCRIPTION AGREEMENT**



Dear MasterBrand Customer,

Congratulations on your selection of MasterBrand cabinetry in Rustic Alder. Because of its unique characteristics Rustic Alder is quite different from other wood types you may be familiar with. Your satisfaction is important to MasterBrand Cabinets, and we want you to fully understand the characteristics that make Rustic Alder so distinctive.

It is important to realize that the beauty of wood cabinetry comes from the natural qualities of wood itself. Rustic Alder is characterized by its light brown and reddish undertones and may contain a variety of pin holes, open and closed knots of various sizes and colors, small cracks, bird pecks, mineral streaks, and grain variation. Some knots may have small holes through the panel. Larger holes will not be filled. In addition, the wood will contain color difference caused by variations in minerals found in the soil, creating visible mineral tracks. However, those characteristics that might compromise the structural integrity of the door will not be included.

Sound Closed Knot (not moveable) — Expected in Rustic Alder up to approximately 3" diameter.

Sound Knot with Cracks — Expect sound knots with open cracks up to approximately 1" in length.

Open Knot (through door) – Expected in Rustic Alder with open area up to approximately 3/4" diameter.

Note: 3/4" diameter is about the size of a penny. Holes created by open knots pass completely through the door and are desirable for this rustic look.

Unsound Knot (moveable core) – Not to be expected.

Knot Cluster (cluster of tight sound knots) — To be expected in Rustic Alder.

Worm Holes/Pin Holes (can go through door) — Can be expected on Rustic Alder up to approximately 1/4" diameter.

Worm Tracks – Can be expected on Rustic Alder in sizes up to approximately 1/8" wide by 8" long.

Rustic Alder as described is featured for doors, drawer fronts, and selected mouldings. Other areas of the product will utilize standard hard Alder. Customers should expect a much lower occurrence of rustic characteristics in these other areas. Also, the natural characteristics mentioned occur randomly in Rustic Alder. All doors, drawer fronts, and selected mouldings will contain some combination of the common Rustic Alder markings; however, it will be uncommon to find all markings on any single piece.

The natural characteristics of wood described above and variations in grain patterns and color are not considered reasons for product replacement. We mention these characteristics because neither MasterBrand Cabinets nor your MasterBrand dealer can be responsible for these conditions and variations.

Accordingly, we ask that the following agreement be signed for Rustic Alder orders.

I have read the foregoing and find the characteristic variati As such, I agree not to hold MasterBrand Cabinets and/or these characteristics are later found by me to be less desire	the MasterBrand dealer listed below responsible in the event that
Customer Signature	Dealer Signature
Customer Name (please print)	Dealer Name (please print)
	Dealer Purchase Order Number

Dear MasterBrand Customer,

Congratulations on your selection of MasterBrand cabinetry in Rustic Hickory. Because of its unique characteristics Rustic Hickory is quite different from other wood types you may be familiar with. Your satisfaction is important to MasterBrand Cabinets, and we want you to fully understand the characteristics that make Rustic Hickory so distinctive.

Rustic Hickory is a strong, heavy hardwood known for distinctive graining patterns. Color will vary from nearly white to dark brown, with wild, flowing grain patterns and dramatic color variations. Rustic Hickory can have a fine uniform grain to large knots appearing black and brown in color of various shapes and sizes, sapwood, mineral and some checking.

Sound Closed Knot (not moveable) – Expected up to approximately 3" diameter.

Sound Knot with Cracks – Expect sound knots with open cracks up to approximately 1" length.

Open Knot (through door) — Expected with open area up to approximately 3/4" diameter.

Unsound Knot (moveable core) – Not to be expected.

Worm Holes/Pin Holes (can go through the door) — Can be expected up to 1/4" diameter.

Worm Tracks – Can be expected in sizes up to approximately 1/8" wide by 8" long.

Note: 3/4'' diameter is about the size of a penny. Holes created by open knots pass completely through the door and are desirable for this rustic look.

Doors, drawer fronts, and selected trim items will feature rustic characteristics. Other areas of the product will utilize standard Hickory.

The natural characteristics of wood described above and variations in grain patterns and color are not considered reasons for product replacement. We mention these characteristics because neither MasterBrand Cabinets nor your MasterBrand dealer can be responsible for these conditions and variations.

Accordingly, we ask that the following agreement be signed for Rustic Hickory orders.

have read the toregoing and tind the characteristic v As such, I agree not to hold MasterBrand Cabinets and hese characteristics are later found by me to be less	d/or the MasterBrand dealer listed below responsible in the event that
Customer Signature	Dealer Signature
Customer Name (please print)	Dealer Name (please print)
	Dealer Purchase Order Number

Code	Page Number	Code	Page Number	Code	Page Number	Code	Page Number
1TWT		BLSBEP		DABFS		INSERTCELT	
2DB	199	BLVDFF	307	DABSLS	190	INSTALLSCR, INSTALLS	CREWS 383
2DBDR		BMC		DADOOR		INVFRM	
2DBPDO	199	BMWDDD	216, 220	DASLBDF	328	ISLEGTPRD	349
2DBRT	200	BMWD	215	DB	199-204	ISLLEG JBRACKETART	
3CDB	196	BOC	218		268		356 346
3DB	201, 220,	BP	314	DDO		JCORBELCOS13D	355
3DBWD	267 203	BPCRSGR	315	DEK DFD	269 267	JCORBELCRAFTO JCORBELSHKR	356 357
3DBWTCD	202	BPM	337	DFF5PC	39	JCOSFOOT	352
3DBB		BPP	210	DFF5PCNR DFF5PCNRST	39	JCOSMOLEG JCRAFTFOOT	347 352
3DBDD	203	BPS		DFF5PCSLBT	40	JCRBUNFOOT	352
3TWT	271	BPTWB	205	DFR5PC DFR5PCSLBT	39	JENGCNTYLEG JESTATELEG	347 348
4DBWTCD	204	BQRES	218	DFSLB	39	JESTATELEGS	347
4TWT	272	BRACKETIND	359	DFSLBT	41	JESTATELEGSS JFRNCNTYLEG	347
4VDB	352	BRAIDM	336	DGBOXLOCK DGK		JGSK	348 362
ACAM	337	BRKOFFSCREW	383	DIMM	364	JINSERTLRC	343
ACS		BRMCLP	3/1 161	DLEGMISSION DOOR	349	JINSERTLRT JMADEFOOT	
ACSFB	180	BSC36PRP, PRS, SRP, SF	S 163	DOORSLAB	331	JMETROFOOT	353
ADDTK		BSD	209	DPSRR DRT	42	JPWRPOD JRCPV	374 345
	372	BTDPP	210	DRWPWR	52, 374	JRPV	345
ANGLHSHIELDSS		BUMPERPADS BUNLEG	383	DRWSEC DRWTK	50	JSOC JSPLEGSS	358
APC	43	BUPP			122-123	JSQBARLEG	349 350
AV	345	BUPPKB	212	DWD	124	JSQFOOT	353
В	155-156, 219	BV2SC3OPR, RP, RS, SR BV2SC36PRP, PRS, SRP,	162 SRS 164	DWDS	125	JSQFOOTS JSQISLLEG	353 350
BCIA	198	BWB	205	DWS	124	JSRC	358
BCOA	197	BWB.FH	206 370	DWBFH		JURNLEG JWHCA	352
BDR	213	BWC	209	EGD	336	JWHCS	149
BFH	158, 159	CABCLEANKIT		ENDRIG	364	JWHL JWHSHIPCH	145
BFSCO		CABLRIG	364	ENGBARCOLUMN ENGISLCOLUMN	347	JWHSHIPSTR	145
BPS		CABMAT	371	ER		JWHSHIPSTRCB	146
BRT	165	CABMATV		ES	51	JWHSHIPT JWHSHIPTCB	146 146
BTDRO	171	CBO		EXBKL, EXBKR	47	KCUP	372
BWTCD	337	CCM		EXL, EXR	374	KNOB	365 296
BATTLTI	363	CD	136	F	302	LB	342
BBCPO BBM	212 340	CF		FALSEPNLCLIP50	302	LBRM	
BBMFB	340	CFP	45	FB	43	LCHAMPERLNR	373
BBMSC		CFRMO	58	FBF   FBLR	307	LCRH LEADFLX	295
BBMSW	340	CIW	371	FD	50, 269	LEADRIC	364
BBMWD		CLTCROWN		FDWB	270	LGCORBEL LGSQFOOT	355
BBTP	185	CMAT		FFP		LIDSTAY, LIDSTAYHD	333 
BCPO	186	CNTYSB		FLEX		LIFOOT	353
BCF	307-312	CNTYSBCM		FOLCROWN FOOTMETAL		LOSC	3/3
BCFWCPO	187	CONNFLX	364	FPEB	43	LRM	342
BCFWFH	18/ 187	CONVERSION		FS	360	LSACROWN LSHAKER	
BCFWSP	188	CORBELBAU	357	FTKAV, FTKAV.FNT.P, F	TKAV.P 54	LSP	196
BCOPP		CORBELCOVE		FTKFV, FTKFV.FNT.P, F	TKFV.P 54	LT LTD	
BCPFH	217	CORBELMIS6	356	GAELICLEG	348	[]]	51
BECBED	198	CORBELMIS9		GLAZEPEN		MC	301
BEP	316		357	HINGE	370	MD, MD.BTM, MD.TOF MDCCRNSHLF	360
BEPAEL, AER	321	COTCROWN	332	HINGERESCLIP	382	MDENTIL	336
BEPVG	322	COVECROWN		HINGESHIM HL		MDFLCRNSHLF METBARCOLUMN	349
BEPS	313	CPES	341	HM	154	METISLCOLUMN	349
BER	191 191	CS		HP21		MFO	42 44
BKSOCKET	380	CUDD	371	ICM	343	MIXKITFHSC	370
BLOWER	151	DA5PCDF	328	ID		MSACROWN MTCROWN	333
υLJ	107			INSCRUVIN			ააა arch 1/1 2022

	Page
Code	Number
MTUK	381
MW	134 344
OC135	011
ÓCDWDE	245-250 373
OCM	343
OCM	240-244 338
OL	303
OL	303
OSB	253-257 238-239
P	58
PDM	383 373
PE	38
PFALSEPNLCLIP50	380 47
PLBLOCK	354
PPP	373 63
PTOWB	52
PTU PTUS	234 233
PUCK	363
PULL	365
PWT	237 236
Q4ZONECON	364
QDIMREC	364 344
QUARTCOLOR	381
RD	46 56
RECTKBK	56
RECTKL	56 56
RETCLIPBAG	383
RIGID	363
ROSETTEMIS	346 336
RT	51, 377
RTBFH	214 380
RVWS	221
S96	.303 333
SB	173-175,
SBCM	219 173
SBD	178
SBS	177 177
SBST	175, 220
SBSTCM	176 177
SBSTSCM	178
SBC	184 338
SBE	338
SBP	338 356
SBS	334
SCPDRW	42
SCRIBE	338 179
CEW	335
SHELFBRKTSN	360 383
SHKRCRM	333
SHLFPD	374 344
SHMD	62
SK	362 192, 220
SLSCR	193
SLSW	193 337
SM	

Code	Page Number
CWCODDEI	355
SMCORBEL	334
SMLR	342
SOFFITA	342
SOFFITE	342 380
SPD	374
SPLEG	349
SPTRINGEND	354 354
SPTRINGSPOOL	354 351
SQLEG	351
SRCH	374
	381
SSFSH	360 363
STANDSTBRACKETIND	360
STDW	126
STR	374
STR8	335 336
STRTHFATSHIFI D	373
STRTHSHIELDSS	373
MTZ	114
STWC	120 334
SWLCRM	335
SWTCRM	335
SWVCRM	335
TAPLG	354
ГВ	341 262-263
IBCD	264-265
ГВЕМ	339
IBMWB	251
ГВР	339 337
[D	53, 171
IDFH	172
IDKIT	375
TDRO	376 323
TED	317, 322
rep.vg	322
IFPS	313
ול	302 341
TF TKC TKP TKTLF00T	56
TKTLFOOT	354
TLFOOT	354
TUEKICKVAC	375 375
TOT	52, 375
TOUCHLATCH	359
TPP	235
IRIBRKT	359
ISTM	.337 381
TUK Turnedpost	351
TV	301
TVRAV, TVRFV, TVRVV	49
ГWН	150 222-227
J	228-230
JCD	272, 294
JCDT	272, 294
JOC	231
JOCDZ JPM	232 339
1	273-274
/B	278
/B	318
/BWB	294 281
VCRR	376
VDB	280
VDL	322
	221

Code	Page Number
VFR	342
VGPO	283
VHFH	
VMP	300
VP	
VSB	
VSBWB	277
VSD	
VSDFP	293 292, 293
VSDS	
VSSBST	278 277
VSSBSTWB	
VTK	57
VU	
VV	0.00
VWC	.299
VWH	000
VWM	
W	88-110,
W DC	141, 299
WBC	258 129
WPO	
W CHIEDD	104
WSHLFPD	
W3D	
WAGD	
WAGVLD	005
WAIN	2.2
WBCPO	137
WBCPOKCUP	
WBMW	
WCT	344
WEAS	100
WEC	001
WEP	318
WEPVG	322 314
WEPS	
WGH	376
WHA	
WHC	2.45
WHCA	148
WHCS	
WHS	
WHSFP	144
WHSMC	148
WHSMT	. 147 . 147
WLI	44
WMC	
WMF	1.40
W0	142
WQRES	131-133
WSC	. 141 . 339
WSD	142
WSK	
WSP	7.40
WTCD	372
WITH	87-101
WTH	8/-101
WTHRESCLIP	.382

399

# **Protection for your investment**

# Limited Lifetime Warranty (Residential Purchaser)

MasterBrand Cabinets, Inc. ("**We**" or "**Us**") extends the following limited lifetime warranty ("**Limited Warranty**") to the first Residential Purchaser ("**You**" or "**Your**") of a cabinet or vanity manufactured by Us (each, a "**Product**"). This Limited Warranty is only applicable to Products sold to the first Residential Purchaser and used in the applications described below within the United States and Canada. Except as allowed below or by applicable law, You may not assign or transfer this Limited Warranty.

### WHO IS A RESIDENTIAL PURCHASER? Under this Limited Warranty, a "Residential Purchaser" means any of the following:

- a person who purchases and installs the Product in a dwelling that is owned and used by that person as a primary or secondary home;
- any person or business such as a builder, contractor or developer that purchases and installs the Product in a newly constructed or remodeled dwelling that will be used by the initial owner/purchaser of that dwelling as a primary or secondary home. In such situation, this Limited Warranty may be assigned to the initial owner/purchaser who uses the dwelling as a primary or secondary home.
- a consumer subject to the Quebec Consumer Protection Act.

Under this Limited Warranty, a primary or secondary home does not include rental property. This Limited Warranty does not apply to landlords, leasing companies or other commercial purchasers. (See Commercial Warranty)

**WHAT DOES THIS LIMITED WARRANTY COVER?** Subject to the exclusions and limitations set forth in this Limited Warranty, We warrant to You that each Product will be free from defects in material and workmanship, under normal use and maintenance, for the applicable warranty period stated below. This warranty gives You specific legal rights, and You may have other rights which vary from State to State or Province to Province.

WHAT IS THE WARRANTY PERIOD APPLICABLE TO RESIDENTIAL PURCHASERS? The warranty period for Your Product (excluding certain components discussed in the following paragraph) begins on the date the Product was purchased, whether purchased by You or by a third party on Your behalf. Your warranty is only valid if you use the dwelling as your primary or secondary home and does not extend to future owners if the property is sold.

Notwithstanding the preceding paragraph, the warranty periods applicable to the following Product components that were not originally manufactured by Us are as follows:

- Vent Hoods, Blowers, and components: 1 year from the date of original purchase
- Lighting, Electronic, and Powered components: 2 years from the date of original purchase.
- Decorative Hardware: 5 years from the date of original purchase.

**DISCLAIMER OF OTHER WARRANTIES:** IF YOU ARE A CONSUMER SUBJECT TO THE QUEBEC CONSUMER PROTECTION ACT, THE EXCLUSION OF WARRANTIES CONTAINED IN THE IMMEDIATELY FOLLOWING PARAGRAPH DO NOT LIMIT YOUR RIGHTS AND REMEDIES UNDER SUCH ACT, INCLUDING THE RIGHT TO MAKE A CLAIM UNDER ANY OF THE STATUTORY WARRANTIES PROVIDED UNDER SECTIONS 34 TO 54 OF SUCH ACT. CERTAIN OTHER STATES OR PROVINCES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE BELOW LIMITATION MAY NOT APPLY TO YOU.

THIS LIMITED WARRANTY IS OUR SOLE AND EXCLUSIVE WARRANTY WITH RESPECT TO THE PRODUCTS. ALL IMPLIED WARRANTIES ARE STRICTLY LIMITED TO THE DURATION OF THE LIMITED WARRANTY APPLICABLE TO THE PRODUCT AS STATED ABOVE, INCLUDING BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE.

400

#### WHAT THIS LIMITED WARRANTY DOES NOT COVER (EXCLUSIONS): The Limited Warranty does not apply to any Product:

- 1. installed or used outdoors:
- 2. used for purposes for which it is not designed or intended by Us;
- 3. which has been subjected to misuse, vandalism, abuse, negligence, accident, or unauthorized modifications;
- 4. which has been improperly stored (if the Product must be stored, it should be covered and stored in a humidity and temperature controlled environment, away from direct sunlight):
- which has been improperly installed, cleaned, or maintained (for more information regarding the proper use and care of the Product, please consult the applicable Use and Care Instructions that accompanied the Product or that can be found at www.masterbrand.com/care-and-cleaning
- 6. which has been subjected to improper temperature, moisture and/or humidity extremes (temperature outside the range of 50-85°F (10-29°C) and humidity outside the range of 30-55% are considered extreme);
- 7. damaged by fire, flood, acts of God, or other external causes beyond our control;
- 8. varying in color and characteristics due to age, sunlight, smoke, or other environmental conditions;
- 9. exhibiting any effects on the color and/or integrity of the finish/color or appearance due to the use of abrasive cleaners, cleaners that contain chlorine, acidic cleaners, scuffing sponges or steel wool; and/or
- 10. exhibiting normal wear and tear.

In addition, natural materials may vary in color and characteristics and exhibit subtle changes as they age. For example, painted doors, drawer fronts, and face frames may eventually have visible cracking around the joint area, and cabinet colors may darken or lighten over time. These variations are considered to be the nature of the material in relation to their environmental exposure and are not covered under this Limited Warranty.

**SOLE AND EXCLUSIVE REMEDY:** In the event of a defect in the workmanship or materials of a Product or Product component occurring during the warranty period described above, We will, at our option, repair or replace any defective Product or Product component; provided, if it is not commercially feasible to repair or replace a defective Product or Product component, We may refund the original price paid by You for the defective Product or Product component, or provide a credit towards a similar type of product sold by Us. The foregoing are Your sole and exclusive remedies for any Product defect or non-conformity. By way of example but not limitation, the following costs and expenses are not covered by this Limited Warranty: (1) labor costs for the original installation, removal, or reinstallation of the Product, or defective part thereof; (2) labor costs or material charges for the removal, reinstallation, repainting, refinishing or replacement of any other items or building materials which must be removed, replaced, reinstalled, or refinished in order to repair or replace the defective Product or component. For example, costs associated with the following will not be reimbursed: counters, sinks, tiles, flooring, accessories, appliances or plumbing fixtures. When a claim for warpage, joint separation or material growth is submitted, We may, at our option and after inspection, defer action for up to 12 months to allow the Product to acclimate to the installed environment. Further, We reserve the right to modify or alter any Product design, specifications or materials without obligation to make similar changes to Products previously manufactured or sold by Us.

The repair or replacement remedies offered by Us under this Limited Warranty are contingent on the current Product offerings of styles and construction options within our Product line at the time a warranty claim is made by You. If a valid warranty claim is filed for an obsolete Product, We reserve the right, at our sole option, to honor its repair or replacement obligations under this Limited Warranty by either: (1) replacing the affected Product or component of the same or approximate style or color from our current Product line or offerings; or (2) replacing the affected Product or component to achieve a uniform appearance with a similar or comparable product style or approximate color of the originally purchased style. If a Product or components are replaced or repaired, We cannot guarantee an exact match with the finish/color or appearance of other products or fixtures installed at Your dwelling. This is due to changes that may occur during the Products' natural aging process, affecting its color and/or grain.

**LIMITATION OF LIABILITY:** If You are a consumer subject to the Quebec *Consumer Protection Act,* the limitations of liability contained in the immediately following paragraph do not release Us from the consequences of our own actions or the actions of our representatives. Certain other States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the below limitation or exclusion may not apply to You.

The remedies described above are Your sole and exclusive remedies and our entire liability for any breach of this Limited Warranty. Our total liability shall under no circumstances exceed the actual amount paid by You for the defective product. Further, We shall not under any circumstances be liable for any consequential, indirect, incidental, special or punitive damages or losses (including lost profits), even if this Limited Warranty is deemed to have failed of its essential purpose.

**HOW DO YOU OBTAIN WARRANTY SERVICE?** This Limited Warranty can also be found in the documentation that accompanied Your Product. To obtain more information regarding the Product or to make a claim under this Limited Warranty, contact one of our authorized dealers or distributors, who will arrange for inspection of the Product. A dated sales receipt as proof of purchase is required to obtain benefits from this Limited Warranty. If you have difficulty obtaining assistance, please write to:

MasterBrand Cabinets, Inc Attn: Consumer Affairs One MasterBrand Cabinet Drive P.O. Box 420 Jasper, IN 47547-0420



# OUR COMMITMENT TO CHANNEL PARTNERS, DESIGNERS AND CUSTOMERS

The Express Response™ program is designed to expedite orders when customers need product faster than normal lead times to correct problems with an existing order. Below is an overview of the program and what you can expect from our commitment to superior service.

#### **GUIDELINES**

- Orders must be submitted using the OneTouch Express Response function to receive rush expediting. All phoned-in, faxed or emailed orders will follow current standard lead times.
- Warranty or replacements for orders no longer available on OneTouch should be placed by fax or email using the updated ER Order form.
- Order must be associated with a previous order number.
- All orders received by 12 NOON E.T. Monday-Friday will be automatically scheduled for Express Response that same day. Orders received after the cutoff time will be processed on the next business day.
- Lead time calculation is based on receipt of a clean order on a credit-worthy account. Clean orders are orders in which all information is provided and accurate.
- There is no additional upcharge for Express Response.
- There are no cancellations or returns once order is received.
- Due to the special nature of Special Orders and Appliance Panels, they are excluded from the Express Response program and will be processed as a standard lead time order.
- Express Response is available within the continental United States. Should Alaska, Hawaii or international shipments be required, customer service representatives are ready to assist by providing shipping information and determining lead times.

#### **LEAD TIMES**

12 WORKING DAYS OR LESS FROM ORDER TO DELIVERY (channel partner or home delivery agent):

- Items shipped via LTL (via SuperPAC™) or truckload.
- Includes all catalog items except those that can be expedited through the 5-day program listed below.

#### 5 WORKING DAYS FROM ORDER TO DELIVERY:

• Qualified items are designated in the Specification Guide with an icon



- Items will ship via parcel ground.
  - o Lead time calculation allows for 2 days parcel ground shipping time. Some geographic areas may require additional shipping time.
- For orders containing both 12 day and 5 day items, the longer lead time applies.